









Mode	24																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.71</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>39.89</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>5469.71</td><td>48.08</td><td>68.20</td><td>-20.12</td><td>38.86</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.71	48.77	74.00	-25.23	39.89	34.50	10.75	36.37	0.00	100	256	PEAK	2	5469.71	48.08	68.20	-20.12	38.86	34.57	10.85	36.20	0.00	100	256	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>96.53</td><td>-----</td><td>-----</td><td>87.04</td><td>34.60</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	96.53	-----	-----	87.04	34.60	10.96	36.07	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5352.71	48.77	74.00	-25.23	39.89	34.50	10.75	36.37	0.00	100	256	PEAK																																																																																																				
2	5469.71	48.08	68.20	-20.12	38.86	34.57	10.85	36.20	0.00	100	256	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	96.53	-----	-----	87.04	34.60	10.96	36.07	0.00	100	256	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>38.25</td><td>54.00</td><td>-15.75</td><td>29.37</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	38.25	54.00	-15.75	29.37	34.50	10.75	36.37	0.00	100	256	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>88.55</td><td>-----</td><td>-----</td><td>79.06</td><td>34.60</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	88.55	-----	-----	79.06	34.60	10.96	36.07	0.00	100	256	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5350.00	38.25	54.00	-15.75	29.37	34.50	10.75	36.37	0.00	100	256	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	88.55	-----	-----	79.06	34.60	10.96	36.07	0.00	100	256	AVERAGE																																																																																																				







Mode	24	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	




Mode	24																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6952.80</td><td>49.22</td><td>68.20</td><td>-18.98</td><td>66.84</td><td>35.60</td><td>12.41</td><td>65.63</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7400.40</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>68.56</td><td>35.70</td><td>12.73</td><td>66.70</td><td>0.00</td><td>103</td><td>355 Peak</td></tr><tr><td>3</td><td>7400.40</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>64.35</td><td>35.70</td><td>12.73</td><td>66.70</td><td>0.00</td><td>103</td><td>355 Average</td></tr><tr><td>4</td><td>11100.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>57.92</td><td>37.98</td><td>16.11</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6952.80	49.22	68.20	-18.98	66.84	35.60	12.41	65.63	0.00	--	Peak	2	7400.40	50.29	74.00	-23.71	68.56	35.70	12.73	66.70	0.00	103	355 Peak	3	7400.40	46.08	54.00	-7.92	64.35	35.70	12.73	66.70	0.00	103	355 Average	4	11100.00	45.59	74.00	-28.41	57.92	37.98	16.11	66.42	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6951.60</td><td>45.66</td><td>68.20</td><td>-22.54</td><td>63.29</td><td>35.60</td><td>12.40</td><td>65.63</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.99</td><td>37.98</td><td>16.11</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6951.60	45.66	68.20	-22.54	63.29	35.60	12.40	65.63	0.00	--	Peak	2	11100.00	45.66	74.00	-28.34	57.99	37.98	16.11	66.42	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	6952.80	49.22	68.20	-18.98	66.84	35.60	12.41	65.63	0.00	--	Peak																																																																																																																																						
2	7400.40	50.29	74.00	-23.71	68.56	35.70	12.73	66.70	0.00	103	355 Peak																																																																																																																																						
3	7400.40	46.08	54.00	-7.92	64.35	35.70	12.73	66.70	0.00	103	355 Average																																																																																																																																						
4	11100.00	45.59	74.00	-28.41	57.92	37.98	16.11	66.42	0.00	--	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	6951.60	45.66	68.20	-22.54	63.29	35.60	12.40	65.63	0.00	--	Peak																																																																																																																																						
2	11100.00	45.66	74.00	-28.34	57.99	37.98	16.11	66.42	0.00	--	PEAK																																																																																																																																						







		25																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.65</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>42.58</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr><tr><td>2</td><td>5460.01</td><td>49.67</td><td>68.20</td><td>-18.53</td><td>40.48</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.65	51.46	74.00	-22.54	42.58	34.50	10.75	36.37	0.00	100	64 PEAK	2	5460.01	49.67	68.20	-18.53	40.48	34.56	10.84	36.21	0.00	100	64 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.83</td><td>-----</td><td>-----</td><td>97.32</td><td>34.60</td><td>11.08</td><td>36.17</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.83	-----	-----	97.32	34.60	11.08	36.17	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5352.65	51.46	74.00	-22.54	42.58	34.50	10.75	36.37	0.00	100	64 PEAK																																																																																																		
2	5460.01	49.67	68.20	-18.53	40.48	34.56	10.84	36.21	0.00	100	64 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	106.83	-----	-----	97.32	34.60	11.08	36.17	0.00	100	64 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.45</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>32.12</td><td>34.55</td><td>10.82</td><td>36.24</td><td>0.00</td><td>100</td><td>64 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.45	41.25	54.00	-12.75	32.12	34.55	10.82	36.24	0.00	100	64 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.06</td><td>-----</td><td>-----</td><td>88.55</td><td>34.60</td><td>11.08</td><td>36.17</td><td>0.00</td><td>100</td><td>64 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.06	-----	-----	88.55	34.60	11.08	36.17	0.00	100	64 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5445.45	41.25	54.00	-12.75	32.12	34.55	10.82	36.24	0.00	100	64 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	98.06	-----	-----	88.55	34.60	11.08	36.17	0.00	100	64 AVERAGE																																																																																																		




Mode	25																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5726.96</td><td>59.91</td><td>68.20</td><td>-8.29</td><td>51.37</td><td>34.68</td><td>11.18</td><td>37.32</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5726.96	59.91	68.20	-8.29	51.37	34.68	11.18	37.32	0.00	100	64 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5726.96	59.91	68.20	-8.29	51.37	34.68	11.18	37.32	0.00	100	64 PEAK																																	



Mode	25																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.01	48.82	74.00	-25.18	39.83	34.50	10.78	36.29	0.00	386	129	PEAK	2	5462.41	47.33	68.20	-20.87	38.14	34.56	10.84	36.21	0.00	386	129	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.29</td><td>-----</td><td>-----</td><td>89.78</td><td>34.60</td><td>11.08</td><td>36.17</td><td>0.00</td><td>386</td><td>129</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.29	-----	-----	89.78	34.60	11.08	36.17	0.00	386	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5404.01	48.82	74.00	-25.18	39.83	34.50	10.78	36.29	0.00	386	129	PEAK																																																																																									
2	5462.41	47.33	68.20	-20.87	38.14	34.56	10.84	36.21	0.00	386	129	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	99.29	-----	-----	89.78	34.60	11.08	36.17	0.00	386	129	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.61	38.16	54.00	-15.84	29.19	34.50	10.77	36.30	0.00	386	129	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>90.77</td><td>-----</td><td>-----</td><td>81.26</td><td>34.60</td><td>11.08</td><td>36.17</td><td>0.00</td><td>386</td><td>129</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	90.77	-----	-----	81.26	34.60	11.08	36.17	0.00	386	129	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5397.61	38.16	54.00	-15.84	29.19	34.50	10.77	36.30	0.00	386	129	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	90.77	-----	-----	81.26	34.60	11.08	36.17	0.00	386	129	AVERAGE																																																																																									







Mode	25																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.24</td><td>48.78</td><td>68.20</td><td>-19.42</td><td>40.49</td><td>34.74</td><td>11.21</td><td>37.66</td><td>0.00</td><td>386</td><td>129</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.24	48.78	68.20	-19.42	40.49	34.74	11.21	37.66	0.00	386	129	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5748.24	48.78	68.20	-19.42	40.49	34.74	11.21	37.66	0.00	386	129	PEAK																																	





Mode	25																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.20</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>67.35</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7560.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>71.80</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Peak</td></tr><tr><td>3</td><td>7560.00</td><td>48.00</td><td>54.00</td><td>-6.00</td><td>66.20</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Average</td></tr><tr><td>4</td><td>11340.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.40</td><td>38.17</td><td>16.26</td><td>66.32</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak	2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak	3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average	4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak																																																																														
2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak																																																																														
3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average																																																																														
4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.20</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>67.35</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7560.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>71.80</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Peak</td></tr><tr><td>3</td><td>7560.00</td><td>48.00</td><td>54.00</td><td>-6.00</td><td>66.20</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Average</td></tr><tr><td>4</td><td>11340.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.40</td><td>38.17</td><td>16.26</td><td>66.32</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak	2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak	3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average	4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak																																																																														
2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak																																																																														
3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average																																																																														
4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.20</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>67.35</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7560.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>71.80</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Peak</td></tr><tr><td>3</td><td>7560.00</td><td>48.00</td><td>54.00</td><td>-6.00</td><td>66.20</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>114 356 Average</td></tr><tr><td>4</td><td>11340.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.40</td><td>38.17</td><td>16.26</td><td>66.32</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak	2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak	3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average	4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7093.20	49.79	68.20	-18.41	67.35	35.69	12.58	65.83	0.00	-- -- Peak																																																																														
2	7560.00	53.60	74.00	-20.40	71.80	35.00	12.96	66.96	0.00	114 356 Peak																																																																														
3	7560.00	48.00	54.00	-6.00	66.20	35.00	12.96	66.96	0.00	114 356 Average																																																																														
4	11340.00	44.51	74.00	-29.49	56.40	38.17	16.26	66.32	0.00	-- -- PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7072.00</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>64.43</td><td>35.67</td><td>12.55</td><td>65.78</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7560.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>63.43</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>11340.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>56.59</td><td>38.17</td><td>16.26</td><td>66.32</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7072.00	46.87	68.20	-21.33	64.43	35.67	12.55	65.78	0.00	-- -- Peak	2	7560.00	45.23	74.00	-28.77	63.43	35.00	12.96	66.96	0.00	-- -- Peak	3	11340.00	44.70	74.00	-29.30	56.59	38.17	16.26	66.32	0.00	-- -- PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7072.00	46.87	68.20	-21.33	64.43	35.67	12.55	65.78	0.00	-- -- Peak																																																																														
2	7560.00	45.23	74.00	-28.77	63.43	35.00	12.96	66.96	0.00	-- -- Peak																																																																														
3	11340.00	44.70	74.00	-29.30	56.59	38.17	16.26	66.32	0.00	-- -- PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7072.00</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>64.43</td><td>35.67</td><td>12.55</td><td>65.78</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7560.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>63.43</td><td>35.00</td><td>12.96</td><td>66.96</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>11340.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>56.59</td><td>38.17</td><td>16.26</td><td>66.32</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7072.00	46.87	68.20	-21.33	64.43	35.67	12.55	65.78	0.00	-- -- Peak	2	7560.00	45.23	74.00	-28.77	63.43	35.00	12.96	66.96	0.00	-- -- Peak	3	11340.00	44.70	74.00	-29.30	56.59	38.17	16.26	66.32	0.00	-- -- PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7072.00	46.87	68.20	-21.33	64.43	35.67	12.55	65.78	0.00	-- -- Peak																																																																														
2	7560.00	45.23	74.00	-28.77	63.43	35.00	12.96	66.96	0.00	-- -- Peak																																																																														
3	11340.00	44.70	74.00	-29.30	56.59	38.17	16.26	66.32	0.00	-- -- PEAK																																																																														







Mode	26																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.01</td><td>59.25</td><td>74.00</td><td>-14.75</td><td>51.34</td><td>34.04</td><td>10.57</td><td>36.70</td><td>0.00</td><td>100</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.01	59.25	74.00	-14.75	51.34	34.04	10.57	36.70	0.00	100	94	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.16</td><td>-----</td><td>-----</td><td>88.63</td><td>34.38</td><td>10.68</td><td>36.53</td><td>0.00</td><td>100</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.16	-----	-----	88.63	34.38	10.68	36.53	0.00	100	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5114.01	59.25	74.00	-14.75	51.34	34.04	10.57	36.70	0.00	100	94	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	97.16	-----	-----	88.63	34.38	10.68	36.53	0.00	100	94	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>39.95</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	48.06	54.00	-5.94	39.95	34.15	10.61	36.65	0.00	100	94	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.16</td><td>-----</td><td>-----</td><td>79.60</td><td>34.39</td><td>10.69</td><td>36.52</td><td>0.00</td><td>100</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.16	-----	-----	79.60	34.39	10.69	36.52	0.00	100	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.98	48.06	54.00	-5.94	39.95	34.15	10.61	36.65	0.00	100	94	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	88.16	-----	-----	79.60	34.39	10.69	36.52	0.00	100	94	AVERAGE																																																																																																			





Mode	26																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.72</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>42.33</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>94 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.72	51.22	74.00	-22.78	42.33	34.50	10.75	36.36	0.00	100	94 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5356.72	51.22	74.00	-22.78	42.33	34.50	10.75	36.36	0.00	100	94 PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.50</td><td>42.32</td><td>54.00</td><td>-11.68</td><td>33.43</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>94 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.50	42.32	54.00	-11.68	33.43	34.50	10.75	36.36	0.00	100	94 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5360.50	42.32	54.00	-11.68	33.43	34.50	10.75	36.36	0.00	100	94 AVERAGE																																									





Mode	26																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.81</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>47.86</td><td>34.14</td><td>10.61</td><td>36.66</td><td>0.00</td><td>400</td><td>153</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.81	55.95	74.00	-18.05	47.86	34.14	10.61	36.66	0.00	400	153	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.30</td><td>-----</td><td>-----</td><td>84.03</td><td>34.24</td><td>10.64</td><td>36.61</td><td>0.00</td><td>400</td><td>153</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.30	-----	-----	84.03	34.24	10.64	36.61	0.00	400	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.81	55.95	74.00	-18.05	47.86	34.14	10.61	36.66	0.00	400	153	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	92.30	-----	-----	84.03	34.24	10.64	36.61	0.00	400	153	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.85</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>35.62</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>400</td><td>153</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	43.73	54.00	-10.27	35.62	34.15	10.61	36.65	0.00	400	153	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>83.15</td><td>-----</td><td>-----</td><td>74.85</td><td>34.25</td><td>10.65</td><td>36.60</td><td>0.00</td><td>400</td><td>153</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	83.15	-----	-----	74.85	34.25	10.65	36.60	0.00	400	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	43.73	54.00	-10.27	35.62	34.15	10.61	36.65	0.00	400	153	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	83.15	-----	-----	74.85	34.25	10.65	36.60	0.00	400	153	AVERAGE																																																																																							







Mode	26																																																																
	Band Edge - R																																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																
ANT	1																																																																
Pol.	Vertical						Fundamental																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5399.38</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>39.42</td><td>34.50</td><td>10.78</td><td>36.30</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>153 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5399.38	48.40	74.00	-25.60	39.42	34.50	10.78	36.30								0.00	400									153 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5399.38	48.40	74.00	-25.60	39.42	34.50	10.78	36.30																																																									
							0.00	400																																																									
								153 PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5387.86</td><td>38.01</td><td>54.00</td><td>-15.99</td><td>29.06</td><td>34.50</td><td>10.77</td><td>36.32</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>153 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5387.86	38.01	54.00	-15.99	29.06	34.50	10.77	36.32								0.00	400									153 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5387.86	38.01	54.00	-15.99	29.06	34.50	10.77	36.32																																																									
							0.00	400																																																									
								153 AVERAGE																																																									





Mode	26																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6856.00</td><td>46.79</td><td>68.20</td><td>-21.41</td><td>64.67</td><td>35.56</td><td>12.31</td><td>65.75</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>58.88</td><td>37.51</td><td>15.53</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6856.00	46.79	68.20	-21.41	64.67	35.56	12.31	65.75	0.00	--	--	Peak	2	10420.00	45.21	68.20	-22.99	58.88	37.51	15.53	66.71	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7761.60</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>64.04</td><td>35.96</td><td>13.16</td><td>66.88</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>59.14</td><td>37.50</td><td>15.51</td><td>66.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7761.60	46.28	68.20	-21.92	64.04	35.96	13.16	66.88	0.00	--	--	Peak	2	10420.00	45.43	68.20	-22.77	59.14	37.50	15.51	66.72	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	6856.00	46.79	68.20	-21.41	64.67	35.56	12.31	65.75	0.00	--	--	Peak																																																																																																																	
2	10420.00	45.21	68.20	-22.99	58.88	37.51	15.53	66.71	0.00	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7761.60	46.28	68.20	-21.92	64.04	35.96	13.16	66.88	0.00	--	--	Peak																																																																																																																	
2	10420.00	45.43	68.20	-22.77	59.14	37.50	15.51	66.72	0.00	--	--	PEAK																																																																																																																	







Mode	27																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.97</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>46.26</td><td>34.12</td><td>10.60</td><td>36.67</td><td>0.00</td><td>107</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.97	54.31	74.00	-19.69	46.26	34.12	10.60	36.67	0.00	107	91 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.55</td><td>-----</td><td>-----</td><td>89.76</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>107</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.55	-----	-----	89.76	34.50	10.72	36.43	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5138.97	54.31	74.00	-19.69	46.26	34.12	10.60	36.67	0.00	107	91 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	98.55	-----	-----	89.76	34.50	10.72	36.43	0.00	107	91 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.61</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>33.88</td><td>34.14</td><td>10.61</td><td>36.66</td><td>0.00</td><td>107</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.61	41.97	54.00	-12.03	33.88	34.14	10.61	36.66	0.00	107	91 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.50</td><td>-----</td><td>-----</td><td>80.71</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>107</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.50	-----	-----	80.71	34.50	10.72	36.43	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5147.61	41.97	54.00	-12.03	33.88	34.14	10.61	36.66	0.00	107	91 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	89.50	-----	-----	80.71	34.50	10.72	36.43	0.00	107	91 AVERAGE																																																																																						





Mode	27																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.35</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>47.63</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>107</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.35	56.52	74.00	-17.48	47.63	34.50	10.75	36.36	0.00	107	91 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5354.35	56.52	74.00	-17.48	47.63	34.50	10.75	36.36	0.00	107	91 PEAK																																									
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>38.16</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>107</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.04	54.00	-6.96	38.16	34.50	10.75	36.37	0.00	107	91 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.00	47.04	54.00	-6.96	38.16	34.50	10.75	36.37	0.00	107	91 AVERAGE																																									





Mode	27																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.05</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>42.36</td><td>34.04</td><td>10.57</td><td>36.71</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.05	50.26	74.00	-23.74	42.36	34.04	10.57	36.71	0.00	100	258	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.45</td><td>-----</td><td>-----</td><td>80.63</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.45	-----	-----	80.63	34.50	10.73	36.41	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5113.05	50.26	74.00	-23.74	42.36	34.04	10.57	36.71	0.00	100	258	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	89.45	-----	-----	80.63	34.50	10.73	36.41	0.00	100	258	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.41</td><td>39.74</td><td>54.00</td><td>-14.26</td><td>31.80</td><td>34.06</td><td>10.58</td><td>36.70</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.41	39.74	54.00	-14.26	31.80	34.06	10.58	36.70	0.00	100	258	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>80.45</td><td>-----</td><td>-----</td><td>71.66</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	80.45	-----	-----	71.66	34.50	10.72	36.43	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5120.41	39.74	54.00	-14.26	31.80	34.06	10.58	36.70	0.00	100	258	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	80.45	-----	-----	71.66	34.50	10.72	36.43	0.00	100	258	AVERAGE																																																																																																			





Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.85</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>41.27</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.85	50.16	74.00	-23.84	41.27	34.50	10.75	36.36	0.00	100	258	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5359.85	50.16	74.00	-23.84	41.27	34.50	10.75	36.36	0.00	100	258	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>31.63</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	40.51	54.00	-13.49	31.63	34.50	10.75	36.37	0.00	100	258	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.05	40.51	54.00	-13.49	31.63	34.50	10.75	36.37	0.00	100	258	AVERAGE																																											




Mode	27																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																											
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6585.60</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>66.92</td><td>35.50</td><td>12.08</td><td>65.85</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7053.60</td><td>48.72</td><td>68.20</td><td>-19.48</td><td>66.26</td><td>35.65</td><td>12.53</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7339.20</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>66.38</td><td>35.70</td><td>12.72</td><td>66.53</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>10580.00</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>57.62</td><td>37.61</td><td>15.66</td><td>66.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6585.60	48.65	68.20	-19.55	66.92	35.50	12.08	65.85	0.00	--	--	Peak	2	7053.60	48.72	68.20	-19.48	66.26	35.65	12.53	65.72	0.00	--	--	Peak	3	7339.20	48.27	74.00	-25.73	66.38	35.70	12.72	66.53	0.00	--	--	Peak	4	10580.00	44.24	68.20	-23.96	57.62	37.61	15.66	66.65	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.60</td><td>46.11</td><td>68.20</td><td>-22.09</td><td>63.65</td><td>35.65</td><td>12.53</td><td>65.72</td><td>0.00</td><td>300</td><td>151</td></tr><tr><td>2</td><td>8918.40</td><td>46.49</td><td>68.20</td><td>-21.71</td><td>63.01</td><td>36.20</td><td>14.27</td><td>66.99</td><td>0.00</td><td>100</td><td>118</td></tr><tr><td>3</td><td>10580.00</td><td>44.17</td><td>68.20</td><td>-24.03</td><td>57.57</td><td>37.60</td><td>15.65</td><td>66.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7053.60	46.11	68.20	-22.09	63.65	35.65	12.53	65.72	0.00	300	151	2	8918.40	46.49	68.20	-21.71	63.01	36.20	14.27	66.99	0.00	100	118	3	10580.00	44.17	68.20	-24.03	57.57	37.60	15.65	66.65	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	6585.60	48.65	68.20	-19.55	66.92	35.50	12.08	65.85	0.00	--	--	Peak																																																																																																																																																						
2	7053.60	48.72	68.20	-19.48	66.26	35.65	12.53	65.72	0.00	--	--	Peak																																																																																																																																																						
3	7339.20	48.27	74.00	-25.73	66.38	35.70	12.72	66.53	0.00	--	--	Peak																																																																																																																																																						
4	10580.00	44.24	68.20	-23.96	57.62	37.61	15.66	66.65	0.00	--	--	PEAK																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	7053.60	46.11	68.20	-22.09	63.65	35.65	12.53	65.72	0.00	300	151																																																																																																																																																							
2	8918.40	46.49	68.20	-21.71	63.01	36.20	14.27	66.99	0.00	100	118																																																																																																																																																							
3	10580.00	44.17	68.20	-24.03	57.57	37.60	15.65	66.65	0.00	--	--	PEAK																																																																																																																																																						







Mode	28																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.53</td><td>58.95</td><td>74.00</td><td>-15.05</td><td>49.77</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>105</td><td>91 PEAK</td></tr><tr><td>2</td><td>5462.25</td><td>59.57</td><td>68.20</td><td>-8.63</td><td>50.38</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>105</td><td>91 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.53	58.95	74.00	-15.05	49.77	34.56	10.84	36.22	0.00	105	91 PEAK	2	5462.25	59.57	68.20	-8.63	50.38	34.56	10.84	36.21	0.00	105	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.53	58.95	74.00	-15.05	49.77	34.56	10.84	36.22	0.00	105	91 PEAK																																																									
2	5462.25	59.57	68.20	-8.63	50.38	34.56	10.84	36.21	0.00	105	91 PEAK																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.31</td><td>-----</td><td>-----</td><td>90.85</td><td>34.60</td><td>10.95</td><td>36.09</td><td>0.00</td><td>105</td><td>91 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.31	-----	-----	90.85	34.60	10.95	36.09	0.00	105	91 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	100.31	-----	-----	90.85	34.60	10.95	36.09	0.00	105	91 PEAK																																																									
Avg																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>40.02</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>105</td><td>91 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	49.20	54.00	-4.80	40.02	34.56	10.84	36.22	0.00	105	91 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.05	49.20	54.00	-4.80	40.02	34.56	10.84	36.22	0.00	105	91 AVERAGE																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.07</td><td>-----</td><td>-----</td><td>81.60</td><td>34.60</td><td>10.95</td><td>36.00</td><td>0.00</td><td>105</td><td>91 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.07	-----	-----	81.60	34.60	10.95	36.00	0.00	105	91 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	91.07	-----	-----	81.60	34.60	10.95	36.00	0.00	105	91 AVERAGE																																																									




Mode	28																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5730.64</td><td>50.49</td><td>68.20</td><td>-17.71</td><td>42.00</td><td>34.69</td><td>11.18</td><td>37.38</td><td>0.00</td><td>105</td><td>91 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5730.64	50.49	68.20	-17.71	42.00	34.69	11.18	37.38	0.00	105	91 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5730.64	50.49	68.20	-17.71	42.00	34.69	11.18	37.38	0.00	105	91 PEAK																																										






Mode	28																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.97	53.24	74.00	-20.76	44.14	34.54	10.81	36.25	0.00	100	256	PEAK	2	5466.89	51.20	68.20	-17.00	41.99	34.57	10.85	36.21	0.00	100	256	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.83</td><td>-----</td><td>-----</td><td>80.36</td><td>34.60</td><td>10.95</td><td>36.08</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.83	-----	-----	80.36	34.60	10.95	36.08	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5436.97	53.24	74.00	-20.76	44.14	34.54	10.81	36.25	0.00	100	256	PEAK																																																																																									
2	5466.89	51.20	68.20	-17.00	41.99	34.57	10.85	36.21	0.00	100	256	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	89.83	-----	-----	80.36	34.60	10.95	36.08	0.00	100	256	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.89	41.90	54.00	-12.10	32.74	34.55	10.83	36.22	0.00	100	256	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>81.56</td><td>-----</td><td>-----</td><td>72.09</td><td>34.60</td><td>10.95</td><td>36.08</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	81.56	-----	-----	72.09	34.60	10.95	36.08	0.00	100	256	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5454.89	41.90	54.00	-12.10	32.74	34.55	10.83	36.22	0.00	100	256	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	81.56	-----	-----	72.09	34.60	10.95	36.08	0.00	100	256	AVERAGE																																																																																									





Mode	28																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5763.84</td><td>48.76</td><td>68.20</td><td>-19.44</td><td>40.64</td><td>34.79</td><td>11.23</td><td>37.90</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5763.84	48.76	68.20	-19.44	40.64	34.79	11.23	37.90	0.00	100	256 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5763.84	48.76	68.20	-19.44	40.64	34.79	11.23	37.90	0.00	100	256 PEAK																																										






Mode	28																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>57.38</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.97	74.00	-29.03	57.38	37.95	16.08	66.44	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>56.98</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.57	74.00	-29.43	56.98	37.95	16.08	66.44	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	44.97	74.00	-29.03	57.38	37.95	16.08	66.44	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	44.57	74.00	-29.43	56.98	37.95	16.08	66.44	0.00	--	PEAK																																																																																						








Mode	7																																																																																																																																																																																	
	30-1G																																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 2 through 6. A red line indicates the limit, labeled 'U-NII-1-U-NII-2A-U-N'. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>23.34</td><td>-16.66</td><td>40.00</td><td>31.53</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>358.83</td><td>30.65</td><td>-15.35</td><td>46.00</td><td>40.02</td><td>2.89</td><td>20.65</td><td>32.91</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>461.65</td><td>33.97</td><td>-12.03</td><td>46.00</td><td>40.94</td><td>3.28</td><td>22.78</td><td>33.03</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>717.73</td><td>37.30</td><td>-8.70</td><td>46.00</td><td>40.74</td><td>4.10</td><td>25.44</td><td>32.98</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>748.77</td><td>36.33</td><td>-9.67</td><td>46.00</td><td>39.12</td><td>4.19</td><td>25.82</td><td>32.80</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>934.04</td><td>40.72</td><td>-5.28</td><td>46.00</td><td>40.48</td><td>4.67</td><td>27.28</td><td>31.71</td><td>---</td><td>--- Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	23.34	-16.66	40.00	31.53	0.73	24.07	32.99	---	--- Peak	2	358.83	30.65	-15.35	46.00	40.02	2.89	20.65	32.91	---	--- Peak	3	461.65	33.97	-12.03	46.00	40.94	3.28	22.78	33.03	---	--- Peak	4	717.73	37.30	-8.70	46.00	40.74	4.10	25.44	32.98	---	--- Peak	5	748.77	36.33	-9.67	46.00	39.12	4.19	25.82	32.80	---	--- Peak	6	934.04	40.72	-5.28	46.00	40.48	4.67	27.28	31.71	---	--- Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 2 through 6. A red line indicates the limit, labeled 'U-NII-1-U-NII-2A-U-N'. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>33.97</td><td>-6.03</td><td>40.00</td><td>42.16</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>124.09</td><td>26.52</td><td>-16.98</td><td>43.50</td><td>40.95</td><td>1.67</td><td>16.75</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>502.39</td><td>34.42</td><td>-11.58</td><td>46.00</td><td>40.25</td><td>3.43</td><td>23.67</td><td>32.93</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>717.73</td><td>36.47</td><td>-9.53</td><td>46.00</td><td>39.91</td><td>4.10</td><td>25.44</td><td>32.98</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>748.77</td><td>36.81</td><td>-9.19</td><td>46.00</td><td>39.60</td><td>4.19</td><td>25.82</td><td>32.80</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>862.26</td><td>39.30</td><td>-6.70</td><td>46.00</td><td>40.45</td><td>4.48</td><td>26.61</td><td>32.24</td><td>---</td><td>--- Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	33.97	-6.03	40.00	42.16	0.73	24.07	32.99	---	--- Peak	2	124.09	26.52	-16.98	43.50	40.95	1.67	16.75	32.85	---	--- Peak	3	502.39	34.42	-11.58	46.00	40.25	3.43	23.67	32.93	---	--- Peak	4	717.73	36.47	-9.53	46.00	39.91	4.10	25.44	32.98	---	--- Peak	5	748.77	36.81	-9.19	46.00	39.60	4.19	25.82	32.80	---	--- Peak	6	862.26	39.30	-6.70	46.00	40.45	4.48	26.61	32.24	---	--- Peak
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	30.97	23.34	-16.66	40.00	31.53	0.73	24.07	32.99	---	--- Peak																																																																																																																																																																								
2	358.83	30.65	-15.35	46.00	40.02	2.89	20.65	32.91	---	--- Peak																																																																																																																																																																								
3	461.65	33.97	-12.03	46.00	40.94	3.28	22.78	33.03	---	--- Peak																																																																																																																																																																								
4	717.73	37.30	-8.70	46.00	40.74	4.10	25.44	32.98	---	--- Peak																																																																																																																																																																								
5	748.77	36.33	-9.67	46.00	39.12	4.19	25.82	32.80	---	--- Peak																																																																																																																																																																								
6	934.04	40.72	-5.28	46.00	40.48	4.67	27.28	31.71	---	--- Peak																																																																																																																																																																								
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	30.97	33.97	-6.03	40.00	42.16	0.73	24.07	32.99	---	--- Peak																																																																																																																																																																								
2	124.09	26.52	-16.98	43.50	40.95	1.67	16.75	32.85	---	--- Peak																																																																																																																																																																								
3	502.39	34.42	-11.58	46.00	40.25	3.43	23.67	32.93	---	--- Peak																																																																																																																																																																								
4	717.73	36.47	-9.53	46.00	39.91	4.10	25.44	32.98	---	--- Peak																																																																																																																																																																								
5	748.77	36.81	-9.19	46.00	39.60	4.19	25.82	32.80	---	--- Peak																																																																																																																																																																								
6	862.26	39.30	-6.70	46.00	40.45	4.48	26.61	32.24	---	--- Peak																																																																																																																																																																								



Mode	29																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																																																				
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>45.89</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>103</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>51.43</td><td>69.09</td><td>-17.66</td><td>41.90</td><td>34.60</td><td>11.07</td><td>36.14</td><td>0.00</td><td>103</td><td>60</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.67</td><td>105.30</td><td>-50.63</td><td>45.83</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>103</td><td>60</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>74.07</td><td>116.37</td><td>-42.30</td><td>65.48</td><td>34.67</td><td>11.17</td><td>37.25</td><td>0.00</td><td>103</td><td>60</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	55.57	68.20	-12.63	45.89	34.60	11.05	35.97	0.00	103	60	PEAK	2	5651.20	51.43	69.09	-17.66	41.90	34.60	11.07	36.14	0.00	103	60	PEAK	3	5700.00	54.67	105.30	-50.63	45.83	34.60	11.14	36.90	0.00	103	60	PEAK	4	5722.40	74.07	116.37	-42.30	65.48	34.67	11.17	37.25	0.00	103	60	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.84</td><td>-----</td><td>-----</td><td>100.51</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>103</td><td>60</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.84	-----	-----	100.51	34.74	11.21	37.62	0.00	103	60	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5630.00	55.57	68.20	-12.63	45.89	34.60	11.05	35.97	0.00	103	60	PEAK																																																																																																																														
2	5651.20	51.43	69.09	-17.66	41.90	34.60	11.07	36.14	0.00	103	60	PEAK																																																																																																																														
3	5700.00	54.67	105.30	-50.63	45.83	34.60	11.14	36.90	0.00	103	60	PEAK																																																																																																																														
4	5722.40	74.07	116.37	-42.30	65.48	34.67	11.17	37.25	0.00	103	60	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	108.84	-----	-----	100.51	34.74	11.21	37.62	0.00	103	60	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.03</td><td>-----</td><td>-----</td><td>91.64</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>103</td><td>60</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.03	-----	-----	91.64	34.72	11.20	37.53	0.00	103	60	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	100.03	-----	-----	91.64	34.72	11.20	37.53	0.00	103	60	AVERAGE																																																																																																																														





Mode	29																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5683.60</td><td>48.73</td><td>68.20</td><td>-19.47</td><td></td><td>39.40</td><td>34.60</td><td>11.01</td><td>36.28</td><td>0.00</td><td>301</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>46.95</td><td>69.09</td><td>-22.14</td><td></td><td>37.59</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>301</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.65</td><td>105.52</td><td>-57.87</td><td></td><td>37.97</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>301</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.38</td><td>110.90</td><td>-59.52</td><td></td><td>41.58</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>301</td><td>298</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5683.60	48.73	68.20	-19.47		39.40	34.60	11.01	36.28	0.00	301	298	PEAK	2	5651.20	46.95	69.09	-22.14		37.59	34.60	11.07	36.31	0.00	301	298	PEAK	3	5700.00	47.65	105.52	-57.87		37.97	34.60	11.14	36.06	0.00	301	298	PEAK	4	5720.00	51.38	110.90	-59.52		41.58	34.66	11.17	36.03	0.00	301	298	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.96</td><td>-----</td><td>-----</td><td></td><td>94.97</td><td>34.76</td><td>11.21</td><td>35.98</td><td>0.00</td><td>301</td><td>298</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	104.96	-----	-----		94.97	34.76	11.21	35.98	0.00	301	298	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5683.60	48.73	68.20	-19.47		39.40	34.60	11.01	36.28	0.00	301	298	PEAK																																																																																																																			
2	5651.20	46.95	69.09	-22.14		37.59	34.60	11.07	36.31	0.00	301	298	PEAK																																																																																																																			
3	5700.00	47.65	105.52	-57.87		37.97	34.60	11.14	36.06	0.00	301	298	PEAK																																																																																																																			
4	5720.00	51.38	110.90	-59.52		41.58	34.66	11.17	36.03	0.00	301	298	PEAK																																																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5745.00	104.96	-----	-----		94.97	34.76	11.21	35.98	0.00	301	298	PEAK																																																																																																																			
Avg	Blank	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.01</td><td>-----</td><td>-----</td><td></td><td>87.02</td><td>34.76</td><td>11.21</td><td>35.98</td><td>0.00</td><td>301</td><td>298</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	97.01	-----	-----		87.02	34.76	11.21	35.98	0.00	301	298	AVERAGE																																																																																				
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5745.00	97.01	-----	-----		87.02	34.76	11.21	35.98	0.00	301	298	AVERAGE																																																																																																																			






Mode	29																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7178.40</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>67.52</td><td>35.70</td><td>12.69</td><td>66.07</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7724.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>64.94</td><td>35.92</td><td>13.13</td><td>66.89</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>11490.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>56.31</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7178.40	49.84	68.20	-18.36	67.52	35.70	12.69	66.07	0.00	--	Peak	2	7724.00	47.10	74.00	-26.90	64.94	35.92	13.13	66.89	0.00	--	Peak	3	11490.00	44.71	74.00	-29.29	56.31	38.29	16.36	66.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7185.60</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>62.90</td><td>35.70</td><td>12.70</td><td>66.09</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.89</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7185.60	45.21	68.20	-22.99	62.90	35.70	12.70	66.09	0.00	--	Peak	2	11490.00	45.29	74.00	-28.71	56.89	38.29	16.36	66.25	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7178.40	49.84	68.20	-18.36	67.52	35.70	12.69	66.07	0.00	--	Peak																																																																																																																									
2	7724.00	47.10	74.00	-26.90	64.94	35.92	13.13	66.89	0.00	--	Peak																																																																																																																									
3	11490.00	44.71	74.00	-29.29	56.31	38.29	16.36	66.25	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7185.60	45.21	68.20	-22.99	62.90	35.70	12.70	66.09	0.00	--	Peak																																																																																																																									
2	11490.00	45.29	74.00	-28.71	56.89	38.29	16.36	66.25	0.00	--	PEAK																																																																																																																									



Mode	30																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7238.40</td><td>49.93</td><td>68.20</td><td>-18.27</td><td>67.62</td><td>35.70</td><td>12.71</td><td>66.10</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7713.60</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>73.16</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>106</td><td>292</td><td>Peak</td></tr><tr><td>3</td><td>7713.60</td><td>52.44</td><td>54.00</td><td>-1.56</td><td>70.30</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>106</td><td>292</td><td>Average</td></tr><tr><td>4</td><td>11570.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>55.72</td><td>38.36</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7238.40	49.93	68.20	-18.27	67.62	35.70	12.71	66.10	0.00	--	--	Peak	2	7713.60	55.30	74.00	-18.70	73.16	35.91	13.12	66.89	0.00	106	292	Peak	3	7713.60	52.44	54.00	-1.56	70.30	35.91	13.12	66.89	0.00	106	292	Average	4	11570.00	44.16	74.00	-29.84	55.72	38.36	16.41	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7238.40</td><td>46.73</td><td>68.20</td><td>-21.47</td><td>64.42</td><td>35.70</td><td>12.71</td><td>66.10</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7713.60</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>67.89</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>11570.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>55.38</td><td>38.36</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7238.40	46.73	68.20	-21.47	64.42	35.70	12.71	66.10	0.00	--	--	Peak	2	7713.60	50.03	74.00	-23.97	67.89	35.91	13.12	66.89	0.00	--	--	Peak	3	11570.00	43.82	74.00	-30.18	55.38	38.36	16.41	66.33	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	7238.40	49.93	68.20	-18.27	67.62	35.70	12.71	66.10	0.00	--	--	Peak																																																																																																																																																										
2	7713.60	55.30	74.00	-18.70	73.16	35.91	13.12	66.89	0.00	106	292	Peak																																																																																																																																																										
3	7713.60	52.44	54.00	-1.56	70.30	35.91	13.12	66.89	0.00	106	292	Average																																																																																																																																																										
4	11570.00	44.16	74.00	-29.84	55.72	38.36	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	7238.40	46.73	68.20	-21.47	64.42	35.70	12.71	66.10	0.00	--	--	Peak																																																																																																																																																										
2	7713.60	50.03	74.00	-23.97	67.89	35.91	13.12	66.89	0.00	--	--	Peak																																																																																																																																																										
3	11570.00	43.82	74.00	-30.18	55.38	38.36	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																										



Mode	31																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>51.96</td><td>112.27</td><td>-60.31</td><td>44.94</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>54.00</td><td>107.15</td><td>-52.35</td><td>47.72</td><td>35.04</td><td>11.35</td><td>39.31</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.36</td><td>68.94</td><td>-21.58</td><td>40.06</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5998.80</td><td>51.38</td><td>68.20</td><td>-16.82</td><td>43.80</td><td>35.20</td><td>11.47</td><td>39.09</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	51.96	112.27	-60.31	44.94	35.01	11.33	39.32	0.00	100	88	PEAK	2	5868.40	54.00	107.15	-52.35	47.72	35.04	11.35	39.31	0.00	100	88	PEAK	3	5924.00	47.36	68.94	-21.58	40.06	35.12	11.40	39.22	0.00	100	88	PEAK	4	5998.80	51.38	68.20	-16.82	43.80	35.20	11.47	39.09	0.00	100	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.36</td><td>-----</td><td>-----</td><td>97.87</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.36	-----	-----	97.87	34.94	11.30	38.75	0.00	100	88	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.40	51.96	112.27	-60.31	44.94	35.01	11.33	39.32	0.00	100	88	PEAK																																																																																																																													
2	5868.40	54.00	107.15	-52.35	47.72	35.04	11.35	39.31	0.00	100	88	PEAK																																																																																																																													
3	5924.00	47.36	68.94	-21.58	40.06	35.12	11.40	39.22	0.00	100	88	PEAK																																																																																																																													
4	5998.80	51.38	68.20	-16.82	43.80	35.20	11.47	39.09	0.00	100	88	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.36	-----	-----	97.87	34.94	11.30	38.75	0.00	100	88	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.00</td><td>-----</td><td>-----</td><td>89.51</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.00	-----	-----	89.51	34.94	11.30	38.75	0.00	100	88	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.00	-----	-----	89.51	34.94	11.30	38.75	0.00	100	88	AVERAGE																																																																																																																													






Mode	31																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.74</td><td>111.36</td><td>-61.62</td><td>42.72</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>52.06</td><td>109.83</td><td>-57.77</td><td>45.02</td><td>35.02</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.81</td><td>68.35</td><td>-21.54</td><td>39.51</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>6000.00</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>41.12</td><td>35.20</td><td>11.47</td><td>39.09</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	49.74	111.36	-61.62	42.72	35.01	11.34	39.33	0.00	300	173	PEAK	2	5858.00	52.06	109.83	-57.77	45.02	35.02	11.34	39.32	0.00	300	173	PEAK	3	5924.00	46.81	68.35	-21.54	39.51	35.12	11.40	39.22	0.00	300	173	PEAK	4	6000.00	48.70	68.20	-19.50	41.12	35.20	11.47	39.09	0.00	300	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.44</td><td>-----</td><td>-----</td><td>88.95</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	96.44	-----	-----	88.95	34.94	11.30	38.75	0.00	300	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5854.00	49.74	111.36	-61.62	42.72	35.01	11.34	39.33	0.00	300	173	PEAK																																																																																																											
2	5858.00	52.06	109.83	-57.77	45.02	35.02	11.34	39.32	0.00	300	173	PEAK																																																																																																											
3	5924.00	46.81	68.35	-21.54	39.51	35.12	11.40	39.22	0.00	300	173	PEAK																																																																																																											
4	6000.00	48.70	68.20	-19.50	41.12	35.20	11.47	39.09	0.00	300	173	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5825.00	96.44	-----	-----	88.95	34.94	11.30	38.75	0.00	300	173	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>88.00</td><td>-----</td><td>-----</td><td>81.31</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>300</td><td>173</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	88.00	-----	-----	81.31	34.94	11.30	38.75	0.00	300	173	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5825.00	88.00	-----	-----	81.31	34.94	11.30	38.75	0.00	300	173	AVERAGE																																																																																																											






Mode	31																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7284.00	52.83	74.00	-21.17	70.78	35.70	12.72	66.37	0.00	100	353 Peak	2	7284.00	44.55	54.00	-9.45	62.50	35.70	12.72	66.37	0.00	100	353 Average	3	7766.40	54.95	68.20	-13.25	72.69	35.97	13.17	66.88	0.00	100	236 Peak	4	11650.00	45.63	74.00	-28.37	56.95	38.42	16.46	66.20	0.00	--
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7284.00	52.83	74.00	-21.17	70.78	35.70	12.72	66.37	0.00	100	353 Peak																																																											
2	7284.00	44.55	54.00	-9.45	62.50	35.70	12.72	66.37	0.00	100	353 Average																																																											
3	7766.40	54.95	68.20	-13.25	72.69	35.97	13.17	66.88	0.00	100	236 Peak																																																											
4	11650.00	45.63	74.00	-28.37	56.95	38.42	16.46	66.20	0.00	--	-- PEAK																																																											
Peak Avg																																																																						
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7287.20	47.62	74.00	-26.38	65.58	35.70	12.72	66.38	0.00	--	-- Peak	2	7766.40	51.66	68.20	-16.54	69.40	35.97	13.17	66.88	0.00	--	-- Peak	3	11650.00	45.33	74.00	-28.67	56.65	38.42	16.46	66.20	0.00	--	-- PEAK											
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7287.20	47.62	74.00	-26.38	65.58	35.70	12.72	66.38	0.00	--	-- Peak																																																											
2	7766.40	51.66	68.20	-16.54	69.40	35.97	13.17	66.88	0.00	--	-- Peak																																																											
3	11650.00	45.33	74.00	-28.67	56.65	38.42	16.46	66.20	0.00	--	-- PEAK																																																											





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.00</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>44.86</td><td>34.60</td><td>11.06</td><td>35.96</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>43.31</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>58.08</td><td>108.10</td><td>-50.02</td><td>49.35</td><td>34.63</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>65.88</td><td>114.55</td><td>-48.67</td><td>57.29</td><td>34.66</td><td>11.17</td><td>37.24</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.00	54.56	68.20	-13.64	44.86	34.60	11.06	35.96	0.00	100	60	PEAK	2	5650.00	52.86	68.20	-15.34	43.31	34.60	11.07	36.12	0.00	100	60	PEAK	3	5710.00	58.08	108.10	-50.02	49.35	34.63	11.16	37.06	0.00	100	60	PEAK	4	5721.60	65.88	114.55	-48.67	57.29	34.66	11.17	37.24	0.00	100	60	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.89</td><td>-----</td><td>-----</td><td>99.56</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.89	-----	-----	99.56	34.74	11.21	37.62	0.00	100	60	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5638.00	54.56	68.20	-13.64	44.86	34.60	11.06	35.96	0.00	100	60	PEAK																																																																																																																															
2	5650.00	52.86	68.20	-15.34	43.31	34.60	11.07	36.12	0.00	100	60	PEAK																																																																																																																															
3	5710.00	58.08	108.10	-50.02	49.35	34.63	11.16	37.06	0.00	100	60	PEAK																																																																																																																															
4	5721.60	65.88	114.55	-48.67	57.29	34.66	11.17	37.24	0.00	100	60	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	107.89	-----	-----	99.56	34.74	11.21	37.62	0.00	100	60	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.30</td><td>-----</td><td>-----</td><td>90.91</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.30	-----	-----	90.91	34.72	11.20	37.53	0.00	100	60	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	99.30	-----	-----	90.91	34.72	11.20	37.53	0.00	100	60	AVERAGE																																																																																																																															





Mode	32																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5628.40</td><td>49.01</td><td>68.20</td><td>-19.19</td><td>39.35</td><td>34.60</td><td>11.04</td><td>35.98</td><td>0.00</td><td>366</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.71</td><td>68.20</td><td>-20.49</td><td>38.16</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>366</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>55.25</td><td>110.79</td><td>-55.54</td><td>46.63</td><td>34.66</td><td>11.17</td><td>37.21</td><td>0.00</td><td>366</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>61.41</td><td>115.46</td><td>-54.05</td><td>52.82</td><td>34.67</td><td>11.17</td><td>37.25</td><td>0.00</td><td>366</td><td>205</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5628.40	49.01	68.20	-19.19	39.35	34.60	11.04	35.98	0.00	366	205	PEAK	2	5650.00	47.71	68.20	-20.49	38.16	34.60	11.07	36.12	0.00	366	205	PEAK	3	5719.60	55.25	110.79	-55.54	46.63	34.66	11.17	37.21	0.00	366	205	PEAK	4	5722.00	61.41	115.46	-54.05	52.82	34.67	11.17	37.25	0.00	366	205	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.93</td><td>-----</td><td>-----</td><td>91.47</td><td>34.70</td><td>11.19</td><td>37.43</td><td>0.00</td><td>366</td><td>205</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5745.00	99.93	-----	-----	91.47	34.70	11.19	37.43	0.00	366	205	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
1	5628.40	49.01	68.20	-19.19	39.35	34.60	11.04	35.98	0.00	366	205	PEAK																																																																																																							
2	5650.00	47.71	68.20	-20.49	38.16	34.60	11.07	36.12	0.00	366	205	PEAK																																																																																																							
3	5719.60	55.25	110.79	-55.54	46.63	34.66	11.17	37.21	0.00	366	205	PEAK																																																																																																							
4	5722.00	61.41	115.46	-54.05	52.82	34.67	11.17	37.25	0.00	366	205	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
1	5745.00	99.93	-----	-----	91.47	34.70	11.19	37.43	0.00	366	205	PEAK																																																																																																							
Avg	Blank																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>91.43</td><td>-----</td><td>-----</td><td>83.04</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>366</td><td>205</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5745.00	91.43	-----	-----	83.04	34.72	11.20	37.53	0.00	366	205	AVERAGE																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
1	5745.00	91.43	-----	-----	83.04	34.72	11.20	37.53	0.00	366	205	AVERAGE																																																																																																							






Mode	32																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7176.00</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>67.96</td><td>35.70</td><td>12.69</td><td>66.07</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>56.07</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7176.00	50.28	68.20	-17.92	67.96	35.70	12.69	66.07	0.00	--	--	Peak	2	11490.00	44.47	74.00	-29.53	56.07	38.29	16.36	66.25	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7176.00</td><td>45.72</td><td>68.20</td><td>-22.48</td><td>63.40</td><td>35.70</td><td>12.69</td><td>66.07</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>55.93</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7176.00	45.72	68.20	-22.48	63.40	35.70	12.69	66.07	0.00	--	--	Peak	2	11490.00	44.33	74.00	-29.67	55.93	38.29	16.36	66.25	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7176.00	50.28	68.20	-17.92	67.96	35.70	12.69	66.07	0.00	--	--	Peak																																																																																																																																
2	11490.00	44.47	74.00	-29.53	56.07	38.29	16.36	66.25	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7176.00	45.72	68.20	-22.48	63.40	35.70	12.69	66.07	0.00	--	--	Peak																																																																																																																																
2	11490.00	44.33	74.00	-29.67	55.93	38.29	16.36	66.25	0.00	--	--	PEAK																																																																																																																																






Mode	33																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																																																																																																																																																																																																																												
ANT	1																																																																																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="7"></th></tr><tr><td>1</td><td>7224.00</td><td>48.98</td><td>68.20</td><td>-19.22</td><td>66.64</td><td>35.70</td><td>12.71</td><td>66.07</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td><td colspan="6"></td></tr><tr><td>2</td><td>7713.60</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>73.50</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>292</td><td>Peak</td><td colspan="6"></td></tr><tr><td>3</td><td>7713.60</td><td>52.34</td><td>54.00</td><td>-1.66</td><td>70.20</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>292</td><td>Average</td><td colspan="6"></td></tr><tr><td>4</td><td>11569.60</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>55.11</td><td>38.36</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td><td colspan="6"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg								1	7224.00	48.98	68.20	-19.22	66.64	35.70	12.71	66.07	0.00	--	--	--	Peak							2	7713.60	55.64	74.00	-18.36	73.50	35.91	13.12	66.89	0.00	100	292	Peak							3	7713.60	52.34	54.00	-1.66	70.20	35.91	13.12	66.89	0.00	100	292	Average							4	11569.60	43.55	74.00	-30.45	55.11	38.36	16.41	66.33	0.00	--	--	--	Peak							<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="7"></th></tr><tr><td>1</td><td>7228.00</td><td>45.37</td><td>68.20</td><td>-22.83</td><td>63.04</td><td>35.70</td><td>12.71</td><td>66.08</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td><td colspan="6"></td></tr><tr><td>2</td><td>7713.60</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>65.23</td><td>35.91</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td><td colspan="6"></td></tr><tr><td>3</td><td>11988.00</td><td>48.24</td><td>74.00</td><td>-25.76</td><td>59.21</td><td>38.69</td><td>16.67</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td><td colspan="6"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg								1	7228.00	45.37	68.20	-22.83	63.04	35.70	12.71	66.08	0.00	--	--	--	Peak							2	7713.60	47.37	74.00	-26.63	65.23	35.91	13.12	66.89	0.00	--	--	--	Peak							3	11988.00	48.24	74.00	-25.76	59.21	38.69	16.67	66.33	0.00	--	--	--	Peak					
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	7224.00	48.98	68.20	-19.22	66.64	35.70	12.71	66.07	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																
2	7713.60	55.64	74.00	-18.36	73.50	35.91	13.12	66.89	0.00	100	292	Peak																																																																																																																																																																																																																																																																	
3	7713.60	52.34	54.00	-1.66	70.20	35.91	13.12	66.89	0.00	100	292	Average																																																																																																																																																																																																																																																																	
4	11569.60	43.55	74.00	-30.45	55.11	38.36	16.41	66.33	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	7228.00	45.37	68.20	-22.83	63.04	35.70	12.71	66.08	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																
2	7713.60	47.37	74.00	-26.63	65.23	35.91	13.12	66.89	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																
3	11988.00	48.24	74.00	-25.76	59.21	38.69	16.67	66.33	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																





		34																																																																																													
Mode		Band Edge																																																																																													
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																													
ANT		1																																																																																													
Pol.		Horizontal																																																																																													
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.80</td><td>63.34</td><td>120.48</td><td>-57.14</td><td>56.28</td><td>35.00</td><td>11.33</td><td>39.27</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.43</td><td>105.47</td><td>-51.04</td><td>47.33</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.81</td><td>68.35</td><td>-19.54</td><td>41.51</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5995.60</td><td>50.40</td><td>68.20</td><td>-17.80</td><td>42.83</td><td>35.20</td><td>11.47</td><td>39.10</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.80	63.34	120.48	-57.14	56.28	35.00	11.33	39.27	0.00	100	88	PEAK	2	5874.40	54.43	105.47	-51.04	47.33	35.05	11.35	39.30	0.00	100	88	PEAK	3	5924.80	48.81	68.35	-19.54	41.51	35.12	11.40	39.22	0.00	100	88	PEAK	4	5995.60	50.40	68.20	-17.80	42.83	35.20	11.47	39.10	0.00	100	88	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5850.80	63.34	120.48	-57.14	56.28	35.00	11.33	39.27	0.00	100	88	PEAK																																																																																			
2	5874.40	54.43	105.47	-51.04	47.33	35.05	11.35	39.30	0.00	100	88	PEAK																																																																																			
3	5924.80	48.81	68.35	-19.54	41.51	35.12	11.40	39.22	0.00	100	88	PEAK																																																																																			
4	5995.60	50.40	68.20	-17.80	42.83	35.20	11.47	39.10	0.00	100	88	PEAK																																																																																			
Fundamental																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.05</td><td>-----</td><td>-----</td><td>98.56</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.05	-----	-----	98.56	34.94	11.30	38.75	0.00	100	88	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	106.05	-----	-----	98.56	34.94	11.30	38.75	0.00	100	88	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.10</td><td>-----</td><td>-----</td><td>89.69</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.10	-----	-----	89.69	34.95	11.31	38.85	0.00	100	88	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	97.10	-----	-----	89.69	34.95	11.31	38.85	0.00	100	88	AVERAGE																																																																																			






Mode	34																																																																																			
	Band Edge																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>45.63</td><td>111.36</td><td>-65.73</td><td>38.61</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>362</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>51.37</td><td>109.05</td><td>-57.68</td><td>44.33</td><td>35.02</td><td>11.34</td><td>39.32</td><td>0.00</td><td>362</td><td>174</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>45.06</td><td>69.23</td><td>-24.17</td><td>37.76</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>362</td><td>174</td><td>PEAK</td></tr><tr><td>4</td><td>5947.60</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>41.78</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>362</td><td>174</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	45.63	111.36	-65.73	38.61	35.01	11.34	39.33	0.00	362	174	PEAK	2	5861.60	51.37	109.05	-57.68	44.33	35.02	11.34	39.32	0.00	362	174	PEAK	3	5923.60	45.06	69.23	-24.17	37.76	35.12	11.40	39.22	0.00	362	174	PEAK	4	5947.60	49.17	68.20	-19.03	41.78	35.15	11.42	39.18	0.00	362	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5854.80	45.63	111.36	-65.73	38.61	35.01	11.34	39.33	0.00	362	174	PEAK																																																																								
2	5861.60	51.37	109.05	-57.68	44.33	35.02	11.34	39.32	0.00	362	174	PEAK																																																																								
3	5923.60	45.06	69.23	-24.17	37.76	35.12	11.40	39.22	0.00	362	174	PEAK																																																																								
4	5947.60	49.17	68.20	-19.03	41.78	35.15	11.42	39.18	0.00	362	174	PEAK																																																																								
Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.98</td><td>-----</td><td>-----</td><td>90.73</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>362</td><td>174</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.98	-----	-----	90.73	34.97	11.32	39.04	0.00	362	174	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	97.98	-----	-----	90.73	34.97	11.32	39.04	0.00	362	174	PEAK																																																																								
Blank																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>89.64</td><td>-----</td><td>-----</td><td>82.31</td><td>34.96</td><td>11.31</td><td>38.94</td><td>0.00</td><td>362</td><td>174</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	89.64	-----	-----	82.31	34.96	11.31	38.94	0.00	362	174	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	89.64	-----	-----	82.31	34.96	11.31	38.94	0.00	362	174	AVERAGE																																																																								




Mode	34																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7276.80</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>71.35</td><td>35.70</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>354 Peak</td></tr><tr><td>2</td><td>7276.80</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>63.00</td><td>35.70</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>354 Average</td></tr><tr><td>3</td><td>7766.40</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>72.70</td><td>35.97</td><td>13.17</td><td>66.88</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>11650.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>56.14</td><td>38.42</td><td>16.46</td><td>66.20</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7276.80	53.42	74.00	-20.58	71.35	35.70	12.72	66.35	0.00	100	354 Peak	2	7276.80	45.07	54.00	-8.93	63.00	35.70	12.72	66.35	0.00	100	354 Average	3	7766.40	54.96	68.20	-13.24	72.70	35.97	13.17	66.88	0.00	--	-- Peak	4	11650.00	44.82	74.00	-29.18	56.14	38.42	16.46	66.20	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7276.80	53.42	74.00	-20.58	71.35	35.70	12.72	66.35	0.00	100	354 Peak																																																																																					
2	7276.80	45.07	54.00	-8.93	63.00	35.70	12.72	66.35	0.00	100	354 Average																																																																																					
3	7766.40	54.96	68.20	-13.24	72.70	35.97	13.17	66.88	0.00	--	-- Peak																																																																																					
4	11650.00	44.82	74.00	-29.18	56.14	38.42	16.46	66.20	0.00	--	-- PEAK																																																																																					
																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7274.40</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>64.83</td><td>35.70</td><td>12.72</td><td>66.34</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7766.40</td><td>52.40</td><td>68.20</td><td>-15.80</td><td>70.14</td><td>35.97</td><td>13.17</td><td>66.88</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>11650.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>57.12</td><td>38.42</td><td>16.46</td><td>66.20</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7274.40	46.91	74.00	-27.09	64.83	35.70	12.72	66.34	0.00	--	-- Peak	2	7766.40	52.40	68.20	-15.80	70.14	35.97	13.17	66.88	0.00	--	-- Peak	3	11650.00	45.80	74.00	-28.20	57.12	38.42	16.46	66.20	0.00	--	-- PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																					
1	7274.40	46.91	74.00	-27.09	64.83	35.70	12.72	66.34	0.00	--	-- Peak																																																																																					
2	7766.40	52.40	68.20	-15.80	70.14	35.97	13.17	66.88	0.00	--	-- Peak																																																																																					
3	11650.00	45.80	74.00	-28.20	57.12	38.42	16.46	66.20	0.00	--	-- PEAK																																																																																					






Mode	35																																																																																																																																																
	Band Edge - L																																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																																										
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a rising signal level from 5600 MHz to 5755 MHz, with a red line indicating the limit and a blue line showing the measured signal. Peaks are labeled 1, 2, 3, and 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.03</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>44.67</td><td>34.60</td><td>11.01</td><td>36.01</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>54.64</td><td>68.94</td><td>-14.30</td><td>45.10</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>3</td><td>5712.53</td><td>70.74</td><td>108.81</td><td>-38.07</td><td>62.04</td><td>34.64</td><td>11.16</td><td>37.10</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>70.97</td><td>111.19</td><td>-40.22</td><td>62.36</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.03	54.27	68.20	-13.93	44.67	34.60	11.01	36.01	0.00	115	67	PEAK	2	5651.00	54.64	68.94	-14.30	45.10	34.60	11.07	36.13	0.00	115	67	PEAK	3	5712.53	70.74	108.81	-38.07	62.04	34.64	11.16	37.10	0.00	115	67	PEAK	4	5720.13	70.97	111.19	-40.22	62.36	34.66	11.17	37.22	0.00	115	67	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5755 MHz, with a red line indicating the limit and a blue line showing the measured signal. The peak is labeled 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>104.30</td><td>-----</td><td>-----</td><td>96.05</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.30	-----	-----	96.05	34.76	11.21	37.72	0.00	115	67	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	5604.03	54.27	68.20	-13.93	44.67	34.60	11.01	36.01	0.00	115	67	PEAK																																																																																																																																					
2	5651.00	54.64	68.94	-14.30	45.10	34.60	11.07	36.13	0.00	115	67	PEAK																																																																																																																																					
3	5712.53	70.74	108.81	-38.07	62.04	34.64	11.16	37.10	0.00	115	67	PEAK																																																																																																																																					
4	5720.13	70.97	111.19	-40.22	62.36	34.66	11.17	37.22	0.00	115	67	PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	5755.00	104.30	-----	-----	96.05	34.76	11.21	37.72	0.00	115	67	PEAK																																																																																																																																					
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5755 MHz, with a red line indicating the limit and a blue line showing the measured signal. The peak is labeled 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>96.19</td><td>-----</td><td>-----</td><td>87.00</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>115</td><td>67</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.19	-----	-----	87.00	34.72	11.20	37.53	0.00	115	67	AVERAGE																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	5755.00	96.19	-----	-----	87.00	34.72	11.20	37.53	0.00	115	67	AVERAGE																																																																																																																																					




Mode	35																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.41</td><td>111.26</td><td>-62.85</td><td>41.39</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>49.10</td><td>105.81</td><td>-56.71</td><td>42.00</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>47.83</td><td>68.46</td><td>-20.63</td><td>40.53</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>4</td><td>5926.60</td><td>50.47</td><td>68.20</td><td>-17.73</td><td>43.15</td><td>35.13</td><td>11.40</td><td>39.21</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	48.41	111.26	-62.85	41.39	35.01	11.34	39.33	0.00	115	67	PEAK	2	5873.17	49.10	105.81	-56.71	42.00	35.05	11.35	39.30	0.00	115	67	PEAK	3	5924.65	47.83	68.46	-20.63	40.53	35.12	11.40	39.22	0.00	115	67	PEAK	4	5926.60	50.47	68.20	-17.73	43.15	35.13	11.40	39.21	0.00	115	67	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.84	48.41	111.26	-62.85	41.39	35.01	11.34	39.33	0.00	115	67	PEAK																																																																																		
2	5873.17	49.10	105.81	-56.71	42.00	35.05	11.35	39.30	0.00	115	67	PEAK																																																																																		
3	5924.65	47.83	68.46	-20.63	40.53	35.12	11.40	39.22	0.00	115	67	PEAK																																																																																		
4	5926.60	50.47	68.20	-17.73	43.15	35.13	11.40	39.21	0.00	115	67	PEAK																																																																																		





Mode	35																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.87</td><td>49.06</td><td>68.20</td><td>-19.14</td><td>39.42</td><td>34.60</td><td>11.06</td><td>36.02</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>46.73</td><td>68.48</td><td>-21.75</td><td>37.18</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>3</td><td>5718.58</td><td>60.79</td><td>110.50</td><td>-49.71</td><td>52.15</td><td>34.66</td><td>11.17</td><td>37.19</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>5721.52</td><td>58.56</td><td>114.37</td><td>-55.81</td><td>49.97</td><td>34.66</td><td>11.17</td><td>37.24</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.87	49.06	68.20	-19.14	39.42	34.60	11.06	36.02	0.00	360	203	PEAK	2	5650.38	46.73	68.48	-21.75	37.18	34.60	11.07	36.12	0.00	360	203	PEAK	3	5718.58	60.79	110.50	-49.71	52.15	34.66	11.17	37.19	0.00	360	203	PEAK	4	5721.52	58.56	114.37	-55.81	49.97	34.66	11.17	37.24	0.00	360	203	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.52</td><td>-----</td><td>-----</td><td>87.13</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.52	-----	-----	87.13	34.72	11.20	37.53	0.00	360	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5643.87	49.06	68.20	-19.14	39.42	34.60	11.06	36.02	0.00	360	203	PEAK																																																																																																																													
2	5650.38	46.73	68.48	-21.75	37.18	34.60	11.07	36.12	0.00	360	203	PEAK																																																																																																																													
3	5718.58	60.79	110.50	-49.71	52.15	34.66	11.17	37.19	0.00	360	203	PEAK																																																																																																																													
4	5721.52	58.56	114.37	-55.81	49.97	34.66	11.17	37.24	0.00	360	203	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	95.52	-----	-----	87.13	34.72	11.20	37.53	0.00	360	203	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>86.60</td><td>-----</td><td>-----</td><td>78.21</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>360</td><td>203</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	86.60	-----	-----	78.21	34.72	11.20	37.53	0.00	360	203	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	86.60	-----	-----	78.21	34.72	11.20	37.53	0.00	360	203	AVERAGE																																																																																																																													






Mode	35																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>44.56</td><td>111.71</td><td>-67.15</td><td>37.54</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>46.30</td><td>105.32</td><td>-59.02</td><td>39.20</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>46.22</td><td>69.18</td><td>-22.96</td><td>38.92</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>5947.66</td><td>46.97</td><td>68.20</td><td>-21.23</td><td>39.58</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>360</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	44.56	111.71	-67.15	37.54	35.01	11.34	39.33	0.00	360	203	PEAK	2	5874.93	46.30	105.32	-59.02	39.20	35.05	11.35	39.30	0.00	360	203	PEAK	3	5923.68	46.22	69.18	-22.96	38.92	35.12	11.40	39.22	0.00	360	203	PEAK	4	5947.66	46.97	68.20	-21.23	39.58	35.15	11.42	39.18	0.00	360	203	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.65	44.56	111.71	-67.15	37.54	35.01	11.34	39.33	0.00	360	203	PEAK																																																																																		
2	5874.93	46.30	105.32	-59.02	39.20	35.05	11.35	39.30	0.00	360	203	PEAK																																																																																		
3	5923.68	46.22	69.18	-22.96	38.92	35.12	11.40	39.22	0.00	360	203	PEAK																																																																																		
4	5947.66	46.97	68.20	-21.23	39.58	35.15	11.42	39.18	0.00	360	203	PEAK																																																																																		




Mode	35																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7176.00</td><td>47.39</td><td>68.20</td><td>-20.81</td><td>65.07</td><td>35.70</td><td>12.69</td><td>66.07</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>55.69</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7176.00	47.39	68.20	-20.81	65.07	35.70	12.69	66.07	0.00	--	Peak	2	11510.00	44.12	74.00	-29.88	55.69	38.31	16.37	66.25	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7176.00	47.39	68.20	-20.81	65.07	35.70	12.69	66.07	0.00	--	Peak																																																							
2	11510.00	44.12	74.00	-29.88	55.69	38.31	16.37	66.25	0.00	--	PEAK																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>56.07</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.50	74.00	-29.50	56.07	38.31	16.37	66.25	0.00	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11510.00	44.50	74.00	-29.50	56.07	38.31	16.37	66.25	0.00	--	PEAK																																																							





Mode	36																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks. A red line indicates the limit. The x-axis ranges from 5600 to 6000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. Four peaks are labeled with numbers 1, 2, 3, and 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.40</td><td>55.67</td><td>68.20</td><td>-12.53</td><td>45.99</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.01</td><td>68.20</td><td>-16.19</td><td>42.46</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>53.24</td><td>106.20</td><td>-52.96</td><td>44.43</td><td>34.61</td><td>11.15</td><td>36.95</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.71</td><td>111.81</td><td>-58.10</td><td>45.10</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.40	55.67	68.20	-12.53	45.99	34.60	11.05	35.97	0.00	115	64	PEAK	2	5650.00	52.01	68.20	-16.19	42.46	34.60	11.07	36.12	0.00	115	64	PEAK	3	5703.20	53.24	106.20	-52.96	44.43	34.61	11.15	36.95	0.00	115	64	PEAK	4	5720.40	53.71	111.81	-58.10	45.10	34.66	11.17	37.22	0.00	115	64	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a single sharp peak at 5795.00 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.95</td><td>-----</td><td>-----</td><td>94.03</td><td>34.85</td><td>11.26</td><td>38.19</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.95	-----	-----	94.03	34.85	11.26	38.19	0.00	115	64	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5636.40	55.67	68.20	-12.53	45.99	34.60	11.05	35.97	0.00	115	64	PEAK																																																																																																																															
2	5650.00	52.01	68.20	-16.19	42.46	34.60	11.07	36.12	0.00	115	64	PEAK																																																																																																																															
3	5703.20	53.24	106.20	-52.96	44.43	34.61	11.15	36.95	0.00	115	64	PEAK																																																																																																																															
4	5720.40	53.71	111.81	-58.10	45.10	34.66	11.17	37.22	0.00	115	64	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.95	-----	-----	94.03	34.85	11.26	38.19	0.00	115	64	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a single sharp peak at 5795.00 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>95.12</td><td>-----</td><td>-----</td><td>87.20</td><td>34.85</td><td>11.26</td><td>38.19</td><td>0.00</td><td>115</td><td>64</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.12	-----	-----	87.20	34.85	11.26	38.19	0.00	115	64	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	95.12	-----	-----	87.20	34.85	11.26	38.19	0.00	115	64	AVERAGE																																																																																																																															




Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.00</td><td>54.83</td><td>117.74</td><td>-62.91</td><td>47.79</td><td>35.00</td><td>11.33</td><td>39.29</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5865.20</td><td>54.44</td><td>108.04</td><td>-53.60</td><td>47.37</td><td>35.03</td><td>11.35</td><td>39.31</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>50.14</td><td>71.30</td><td>-21.16</td><td>42.84</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5995.60</td><td>49.25</td><td>68.20</td><td>-18.95</td><td>41.68</td><td>35.20</td><td>11.47</td><td>39.10</td><td>0.00</td><td>115</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.00	54.83	117.74	-62.91	47.79	35.00	11.33	39.29	0.00	115	64	PEAK	2	5865.20	54.44	108.04	-53.60	47.37	35.03	11.35	39.31	0.00	115	64	PEAK	3	5920.80	50.14	71.30	-21.16	42.84	35.12	11.40	39.22	0.00	115	64	PEAK	4	5995.60	49.25	68.20	-18.95	41.68	35.20	11.47	39.10	0.00	115	64	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5852.00	54.83	117.74	-62.91	47.79	35.00	11.33	39.29	0.00	115	64	PEAK																																																																																			
2	5865.20	54.44	108.04	-53.60	47.37	35.03	11.35	39.31	0.00	115	64	PEAK																																																																																			
3	5920.80	50.14	71.30	-21.16	42.84	35.12	11.40	39.22	0.00	115	64	PEAK																																																																																			
4	5995.60	49.25	68.20	-18.95	41.68	35.20	11.47	39.10	0.00	115	64	PEAK																																																																																			



		36																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																												
ANT		1																																																																																												
Pol.		Vertical																																																																																												
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal line. The signal is below the limit across the entire frequency range.																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.20</td><td>50.08</td><td>68.20</td><td>-18.12</td><td>40.45</td><td>34.60</td><td>11.07</td><td>36.04</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.61</td><td>69.09</td><td>-20.48</td><td>39.08</td><td>34.60</td><td>11.07</td><td>36.14</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>48.42</td><td>105.86</td><td>-57.44</td><td>39.60</td><td>34.61</td><td>11.14</td><td>36.93</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>45.51</td><td>110.90</td><td>-65.39</td><td>36.90</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.20	50.08	68.20	-18.12	40.45	34.60	11.07	36.04	0.00	393	136	PEAK	2	5651.20	48.61	69.09	-20.48	39.08	34.60	11.07	36.14	0.00	393	136	PEAK	3	5702.00	48.42	105.86	-57.44	39.60	34.61	11.14	36.93	0.00	393	136	PEAK	4	5720.00	45.51	110.90	-65.39	36.90	34.66	11.17	37.22	0.00	393	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5645.20	50.08	68.20	-18.12	40.45	34.60	11.07	36.04	0.00	393	136	PEAK																																																																																		
2	5651.20	48.61	69.09	-20.48	39.08	34.60	11.07	36.14	0.00	393	136	PEAK																																																																																		
3	5702.00	48.42	105.86	-57.44	39.60	34.61	11.14	36.93	0.00	393	136	PEAK																																																																																		
4	5720.00	45.51	110.90	-65.39	36.90	34.66	11.17	37.22	0.00	393	136	PEAK																																																																																		
Avg	 Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal line. The signal is below the limit across the entire frequency range.																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.19</td><td>-----</td><td>-----</td><td>89.27</td><td>34.85</td><td>11.26</td><td>38.19</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.19	-----	-----	89.27	34.85	11.26	38.19	0.00	393	136	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	97.19	-----	-----	89.27	34.85	11.26	38.19	0.00	393	136	PEAK																																																																																		






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>45.33</td><td>112.27</td><td>-66.94</td><td>38.31</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>46.48</td><td>105.80</td><td>-59.32</td><td>39.38</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.87</td><td>68.94</td><td>-22.07</td><td>39.57</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5997.60</td><td>47.56</td><td>68.20</td><td>-20.64</td><td>39.99</td><td>35.20</td><td>11.47</td><td>39.10</td><td>0.00</td><td>393</td><td>136</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	45.33	112.27	-66.94	38.31	35.01	11.33	39.32	0.00	393	136	PEAK	2	5873.20	46.48	105.80	-59.32	39.38	35.05	11.35	39.30	0.00	393	136	PEAK	3	5924.00	46.87	68.94	-22.07	39.57	35.12	11.40	39.22	0.00	393	136	PEAK	4	5997.60	47.56	68.20	-20.64	39.99	35.20	11.47	39.10	0.00	393	136	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	45.33	112.27	-66.94	38.31	35.01	11.33	39.32	0.00	393	136	PEAK																																																																									
2	5873.20	46.48	105.80	-59.32	39.38	35.05	11.35	39.30	0.00	393	136	PEAK																																																																									
3	5924.00	46.87	68.94	-22.07	39.57	35.12	11.40	39.22	0.00	393	136	PEAK																																																																									
4	5997.60	47.56	68.20	-20.64	39.99	35.20	11.47	39.10	0.00	393	136	PEAK																																																																									




Mode	36																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.40</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>70.19</td><td>35.93</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>354</td><td>Peak</td></tr><tr><td>2</td><td>7726.40</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>68.10</td><td>35.93</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>354</td><td>Average</td></tr><tr><td>3</td><td>11590.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>55.81</td><td>38.37</td><td>16.42</td><td>66.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.40	52.36	74.00	-21.64	70.19	35.93	13.13	66.89	0.00	300	354	Peak	2	7726.40	50.27	54.00	-3.73	68.10	35.93	13.13	66.89	0.00	300	354	Average	3	11590.00	44.38	74.00	-29.62	55.81	38.37	16.42	66.22	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7248.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>63.04</td><td>35.70</td><td>12.72</td><td>66.27</td><td>0.00</td><td>300</td><td>343</td><td>Peak</td></tr><tr><td>2</td><td>7726.40</td><td>52.04</td><td>74.00</td><td>-21.96</td><td>69.87</td><td>35.93</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>130</td><td>Peak</td></tr><tr><td>3</td><td>7726.40</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>65.39</td><td>35.93</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>130</td><td>Average</td></tr><tr><td>4</td><td>11590.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>55.49</td><td>38.37</td><td>16.42</td><td>66.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7248.00	45.19	68.20	-23.01	63.04	35.70	12.72	66.27	0.00	300	343	Peak	2	7726.40	52.04	74.00	-21.96	69.87	35.93	13.13	66.89	0.00	300	130	Peak	3	7726.40	47.56	54.00	-6.44	65.39	35.93	13.13	66.89	0.00	300	130	Average	4	11590.00	44.06	74.00	-29.94	55.49	38.37	16.42	66.22	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7726.40	52.36	74.00	-21.64	70.19	35.93	13.13	66.89	0.00	300	354	Peak																																																																																																																																																								
2	7726.40	50.27	54.00	-3.73	68.10	35.93	13.13	66.89	0.00	300	354	Average																																																																																																																																																								
3	11590.00	44.38	74.00	-29.62	55.81	38.37	16.42	66.22	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7248.00	45.19	68.20	-23.01	63.04	35.70	12.72	66.27	0.00	300	343	Peak																																																																																																																																																								
2	7726.40	52.04	74.00	-21.96	69.87	35.93	13.13	66.89	0.00	300	130	Peak																																																																																																																																																								
3	7726.40	47.56	54.00	-6.44	65.39	35.93	13.13	66.89	0.00	300	130	Average																																																																																																																																																								
4	11590.00	44.06	74.00	-29.94	55.49	38.37	16.42	66.22	0.00	--	--	PEAK																																																																																																																																																								






Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 through 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.60</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>47.18</td><td>34.60</td><td>11.07</td><td>36.05</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>54.58</td><td>68.80</td><td>-14.22</td><td>45.04</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>63.50</td><td>106.65</td><td>-43.15</td><td>54.72</td><td>34.61</td><td>11.15</td><td>36.98</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.49</td><td>111.81</td><td>-49.32</td><td>53.88</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.60	56.80	68.20	-11.40	47.18	34.60	11.07	36.05	0.00	100	63	PEAK	2	5650.80	54.58	68.80	-14.22	45.04	34.60	11.07	36.13	0.00	100	63	PEAK	3	5704.80	63.50	106.65	-43.15	54.72	34.61	11.15	36.98	0.00	100	63	PEAK	4	5720.40	62.49	111.81	-49.32	53.88	34.66	11.17	37.22	0.00	100	63	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.98</td><td>-----</td><td>-----</td><td>89.73</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.98	-----	-----	89.73	34.76	11.21	37.72	0.00	100	63	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.60	56.80	68.20	-11.40	47.18	34.60	11.07	36.05	0.00	100	63	PEAK																																																																																																																															
2	5650.80	54.58	68.80	-14.22	45.04	34.60	11.07	36.13	0.00	100	63	PEAK																																																																																																																															
3	5704.80	63.50	106.65	-43.15	54.72	34.61	11.15	36.98	0.00	100	63	PEAK																																																																																																																															
4	5720.40	62.49	111.81	-49.32	53.88	34.66	11.17	37.22	0.00	100	63	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.98	-----	-----	89.73	34.76	11.21	37.72	0.00	100	63	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.54</td><td>-----</td><td>-----</td><td>80.15</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	88.54	-----	-----	80.15	34.72	11.20	37.53	0.00	100	63	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	88.54	-----	-----	80.15	34.72	11.20	37.53	0.00	100	63	AVERAGE																																																																																																																															




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.62</td><td>113.18</td><td>-57.56</td><td>48.60</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>57.84</td><td>107.93</td><td>-50.09</td><td>50.77</td><td>35.03</td><td>11.35</td><td>39.31</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.62</td><td>68.94</td><td>-21.32</td><td>40.32</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>42.67</td><td>35.13</td><td>11.41</td><td>39.21</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.62	113.18	-57.56	48.60	35.01	11.33	39.32	0.00	100	63	PEAK	2	5865.60	57.84	107.93	-50.09	50.77	35.03	11.35	39.31	0.00	100	63	PEAK	3	5924.00	47.62	68.94	-21.32	40.32	35.12	11.40	39.22	0.00	100	63	PEAK	4	5930.40	50.00	68.20	-18.20	42.67	35.13	11.41	39.21	0.00	100	63	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	55.62	113.18	-57.56	48.60	35.01	11.33	39.32	0.00	100	63	PEAK																																																																									
2	5865.60	57.84	107.93	-50.09	50.77	35.03	11.35	39.31	0.00	100	63	PEAK																																																																									
3	5924.00	47.62	68.94	-21.32	40.32	35.12	11.40	39.22	0.00	100	63	PEAK																																																																									
4	5930.40	50.00	68.20	-18.20	42.67	35.13	11.41	39.21	0.00	100	63	PEAK																																																																									





Mode	37																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>40.13</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.61</td><td>68.20</td><td>-21.59</td><td>37.06</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>51.61</td><td>106.98</td><td>-55.37</td><td>42.84</td><td>34.62</td><td>11.15</td><td>37.00</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.81</td><td>110.90</td><td>-60.09</td><td>42.20</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	49.81	68.20	-18.39	40.13	34.60	11.05	35.97	0.00	361	205	PEAK	2	5650.00	46.61	68.20	-21.59	37.06	34.60	11.07	36.12	0.00	361	205	PEAK	3	5706.00	51.61	106.98	-55.37	42.84	34.62	11.15	37.00	0.00	361	205	PEAK	4	5720.00	50.81	110.90	-60.09	42.20	34.66	11.17	37.22	0.00	361	205	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.18</td><td>-----</td><td>-----</td><td>80.93</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.18	-----	-----	80.93	34.76	11.21	37.72	0.00	361	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5630.00	49.81	68.20	-18.39	40.13	34.60	11.05	35.97	0.00	361	205	PEAK																																																																																																																													
2	5650.00	46.61	68.20	-21.59	37.06	34.60	11.07	36.12	0.00	361	205	PEAK																																																																																																																													
3	5706.00	51.61	106.98	-55.37	42.84	34.62	11.15	37.00	0.00	361	205	PEAK																																																																																																																													
4	5720.00	50.81	110.90	-60.09	42.20	34.66	11.17	37.22	0.00	361	205	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	89.18	-----	-----	80.93	34.76	11.21	37.72	0.00	361	205	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>79.52</td><td>-----</td><td>-----</td><td>71.19</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>361</td><td>205</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	79.52	-----	-----	71.19	34.74	11.21	37.62	0.00	361	205	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	79.52	-----	-----	71.19	34.74	11.21	37.62	0.00	361	205	AVERAGE																																																																																																																													





Mode	37																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>45.34</td><td>112.27</td><td>-66.93</td><td>38.32</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>46.46</td><td>105.47</td><td>-59.01</td><td>39.36</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>47.77</td><td>70.71</td><td>-22.94</td><td>40.47</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5944.40</td><td>48.72</td><td>68.20</td><td>-19.48</td><td>41.34</td><td>35.14</td><td>11.42</td><td>39.18</td><td>0.00</td><td>361</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	45.34	112.27	-66.93	38.32	35.01	11.33	39.32	0.00	361	205	PEAK	2	5874.40	46.46	105.47	-59.01	39.36	35.05	11.35	39.30	0.00	361	205	PEAK	3	5921.60	47.77	70.71	-22.94	40.47	35.12	11.40	39.22	0.00	361	205	PEAK	4	5944.40	48.72	68.20	-19.48	41.34	35.14	11.42	39.18	0.00	361	205	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	45.34	112.27	-66.93	38.32	35.01	11.33	39.32	0.00	361	205	PEAK																																																																																			
2	5874.40	46.46	105.47	-59.01	39.36	35.05	11.35	39.30	0.00	361	205	PEAK																																																																																			
3	5921.60	47.77	70.71	-22.94	40.47	35.12	11.40	39.22	0.00	361	205	PEAK																																																																																			
4	5944.40	48.72	68.20	-19.48	41.34	35.14	11.42	39.18	0.00	361	205	PEAK																																																																																			





Mode	37																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7700.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>65.00</td><td>35.90</td><td>13.11</td><td>66.90</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>55.00</td><td>38.34</td><td>16.39</td><td>66.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.00	47.11	74.00	-26.89	65.00	35.90	13.11	66.90	0.00	--	Peak	2	11550.00	43.50	74.00	-30.50	55.00	38.34	16.39	66.23	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>55.45</td><td>38.34</td><td>16.39</td><td>66.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.95	74.00	-30.05	55.45	38.34	16.39	66.23	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	7700.00	47.11	74.00	-26.89	65.00	35.90	13.11	66.90	0.00	--	Peak																																																																																																		
2	11550.00	43.50	74.00	-30.50	55.00	38.34	16.39	66.23	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	11550.00	43.95	74.00	-30.05	55.45	38.34	16.39	66.23	0.00	--	PEAK																																																																																																		



Mode	30	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	30																																																																																																								
	30-1G																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>25.34</td><td>-14.66</td><td>40.00</td><td>33.53</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>247.28</td><td>27.18</td><td>-18.82</td><td>46.00</td><td>39.30</td><td>2.40</td><td>18.25</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>358.83</td><td>30.65</td><td>-15.35</td><td>46.00</td><td>40.02</td><td>2.89</td><td>20.65</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>574.17</td><td>39.31</td><td>-6.69</td><td>46.00</td><td>43.72</td><td>3.66</td><td>25.03</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>861.29</td><td>37.72</td><td>-8.28</td><td>46.00</td><td>38.88</td><td>4.48</td><td>26.61</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>36.13</td><td>-9.87</td><td>46.00</td><td>35.39</td><td>4.74</td><td>27.52</td><td>31.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	25.34	-14.66	40.00	33.53	0.73	24.07	32.99	---	---	Peak	2	247.28	27.18	-18.82	46.00	39.30	2.40	18.25	32.77	---	---	Peak	3	358.83	30.65	-15.35	46.00	40.02	2.89	20.65	32.91	---	---	Peak	4	574.17	39.31	-6.69	46.00	43.72	3.66	25.03	33.10	---	---	Peak	5	861.29	37.72	-8.28	46.00	38.88	4.48	26.61	32.25	---	---	Peak	6	959.26	36.13	-9.87	46.00	35.39	4.74	27.52	31.52	---	---	Peak
		Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	30.97	25.34	-14.66	40.00	33.53	0.73	24.07	32.99	---	---	Peak																																																																																														
2	247.28	27.18	-18.82	46.00	39.30	2.40	18.25	32.77	---	---	Peak																																																																																														
3	358.83	30.65	-15.35	46.00	40.02	2.89	20.65	32.91	---	---	Peak																																																																																														
4	574.17	39.31	-6.69	46.00	43.72	3.66	25.03	33.10	---	---	Peak																																																																																														
5	861.29	37.72	-8.28	46.00	38.88	4.48	26.61	32.25	---	---	Peak																																																																																														
6	959.26	36.13	-9.87	46.00	35.39	4.74	27.52	31.52	---	---	Peak																																																																																														
																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>30.97</td><td>-9.03</td><td>40.00</td><td>39.16</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.09</td><td>26.52</td><td>-16.98</td><td>43.50</td><td>40.95</td><td>1.67</td><td>16.75</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>463.59</td><td>33.01</td><td>-12.99</td><td>46.00</td><td>39.92</td><td>3.29</td><td>22.82</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>614.91</td><td>37.10</td><td>-8.90</td><td>46.00</td><td>41.34</td><td>3.78</td><td>25.02</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>861.29</td><td>37.28</td><td>-8.72</td><td>46.00</td><td>38.44</td><td>4.48</td><td>26.61</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>951.50</td><td>39.45</td><td>-6.55</td><td>46.00</td><td>38.81</td><td>4.72</td><td>27.55</td><td>31.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	30.97	-9.03	40.00	39.16	0.73	24.07	32.99	---	---	Peak	2	124.09	26.52	-16.98	43.50	40.95	1.67	16.75	32.85	---	---	Peak	3	463.59	33.01	-12.99	46.00	39.92	3.29	22.82	33.02	---	---	Peak	4	614.91	37.10	-8.90	46.00	41.34	3.78	25.02	33.04	---	---	Peak	5	861.29	37.28	-8.72	46.00	38.44	4.48	26.61	32.25	---	---	Peak	6	951.50	39.45	-6.55	46.00	38.81	4.72	27.55	31.63	---	---	Peak
	Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	30.97	30.97	-9.03	40.00	39.16	0.73	24.07	32.99	---	---	Peak																																																																																														
2	124.09	26.52	-16.98	43.50	40.95	1.67	16.75	32.85	---	---	Peak																																																																																														
3	463.59	33.01	-12.99	46.00	39.92	3.29	22.82	33.02	---	---	Peak																																																																																														
4	614.91	37.10	-8.90	46.00	41.34	3.78	25.02	33.04	---	---	Peak																																																																																														
5	861.29	37.28	-8.72	46.00	38.44	4.48	26.61	32.25	---	---	Peak																																																																																														
6	951.50	39.45	-6.55	46.00	38.81	4.72	27.55	31.63	---	---	Peak																																																																																														

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.41	3.116	0.321	0.33kHz
802.11n HT20	97.62	4.768	0.210	0.22kHz
802.11n HT40	95.81	2.319	0.431	0.47kHz
802.11ac VHT80	91.52	1.094	0.914	1kHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

