





Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1195.00	62.93	40.44	-22.49	74.00	33.56	150	83	PK	Vertical	PASS
2	1400.00	63.58	42.25	-21.33	74.00	31.75	150	101	PK	Vertical	PASS
3	1766.00	65.73	46.54	-19.19	74.00	27.46	150	162	PK	Vertical	PASS
4	2394.00	71.21	54.72	-16.49	74.00	19.28	150	251	PK	Vertical	PASS
5	3801.00	53.51	43.84	-9.67	74.00	30.16	150	275	PK	Vertical	PASS
6	4823.00	55.86	48.58	-7.28	74.00	25.42	150	337	PK	Vertical	PASS
7	1195.00	52.56	30.07	-22.49	54.00	23.93	150	83	AV	Vertical	PASS
8	1459.00	51.53	30.43	-21.10	54.00	23.57	150	24	AV	Vertical	PASS
9	1766.00	59.04	39.85	-19.19	54.00	14.15	150	162	AV	Vertical	PASS
10	2230.00	53.72	36.70	-17.02	54.00	17.30	150	115	AV	Vertical	PASS
11	3906.00	44.12	35.30	-8.82	54.00	18.70	150	148	AV	Vertical	PASS
12	4822.00	46.08	38.80	-7.28	54.00	15.20	150	360	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-05-23
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1198.00	58.00	34.54	-23.46	74.00	39.46	150	310	PK	Horizontal	PASS
2	1594.00	55.65	34.52	-21.13	74.00	39.48	150	94	PK	Horizontal	PASS
3	1768.00	59.55	39.80	-19.75	74.00	34.20	150	44	PK	Horizontal	PASS
4	2192.00	57.93	40.68	-17.25	74.00	33.32	150	26	PK	Horizontal	PASS
5	2596.00	57.32	41.78	-15.54	74.00	32.22	150	6	PK	Horizontal	PASS
6	4110.00	54.20	46.12	-8.08	74.00	27.88	150	241	PK	Horizontal	PASS
7	1199.00	47.04	23.59	-23.45	54.00	30.41	150	65	AV	Horizontal	PASS
8	1600.00	47.09	26.00	-21.09	54.00	28.00	150	76	AV	Horizontal	PASS
9	1768.00	51.45	31.70	-19.75	54.00	22.30	150	44	AV	Horizontal	PASS
10	2219.00	47.20	30.06	-17.14	54.00	23.94	150	87	AV	Horizontal	PASS
11	2652.00	46.11	30.75	-15.36	54.00	23.25	150	76	AV	Horizontal	PASS
12	4125.00	44.27	36.21	-8.06	54.00	17.79	150	266	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1245.00	63.61	41.36	-22.25	74.00	32.64	150	97	PK	Vertical	PASS
2	1793.00	64.74	45.76	-18.98	74.00	28.24	150	269	PK	Vertical	PASS
3	1991.00	67.83	49.99	-17.84	74.00	24.01	150	83	PK	Vertical	PASS
4	2308.00	62.65	45.82	-16.83	74.00	28.18	150	283	PK	Vertical	PASS
5	2668.00	59.15	43.72	-15.43	74.00	30.28	150	266	PK	Vertical	PASS
6	4167.00	53.66	45.74	-7.92	74.00	28.26	150	262	PK	Vertical	PASS
7	1245.00	51.95	29.70	-22.25	54.00	24.30	150	97	AV	Vertical	PASS
8	1796.00	49.89	30.94	-18.95	54.00	23.06	150	102	AV	Vertical	PASS
9	1991.00	53.19	35.35	-17.84	54.00	18.65	150	83	AV	Vertical	PASS
10	2308.00	53.15	36.32	-16.83	54.00	17.68	150	283	AV	Vertical	PASS
11	2611.00	49.29	33.60	-15.69	54.00	20.40	150	258	AV	Vertical	PASS
12	4226.00	44.51	36.64	-7.87	54.00	17.36	150	102	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-05-23
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1435.00	60.34	38.30	-22.04	74.00	35.70	150	73	PK	Horizontal	PASS
2	1783.00	71.10	51.48	-19.62	74.00	22.52	150	76	PK	Horizontal	PASS
3	1992.00	61.40	43.17	-18.23	74.00	30.83	150	84	PK	Horizontal	PASS
4	2492.00	61.39	45.55	-15.84	74.00	28.45	150	149	PK	Horizontal	PASS
5	3498.00	57.06	44.69	-12.37	74.00	29.31	150	160	PK	Horizontal	PASS
6	4928.00	53.18	46.81	-6.37	74.00	27.19	150	116	PK	Horizontal	PASS
7	1435.00	53.71	31.67	-22.04	54.00	22.33	150	73	AV	Horizontal	PASS
8	1783.00	57.58	37.96	-19.62	54.00	16.04	150	76	AV	Horizontal	PASS
9	1993.00	48.85	30.63	-18.22	54.00	23.37	150	134	AV	Horizontal	PASS
10	2598.00	46.41	30.88	-15.53	54.00	23.12	150	80	AV	Horizontal	PASS
11	3498.00	50.07	37.70	-12.37	54.00	16.30	150	160	AV	Horizontal	PASS
12	4923.00	44.39	38.00	-6.39	54.00	16.00	150	137	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1246.00	64.78	42.54	-22.24	74.00	31.46	150	61	PK	Vertical	PASS
2	1770.00	70.36	51.20	-19.16	74.00	22.80	150	321	PK	Vertical	PASS
3	2198.00	63.71	46.62	-17.09	74.00	27.38	150	91	PK	Vertical	PASS
4	2564.00	60.87	45.01	-15.86	74.00	28.99	150	266	PK	Vertical	PASS
5	3987.00	54.92	46.57	-8.35	74.00	27.43	150	101	PK	Vertical	PASS
6	4915.00	54.57	47.51	-7.06	74.00	26.49	150	355	PK	Vertical	PASS
7	1246.00	54.96	32.72	-22.24	54.00	21.28	150	61	AV	Vertical	PASS
8	1770.00	57.83	38.67	-19.16	54.00	15.33	150	321	AV	Vertical	PASS
9	2227.00	53.51	36.49	-17.02	54.00	17.51	150	116	AV	Vertical	PASS
10	2531.00	49.96	33.98	-15.98	54.00	20.02	150	87	AV	Vertical	PASS
11	4095.00	44.46	36.53	-7.93	54.00	17.47	150	306	AV	Vertical	PASS
12	4922.00	45.90	38.87	-7.03	54.00	15.13	150	360	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-05-23
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1249.00	60.29	37.12	-23.17	74.00	36.88	150	47	PK	Horizontal	PASS
2	1769.00	66.91	47.16	-19.75	74.00	26.84	150	323	PK	Horizontal	PASS
3	1999.00	59.26	41.09	-18.17	74.00	32.91	150	155	PK	Horizontal	PASS
4	2389.00	69.58	53.22	-16.36	74.00	20.78	150	338	PK	Horizontal	PASS
5	3977.00	53.99	45.26	-8.73	74.00	28.74	150	25	PK	Horizontal	PASS
6	5409.00	54.24	48.30	-5.94	74.00	25.70	150	148	PK	Horizontal	PASS
7	1249.00	49.52	26.35	-23.17	54.00	27.65	150	47	AV	Horizontal	PASS
8	1769.00	56.03	36.28	-19.75	54.00	13.72	150	323	AV	Horizontal	PASS
9	1999.00	47.84	29.67	-18.17	54.00	24.33	150	155	AV	Horizontal	PASS
10	2393.00	59.20	42.86	-16.34	54.00	11.14	150	211	AV	Horizontal	PASS
11	4105.00	43.99	35.91	-8.08	54.00	18.09	150	0	AV	Horizontal	PASS
12	5352.00	44.43	38.35	-6.08	54.00	15.65	150	0	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1248.00	62.04	39.81	-22.23	74.00	34.19	150	47	PK	Vertical	PASS
2	1398.00	65.49	44.15	-21.34	74.00	29.85	150	90	PK	Vertical	PASS
3	1771.00	70.11	50.97	-19.14	74.00	23.03	150	287	PK	Vertical	PASS
4	1997.00	61.33	43.54	-17.79	74.00	30.46	150	360	PK	Vertical	PASS
5	2393.00	71.72	55.23	-16.49	74.00	18.77	150	280	PK	Vertical	PASS
6	4821.00	55.44	48.16	-7.28	74.00	25.84	150	102	PK	Vertical	PASS
7	1194.00	49.55	27.06	-22.49	54.00	26.94	150	310	AV	Vertical	PASS
8	1398.00	51.85	30.51	-21.34	54.00	23.49	150	90	AV	Vertical	PASS
9	1772.00	57.21	38.07	-19.14	54.00	9.93	150	346	AV	Vertical	PASS
10	1997.00	51.21	33.42	-17.79	54.00	20.58	150	106	AV	Vertical	PASS
11	2394.00	60.29	43.80	-16.49	54.00	10.20	150	276	AV	Vertical	PASS
12	4829.00	45.65	38.38	-7.27	54.00	15.62	150	338	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-05-23
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1197.00	58.77	35.31	-23.46	74.00	38.69	150	343	PK	Horizontal	PASS
2	1766.00	66.99	47.22	-19.77	74.00	26.78	150	350	PK	Horizontal	PASS
3	1993.00	62.41	44.19	-18.22	74.00	29.81	150	136	PK	Horizontal	PASS
4	2616.00	55.72	40.25	-15.47	74.00	33.75	150	81	PK	Horizontal	PASS
5	4089.00	53.60	45.46	-8.14	74.00	28.54	150	44	PK	Horizontal	PASS
6	5148.00	54.21	48.05	-6.16	74.00	25.95	150	318	PK	Horizontal	PASS
7	1198.00	49.62	26.16	-23.46	54.00	27.84	150	140	AV	Horizontal	PASS
8	1766.00	61.02	41.25	-19.77	54.00	12.75	150	350	AV	Horizontal	PASS
9	1995.00	48.44	30.24	-18.20	54.00	23.76	150	0	AV	Horizontal	PASS
10	2588.00	46.29	30.73	-15.56	54.00	23.27	150	360	AV	Horizontal	PASS
11	4122.00	44.34	36.27	-8.07	54.00	17.73	150	246	AV	Horizontal	PASS
12	5181.00	44.12	37.91	-6.21	54.00	16.09	150	114	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1198.00	63.50	41.02	-22.48	74.00	32.98	150	296	PK	Vertical	PASS
2	1397.00	64.26	42.91	-21.35	74.00	31.09	150	88	PK	Vertical	PASS
3	1773.00	70.66	51.53	-19.13	74.00	22.47	150	175	PK	Vertical	PASS
4	1993.00	65.73	47.91	-17.82	74.00	26.09	150	92	PK	Vertical	PASS
5	2317.00	62.22	45.43	-16.79	74.00	28.57	150	274	PK	Vertical	PASS
6	3985.00	54.27	45.90	-8.37	74.00	28.10	150	95	PK	Vertical	PASS
7	1198.00	51.18	28.70	-22.48	54.00	25.30	150	99	AV	Vertical	PASS
8	1397.00	50.68	29.33	-21.35	54.00	24.67	150	88	AV	Vertical	PASS
9	1773.00	55.68	36.55	-19.13	54.00	17.45	150	175	AV	Vertical	PASS
10	1994.00	52.85	35.04	-17.81	54.00	18.96	150	76	AV	Vertical	PASS
11	2308.00	53.33	36.50	-16.83	54.00	17.50	150	281	AV	Vertical	PASS
12	4139.00	44.49	36.57	-7.92	54.00	17.43	150	230	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-05-23
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1245.00	59.92	36.72	-23.20	74.00	37.28	150	82	PK	Horizontal	PASS
2	1783.00	63.87	44.25	-19.62	74.00	29.75	150	115	PK	Horizontal	PASS
3	1997.00	58.46	40.27	-18.19	74.00	33.73	150	138	PK	Horizontal	PASS
4	2491.00	61.55	45.71	-15.84	74.00	28.29	150	0	PK	Horizontal	PASS
5	3693.00	53.97	42.88	-11.09	74.00	31.12	150	309	PK	Horizontal	PASS
6	5126.00	54.11	47.99	-6.12	74.00	26.01	150	149	PK	Horizontal	PASS
7	1248.00	51.14	27.96	-23.18	54.00	26.04	150	61	AV	Horizontal	PASS
8	1772.00	52.16	32.44	-19.72	54.00	21.56	150	0	AV	Horizontal	PASS
9	1993.00	47.89	29.67	-18.22	54.00	24.33	150	100	AV	Horizontal	PASS
10	2493.00	48.32	32.48	-15.84	54.00	21.52	150	13	AV	Horizontal	PASS
11	3727.00	43.88	33.07	-10.81	54.00	20.93	150	54	AV	Horizontal	PASS
12	5166.00	44.33	38.14	-6.19	54.00	15.86	150	138	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1196.00	62.66	40.17	-22.49	74.00	33.83	150	93	PK	Vertical	PASS
2	1397.00	58.28	36.93	-21.35	74.00	37.07	150	97	PK	Vertical	PASS
3	1769.00	70.23	51.07	-19.16	74.00	22.93	150	119	PK	Vertical	PASS
4	2235.00	61.37	44.37	-17.00	74.00	29.63	150	294	PK	Vertical	PASS
5	2655.00	60.24	44.75	-15.49	74.00	29.25	150	261	PK	Vertical	PASS
6	4123.00	54.64	46.73	-7.91	74.00	27.27	150	46	PK	Vertical	PASS
7	1196.00	52.03	29.54	-22.49	54.00	24.46	150	93	AV	Vertical	PASS
8	1375.00	48.88	27.39	-21.49	54.00	26.61	150	301	AV	Vertical	PASS
9	1768.00	64.08	44.91	-19.17	54.00	9.09	150	119	AV	Vertical	PASS
10	2235.00	53.11	36.11	-17.00	54.00	17.89	150	294	AV	Vertical	PASS
11	2622.00	49.97	34.34	-15.63	54.00	19.66	150	264	AV	Vertical	PASS
12	4103.00	44.61	36.70	-7.91	54.00	17.30	150	152	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

6GHz-18GHz

Test Mode:	802.11b	Test Date:	2024-05-23
Test Channel:	01	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6819.00	46.48	41.67	-4.81	74.00	32.33	150	244	PK	Horizontal	PASS
2	8160.00	43.46	42.18	-1.28	74.00	31.82	150	213	PK	Horizontal	PASS
3	9555.00	42.50	42.41	-0.09	74.00	31.59	150	122	PK	Horizontal	PASS
4	12051.00	43.42	44.93	1.51	74.00	29.07	150	360	PK	Horizontal	PASS
5	14328.00	40.92	45.78	4.86	74.00	28.22	150	198	PK	Horizontal	PASS
6	15900.00	40.24	50.02	9.78	74.00	23.98	150	304	PK	Horizontal	PASS
7	6756.00	37.47	32.17	-5.30	54.00	21.83	150	122	AV	Horizontal	PASS
8	8202.00	35.08	33.62	-1.46	54.00	20.38	150	313	AV	Horizontal	PASS
9	9366.00	34.73	33.88	-0.85	54.00	20.12	150	251	AV	Horizontal	PASS
10	12054.00	34.88	36.39	1.51	54.00	17.61	150	351	AV	Horizontal	PASS
11	14302.50	33.04	37.79	4.75	54.00	16.21	150	190	AV	Horizontal	PASS
12	15880.50	32.70	42.11	9.41	54.00	11.89	150	84	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7234.50	47.11	43.18	-3.93	74.00	30.82	150	161	PK	Vertical	PASS
2	9000.00	43.71	42.93	-0.78	74.00	31.07	150	115	PK	Vertical	PASS
3	10821.00	42.25	43.07	0.82	74.00	30.93	150	91	PK	Vertical	PASS
4	12430.50	41.48	43.91	2.43	74.00	30.09	150	321	PK	Vertical	PASS
5	14359.50	41.28	46.77	5.49	74.00	27.23	150	130	PK	Vertical	PASS
6	16371.00	40.49	50.08	9.59	74.00	23.92	150	260	PK	Vertical	PASS
7	7237.50	40.31	36.40	-3.91	54.00	17.60	150	161	AV	Vertical	PASS
8	9000.00	37.74	36.96	-0.78	54.00	17.04	150	79	AV	Vertical	PASS
9	10849.50	33.97	34.89	0.92	54.00	19.11	150	157	AV	Vertical	PASS
10	12523.50	33.43	35.91	2.48	54.00	18.09	150	192	AV	Vertical	PASS
11	14347.50	33.14	38.60	5.46	54.00	15.40	150	152	AV	Vertical	PASS
12	16356.00	31.84	41.37	9.53	54.00	12.63	150	338	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-05-23
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7311.00	46.25	42.86	-3.39	74.00	31.14	150	211	PK	Horizontal	PASS
2	8271.00	43.35	42.09	-1.26	74.00	31.91	150	146	PK	Horizontal	PASS
3	10099.50	42.39	42.34	-0.05	74.00	31.66	150	242	PK	Horizontal	PASS
4	12183.00	44.99	46.70	1.71	74.00	27.30	150	337	PK	Horizontal	PASS
5	14793.00	41.89	47.33	5.44	74.00	26.67	150	15	PK	Horizontal	PASS
6	16011.00	40.36	49.97	9.61	74.00	24.03	150	84	PK	Horizontal	PASS
7	7309.50	39.83	36.43	-3.40	54.00	17.57	150	173	AV	Horizontal	PASS
8	8455.50	34.30	32.97	-1.33	54.00	21.03	150	65	AV	Horizontal	PASS
9	10047.00	34.15	34.12	-0.03	54.00	19.88	150	238	AV	Horizontal	PASS
10	12186.00	39.99	41.71	1.72	54.00	12.29	150	360	AV	Horizontal	PASS
11	14757.00	32.87	38.29	5.42	54.00	15.71	150	115	AV	Horizontal	PASS
12	15915.00	32.02	41.80	9.78	54.00	12.20	150	323	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7309.50	50.12	46.72	-3.40	74.00	27.28	150	168	PK	Vertical	PASS
2	8575.50	43.14	41.78	-1.36	74.00	32.22	150	214	PK	Vertical	PASS
3	10362.00	42.03	42.52	0.49	74.00	31.48	150	256	PK	Vertical	PASS
4	12184.50	44.68	46.44	1.76	74.00	27.56	150	11	PK	Vertical	PASS
5	14382.00	41.52	47.08	5.56	74.00	26.92	150	5	PK	Vertical	PASS
6	16411.50	40.18	49.86	9.68	74.00	24.14	150	0	PK	Vertical	PASS
7	7309.50	46.14	42.74	-3.40	54.00	11.26	150	168	AV	Vertical	PASS
8	9000.00	36.85	36.07	-0.78	54.00	17.93	150	80	AV	Vertical	PASS
9	10486.50	33.25	34.33	1.08	54.00	19.67	150	156	AV	Vertical	PASS
10	12186.00	39.71	41.47	1.76	54.00	12.53	150	15	AV	Vertical	PASS
11	14365.50	32.40	37.91	5.51	54.00	16.09	150	207	AV	Vertical	PASS
12	16338.00	31.67	41.12	9.45	54.00	12.88	150	92	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-05-23
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7387.50	46.43	43.61	-2.82	74.00	30.39	150	211	PK	Horizontal	PASS
2	8556.00	43.57	42.14	-1.43	74.00	31.86	150	242	PK	Horizontal	PASS
3	9847.50	44.67	44.34	-0.33	74.00	29.66	150	122	PK	Horizontal	PASS
4	12309.00	45.12	46.76	1.64	74.00	27.24	150	353	PK	Horizontal	PASS
5	14685.00	42.08	47.31	5.23	74.00	26.69	150	99	PK	Horizontal	PASS
6	15985.50	41.20	50.98	9.78	74.00	23.02	150	53	PK	Horizontal	PASS
7	7384.50	39.94	37.10	-2.84	54.00	16.90	150	153	AV	Horizontal	PASS
8	8589.00	35.36	34.04	-1.32	54.00	19.96	150	30	AV	Horizontal	PASS
9	9847.50	37.60	37.27	-0.33	54.00	16.73	150	126	AV	Horizontal	PASS
10	12309.00	39.99	41.63	1.64	54.00	12.37	150	359	AV	Horizontal	PASS
11	14754.00	33.54	38.95	5.41	54.00	15.05	150	303	AV	Horizontal	PASS
12	15951.00	32.69	42.47	9.78	54.00	11.53	150	276	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7386.00	49.06	46.23	-2.83	74.00	27.77	150	164	PK	Vertical	PASS
2	8851.50	42.95	41.83	-1.12	74.00	32.17	150	248	PK	Vertical	PASS
3	10315.50	42.96	43.41	0.45	74.00	30.59	150	87	PK	Vertical	PASS
4	12310.50	44.45	46.16	1.71	74.00	27.84	150	14	PK	Vertical	PASS
5	14395.50	41.17	46.76	5.59	74.00	27.24	150	33	PK	Vertical	PASS
6	15975.00	41.00	50.28	9.28	74.00	23.72	150	268	PK	Vertical	PASS
7	7386.00	44.80	41.97	-2.83	54.00	12.03	150	160	AV	Vertical	PASS
8	8977.50	34.40	33.53	-0.87	54.00	20.47	150	126	AV	Vertical	PASS
9	10174.50	33.85	34.23	0.38	54.00	19.77	150	229	AV	Vertical	PASS
10	12310.50	39.04	40.75	1.71	54.00	13.25	150	10	AV	Vertical	PASS
11	14677.50	33.23	38.60	5.37	54.00	15.40	150	110	AV	Vertical	PASS
12	16342.50	32.07	41.54	9.47	54.00	12.46	150	118	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-05-23
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7506.00	44.31	41.31	-3.00	74.00	32.69	150	257	PK	Horizontal	PASS
2	8841.00	43.09	41.98	-1.11	74.00	32.02	150	66	PK	Horizontal	PASS
3	10500.00	42.02	42.89	0.87	74.00	31.11	150	119	PK	Horizontal	PASS
4	12060.00	44.23	45.74	1.51	74.00	28.26	150	360	PK	Horizontal	PASS
5	14400.00	41.69	46.86	5.17	74.00	27.14	150	123	PK	Horizontal	PASS
6	15975.00	40.58	50.36	9.78	74.00	23.64	150	285	PK	Horizontal	PASS
7	7464.00	35.56	32.64	-2.92	54.00	21.36	150	322	AV	Horizontal	PASS
8	8904.00	33.96	32.78	-1.18	54.00	21.22	150	227	AV	Horizontal	PASS
9	10545.00	33.69	34.50	0.81	54.00	19.50	150	250	AV	Horizontal	PASS
10	12061.50	34.47	35.98	1.51	54.00	18.02	150	360	AV	Horizontal	PASS
11	14398.50	33.19	38.36	5.17	54.00	15.64	150	360	AV	Horizontal	PASS
12	15943.50	32.23	42.01	9.78	54.00	11.99	150	128	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7236.00	48.38	44.46	-3.92	74.00	29.54	150	157	PK	Vertical	PASS
2	8454.00	43.19	41.86	-1.33	74.00	32.14	150	84	PK	Vertical	PASS
3	10266.00	42.82	43.23	0.41	74.00	30.77	150	330	PK	Vertical	PASS
4	12066.00	42.97	44.48	1.51	74.00	29.52	150	15	PK	Vertical	PASS
5	14334.00	41.06	46.48	5.42	74.00	27.52	150	146	PK	Vertical	PASS
6	16351.50	41.08	50.59	9.51	74.00	23.41	150	272	PK	Vertical	PASS
7	7236.00	38.78	34.86	-3.92	54.00	19.14	150	165	AV	Vertical	PASS
8	8542.50	34.57	33.10	-1.47	54.00	20.90	150	315	AV	Vertical	PASS
9	10339.50	33.78	34.25	0.47	54.00	19.75	150	5	AV	Vertical	PASS
10	12052.50	35.01	36.53	1.52	54.00	17.47	150	10	AV	Vertical	PASS
11	14401.50	33.52	39.11	5.59	54.00	14.89	150	198	AV	Vertical	PASS
12	16707.00	31.48	41.76	10.28	54.00	12.24	150	41	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-05-23
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7308.00	45.23	41.82	-3.41	74.00	32.18	150	169	PK	Horizontal	PASS
2	8640.00	44.32	43.10	-1.22	74.00	30.90	150	126	PK	Horizontal	PASS
3	10153.50	43.11	43.06	-0.05	74.00	30.94	150	314	PK	Horizontal	PASS
4	12184.50	45.93	47.65	1.72	74.00	26.35	150	360	PK	Horizontal	PASS
5	14353.50	42.41	47.38	4.97	74.00	26.62	150	360	PK	Horizontal	PASS
6	15919.50	40.36	50.14	9.78	74.00	23.86	150	77	PK	Horizontal	PASS
7	7311.00	36.91	33.52	-3.39	54.00	20.48	150	242	AV	Horizontal	PASS
8	8649.00	35.17	33.97	-1.20	54.00	20.03	150	334	AV	Horizontal	PASS
9	10054.50	34.62	34.58	-0.04	54.00	19.42	150	276	AV	Horizontal	PASS
10	12184.50	35.23	36.95	1.72	54.00	17.05	150	360	AV	Horizontal	PASS
11	14421.00	33.51	38.50	4.99	54.00	15.50	150	346	AV	Horizontal	PASS
12	15951.00	32.78	42.56	9.78	54.00	11.44	150	30	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7309.50	50.06	46.66	-3.40	74.00	27.34	150	160	PK	Vertical	PASS
2	9000.00	44.68	43.90	-0.78	74.00	30.10	150	115	PK	Vertical	PASS
3	12183.00	45.36	47.11	1.75	74.00	26.89	150	10	PK	Vertical	PASS
4	14343.00	41.87	47.31	5.44	74.00	26.69	150	38	PK	Vertical	PASS
5	16041.00	41.28	49.98	8.70	74.00	24.02	150	333	PK	Vertical	PASS
6	17616.00	39.29	53.70	14.41	74.00	20.30	150	272	PK	Vertical	PASS
7	7306.50	41.24	37.82	-3.42	54.00	16.18	150	165	AV	Vertical	PASS
8	9000.00	36.83	36.05	-0.78	54.00	17.95	150	115	AV	Vertical	PASS
9	12000.00	35.51	37.04	1.53	54.00	16.96	150	53	AV	Vertical	PASS
10	14391.00	34.02	39.60	5.58	54.00	14.40	150	118	AV	Vertical	PASS
11	15999.00	32.40	41.68	9.28	54.00	12.32	150	0	AV	Vertical	PASS
12	17647.50	30.85	45.07	14.22	54.00	8.93	150	256	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

Test Mode:	802.11g	Test Date:	2024-05-23
Test Channel:	11	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7446.00	45.35	42.49	-2.86	74.00	31.51	150	215	PK	Horizontal	PASS
2	9483.00	43.82	43.74	-0.08	74.00	30.26	150	223	PK	Horizontal	PASS
3	10912.50	43.27	44.28	1.01	74.00	29.72	150	307	PK	Horizontal	PASS
4	12309.00	44.44	46.08	1.64	74.00	27.92	150	319	PK	Horizontal	PASS
5	14737.50	41.92	47.33	5.41	74.00	26.67	150	111	PK	Horizontal	PASS
6	16038.00	41.49	50.66	9.17	74.00	23.34	150	189	PK	Horizontal	PASS
7	7389.00	36.82	34.01	-2.81	54.00	19.99	150	215	AV	Horizontal	PASS
8	9487.50	35.33	35.28	-0.05	54.00	18.72	150	18	AV	Horizontal	PASS
9	10857.00	34.81	35.60	0.79	54.00	18.40	150	285	AV	Horizontal	PASS
10	12309.00	34.78	36.42	1.64	54.00	17.58	150	358	AV	Horizontal	PASS
11	14745.00	34.18	39.60	5.42	54.00	14.40	150	327	AV	Horizontal	PASS
12	15903.00	32.82	42.60	9.78	54.00	11.40	150	358	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7387.50	48.21	45.39	-2.82	74.00	28.61	150	160	PK	Vertical	PASS
2	9000.00	44.23	43.45	-0.78	74.00	30.55	150	118	PK	Vertical	PASS
3	11059.50	42.83	43.89	1.06	74.00	30.11	150	14	PK	Vertical	PASS
4	12480.00	42.89	45.41	2.52	74.00	28.59	150	10	PK	Vertical	PASS
5	14385.00	42.61	48.17	5.56	74.00	25.83	150	333	PK	Vertical	PASS
6	15979.50	40.88	50.16	9.28	74.00	23.84	150	256	PK	Vertical	PASS
7	7389.00	40.58	37.77	-2.81	54.00	16.23	150	160	AV	Vertical	PASS
8	9000.00	37.61	36.83	-0.78	54.00	17.17	150	79	AV	Vertical	PASS
9	11025.00	34.39	35.66	1.27	54.00	18.34	150	279	AV	Vertical	PASS
10	12468.00	33.78	36.27	2.49	54.00	17.73	150	337	AV	Vertical	PASS
11	14424.00	34.55	39.93	5.38	54.00	14.07	150	156	AV	Vertical	PASS
12	15996.00	32.81	42.09	9.28	54.00	11.91	150	263	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-05-23
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7477.50	44.55	41.60	-2.95	74.00	32.40	150	107	PK	Horizontal	PASS
2	8895.00	43.52	42.34	-1.18	74.00	31.66	150	269	PK	Horizontal	PASS
3	10674.00	42.75	43.29	0.54	74.00	30.71	150	345	PK	Horizontal	PASS
4	12055.50	45.16	46.67	1.51	74.00	27.33	150	7	PK	Horizontal	PASS
5	14389.50	42.20	47.32	5.12	74.00	26.68	150	360	PK	Horizontal	PASS
6	16008.00	41.66	51.31	9.65	74.00	22.69	150	307	PK	Horizontal	PASS
7	7360.50	36.79	33.77	-3.02	54.00	20.23	150	303	AV	Horizontal	PASS
8	8623.50	36.01	34.76	-1.25	54.00	19.24	150	200	AV	Horizontal	PASS
9	10551.00	34.29	35.09	0.80	54.00	18.91	150	245	AV	Horizontal	PASS
10	12067.50	36.55	38.05	1.50	54.00	15.95	150	334	AV	Horizontal	PASS
11	14389.50	33.42	38.54	5.12	54.00	15.46	150	257	AV	Horizontal	PASS
12	15997.50	32.51	42.29	9.78	54.00	11.71	150	134	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7242.00	46.83	42.96	-3.87	74.00	31.04	150	210	PK	Vertical	PASS
2	8695.50	43.54	42.42	-1.12	74.00	31.58	150	97	PK	Vertical	PASS
3	10060.50	43.12	43.56	0.44	74.00	30.44	150	0	PK	Vertical	PASS
4	12055.50	44.50	46.02	1.52	74.00	27.98	150	6	PK	Vertical	PASS
5	14434.50	42.64	47.91	5.27	74.00	26.09	150	194	PK	Vertical	PASS
6	15976.50	41.55	50.83	9.28	74.00	23.17	150	319	PK	Vertical	PASS
7	7233.00	39.46	35.52	-3.94	54.00	18.48	150	164	AV	Vertical	PASS
8	9000.00	37.42	36.64	-0.78	54.00	17.36	150	78	AV	Vertical	PASS
9	10807.50	34.54	35.31	0.77	54.00	18.69	150	164	AV	Vertical	PASS
10	12468.00	34.47	36.96	2.49	54.00	17.04	150	62	AV	Vertical	PASS
11	14806.50	34.18	39.76	5.58	54.00	14.24	150	198	AV	Vertical	PASS
12	16366.50	32.69	42.27	9.58	54.00	11.73	150	0	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level