



















































-26dB Bandwidth



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	39.495	Pass
NVNT	a	5200	39.246	Pass
NVNT	a	5240	37.766	Pass
NVNT	n20	5180	42.337	Pass
NVNT	n20	5200	42.194	Pass
NVNT	n20	5240	41.049	Pass
NVNT	n40	5190	82.389	Pass
NVNT	n40	5230	77.388	Pass
NVNT	ac20	5180	42.275	Pass
NVNT	ac20	5200	41.624	Pass
NVNT	ac20	5240	41.729	Pass
NVNT	ac40	5190	82.441	Pass
NVNT	ac40	5230	59.996	Pass
NVNT	ac80	5210	120.000	Pass


























-6dB Bandwidth



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.321	0.5	Pass
NVNT	a	5785	16.354	0.5	Pass
NVNT	a	5825	16.33	0.5	Pass
NVNT	n20	5745	17.273	0.5	Pass
NVNT	n20	5785	17.221	0.5	Pass
NVNT	n20	5825	17.264	0.5	Pass
NVNT	n40	5755	35.564	0.5	Pass
NVNT	n40	5795	35.928	0.5	Pass
NVNT	ac20	5745	17.133	0.5	Pass
NVNT	ac20	5785	17.231	0.5	Pass
NVNT	ac20	5825	17.261	0.5	Pass
NVNT	ac40	5755	35.491	0.5	Pass
NVNT	ac40	5795	35.610	0.5	Pass
NVNT	ac80	5775	75.383	0.5	Pass


























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	17.362
NVNT	a	5200	18.012
NVNT	a	5240	17.831
NVNT	n20	5180	18.500
NVNT	n20	5200	19.106
NVNT	n20	5240	18.897
NVNT	n40	5190	37.382
NVNT	n40	5230	37.626
NVNT	ac20	5180	18.345
NVNT	ac20	5200	18.746
NVNT	ac20	5240	18.752
NVNT	ac40	5190	37.221
NVNT	ac40	5230	37.670
NVNT	ac80	5210	78.468
NVNT	a	5745	16.583
NVNT	a	5785	16.586
NVNT	a	5825	16.570
NVNT	n20	5745	17.671
NVNT	n20	5785	17.688
NVNT	n20	5825	17.623
NVNT	n40	5755	36.119
NVNT	n40	5795	36.153
NVNT	ac20	5745	17.664
NVNT	ac20	5785	17.689
NVNT	ac20	5825	17.638
NVNT	ac40	5755	36.118
NVNT	ac40	5795	36.140
NVNT	ac80	5775	75.697




















































Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	-7.43	0.14	-7.29	11	Pass
NVNT	a	5200	-7.65	0.14	-7.51	11	Pass
NVNT	a	5240	-5.85	0.14	-5.71	11	Pass
NVNT	n20	5180	-7.17	0.16	-7.01	11	Pass
NVNT	n20	5200	-6.92	0.15	-6.77	11	Pass
NVNT	n20	5240	-6.01	0.15	-5.86	11	Pass
NVNT	n40	5190	-12.30	0.36	-11.94	11	Pass
NVNT	n40	5230	-9.65	0.29	-9.36	11	Pass
NVNT	ac20	5180	-7.07	0.16	-6.91	11	Pass
NVNT	ac20	5200	-6.86	0.16	-6.70	11	Pass
NVNT	ac20	5240	-5.16	0.16	-5.00	11	Pass
NVNT	ac40	5190	-10.88	0.31	-10.57	11	Pass
NVNT	ac40	5230	-10.60	0.30	-10.30	11	Pass
NVNT	ac80	5210	-16.55	0.68	-15.87	11	Pass
NVNT	a	5745	-8.44	0.14	-8.30	30	Pass
NVNT	a	5785	-9.06	0.13	-8.93	30	Pass
NVNT	a	5825	-9.36	0.14	-9.22	30	Pass
NVNT	n20	5745	-8.47	0.16	-8.31	30	Pass
NVNT	n20	5785	-9.56	0.16	-9.40	30	Pass
NVNT	n20	5825	-8.66	0.16	-8.50	30	Pass
NVNT	n40	5755	-13.40	0.31	-13.09	30	Pass
NVNT	n40	5795	-14.29	0.31	-13.98	30	Pass
NVNT	ac20	5745	-8.30	0.16	-8.14	30	Pass
NVNT	ac20	5785	-8.69	0.16	-8.53	30	Pass
NVNT	ac20	5825	-8.36	0.16	-8.20	30	Pass
NVNT	ac40	5755	-12.60	0.31	-12.29	30	Pass
NVNT	ac40	5795	-14.12	0.31	-13.81	30	Pass
NVNT	ac80	5775	-17.93	0.83	-17.10	30	Pass














































Appendix B: Photographs of Test Setup

Refer to the test report No. TCT230307E901

Appendix C: Photographs of EUT

Refer to the test report No. TCT230307E901

*******END OF REPORT*******