

SPECIFICATIONS FOR APPROVAL

CustomerName: Shenzhen Yolanda Technology Co., Ltd.

ProductName: BT antenna

ProductModel: GE28005A

PartNumber: _____

Write By: Zhipeng Li

IssuedDate: 2022-3-29

CUSTOMER

ENGINEER R&D DEPT	BUSSINESS DEPT	APPROVED BY

SOUTHSTAR

R & D DEPT	ENGINEER R&D DEPT	APPROVAL

The basic parameters:


A. Electrical Characteristics		
Frequency	2400MHz~2500MHz	
VSWR	<2	
Efficiency	>40%	
Impedance	50Ohm	
Polarization	Linear	
Gain	>0.5dbi	
B. Material & Mechanical Characteristics		
Material of Radiator	PCB black	
Cable Type Connector Type Dimension	C. Environmental <th data-kind="ghost"></th>	
Operation Temperature	-10 °C~ +50 °C	
Storage Temperature	-30 °C~ +85 °C	

Test Equipment & Conditions


1. Network Analyzers:

Agilent 8753D 5071B


2. 3D Chamber Test System



(Testing by 3D anechoic chamber)





Phi axis test




Theta axis test


3. Antenna Impedance: S11 (parameter)




4. Total Efficiency-2.4G:




5. GAIN-2.4G:




6. 01 directional diagram (xy plane, Z=0)




6.02 directional diagram (xy plane, Y=0)



6.03 directional diagram(YZ plane, X=0)



6.03 Apple Chart



7. Installation method



