



Profile: 2290461R	Page No.: 69
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4825.000	45.916	60.802	-28.084	74.000	-14.886	PK
2		7236.000	43.596	54.440	-30.404	74.000	-10.844	PK
3	*	9648.000	47.028	54.889	-26.972	74.000	-7.860	PK

Profile: 2290461R	Page No.: 70
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4825.000	49.708	64.594	-24.292	74.000	-14.886	PK
2		7236.000	43.306	54.150	-30.694	74.000	-10.844	PK
3		9648.000	48.917	56.778	-25.083	74.000	-7.860	PK

Profile: 2290461R	Page No.: 71
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2437MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	46.577	61.152	-27.423	74.000	-14.575	PK
2		7311.000	43.328	54.173	-30.672	74.000	-10.844	PK
3	*	9748.000	48.071	55.862	-25.929	74.000	-7.791	PK

Profile: 2290461R	Page No.: 72
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2437MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	49.351	63.926	-24.649	74.000	-14.575	PK
2		7311.000	43.659	54.504	-30.341	74.000	-10.844	PK
3		9748.000	49.167	56.958	-24.833	74.000	-7.791	PK

Profile: 2290461R	Page No.: 73
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4927.000	48.199	62.956	-25.801	74.000	-14.758	PK
2		7386.000	44.306	55.171	-29.694	74.000	-10.866	PK
3	*	9848.000	50.335	57.960	-23.665	74.000	-7.625	PK

Profile: 2290461R	Page No.: 74
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4927.000	48.404	63.161	-25.596	74.000	-14.758	PK
2		7386.000	44.162	55.027	-29.838	74.000	-10.866	PK
3	*	9848.000	50.653	58.278	-23.347	74.000	-7.625	PK

Profile: 2290461R	Page No.: 75
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4842.000	44.275	59.290	-29.725	74.000	-15.014	PK
2		7266.000	43.738	54.499	-30.262	74.000	-10.761	PK
3	*	9688.000	48.696	56.712	-25.304	74.000	-8.016	PK

Profile: 2290461R	Page No.: 76
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4842.000	48.103	63.118	-25.897	74.000	-15.014	PK
2		7266.000	43.362	54.123	-30.638	74.000	-10.761	PK
3	*	9688.000	49.942	57.958	-24.058	74.000	-8.016	PK

Profile: 2290461R	Page No.: 77
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2437MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	44.771	59.381	-29.229	74.000	-14.610	PK
2		7311.000	43.608	54.453	-30.392	74.000	-10.844	PK
3	*	9748.000	48.335	56.126	-25.665	74.000	-7.791	PK

Profile: 2290461R	Page No.: 78
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2437MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	47.037	61.612	-26.963	74.000	-14.575	PK
2		7311.000	43.834	54.679	-30.166	74.000	-10.844	PK
3	*	9748.000	49.368	57.159	-24.632	74.000	-7.791	PK

Profile: 2290461R	Page No.: 79
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2452MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4910.000	45.214	59.877	-28.786	74.000	-14.663	PK
2		7356.000	44.281	55.094	-29.719	74.000	-10.813	PK
3		9808.000	37.632	45.215	-36.368	74.000	-7.583	PK

Profile: 2290461R	Page No.: 80
Engineer: YuLiu	
Site: AC5	Time: 2022/11/16 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4910.000	44.592	59.255	-29.408	74.000	-14.663	PK
2		7356.000	44.389	55.202	-29.611	74.000	-10.813	PK
3	*	9808.000	48.943	56.526	-25.057	74.000	-7.583	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.

The worst case of Radiated Emission below 1GHz:

Profile: 2290461R	Page No.: 26
Engineer: YuLiu	
Site: AC3	Time: 2022/11/16 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: AC3_3M(30-1000M)	Polarity: Vertical
EUT: DVR Module	Power: DC5V
Note: Mode1:Transmit at 2452MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		32.910	26.166	3.045	-13.834	40.000	23.121	QP
2		50.006	22.812	3.370	-17.188	40.000	19.442	QP
3		103.478	23.339	1.134	-20.161	43.500	22.205	QP
4		200.356	25.139	1.673	-18.361	43.500	23.466	QP
5		287.414	27.297	2.320	-18.703	46.000	24.977	QP
6	*	818.610	37.124	4.179	-8.876	46.000	32.945	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Profile: 2290461R	Page No.: 27
Engineer:YuLiu	
Site: AC3	Time: 2022/11/16 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: AC3_3M(30-1000M)	Polarity: Horizontal
EUT: DVR Module	Power: DC5V
Note: Mode1:Transmit at 2452MHz by 11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		34.486	29.137	2.085	-10.863	40.000	27.052	QP
2		88.806	18.896	5.137	-24.604	43.500	13.759	QP
3		135.366	20.836	3.045	-22.664	43.500	17.791	QP
4		340.764	25.420	3.118	-20.580	46.000	22.302	QP
5		630.309	34.172	3.961	-11.828	46.000	30.211	QP
6	*	828.795	38.250	6.520	-7.750	46.000	31.729	QP

Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End
