



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:11:53

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:30:53

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 146.4000        | 42.06          | QP       | -12.44              | 29.62           | 43.50          | 100          | 186            | -13.88      |         |
|     | 240.9750        | 38.56          | QP       | -13.90              | 24.66           | 46.00          | 100          | 32             | -21.34      |         |
|     | 357.3750        | 46.82          | QP       | -10.94              | 35.88           | 46.00          | 100          | 229            | -10.12      |         |
| *   | 396.1750        | 48.99          | QP       | -9.90               | 39.09           | 46.00          | 100          | 37             | -6.91       |         |
|     | 434.9750        | 43.41          | QP       | -8.79               | 34.62           | 46.00          | 100          | 145            | -11.38      |         |
|     | 568.3500        | 34.94          | QP       | -6.10               | 28.84           | 46.00          | 100          | 303            | -17.16      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Jeff

File :1

Data :#2


Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:32:32

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 90.6250         | 45.33          | QP       | -18.54              | 26.79           | 43.50          | 100          | 110            | -16.71      |         |
|     | 146.4000        | 39.70          | QP       | -12.44              | 27.26           | 43.50          | 100          | 48             | -16.24      |         |
|     | 357.3750        | 40.46          | QP       | -10.94              | 29.52           | 46.00          | 100          | 223            | -16.48      |         |
|     | 396.1750        | 42.47          | QP       | -9.90               | 32.57           | 46.00          | 100          | 37             | -13.43      |         |
| *   | 434.9750        | 50.48          | QP       | -8.79               | 41.69           | 46.00          | 100          | 152            | -4.31       |         |
|     | 473.7750        | 39.76          | QP       | -7.99               | 31.77           | 46.00          | 100          | 312            | -14.23      |         |

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:15:24

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2263.500        | 34.73          | peak     | -4.44               | 30.29           | 74.00          | 100          | 21             | -43.71      |         |
|     | 2263.500        | 26.33          | AVG      | -4.44               | 21.89           | 54.00          | 100          | 21             | -32.11      |         |
|     | 3576.000        | 34.16          | peak     | -0.63               | 33.53           | 74.00          | 100          | 175            | -40.47      |         |
|     | 3576.000        | 26.11          | AVG      | -0.63               | 25.48           | 54.00          | 100          | 175            | -28.52      |         |
|     | 7324.500        | 34.02          | peak     | 11.49               | 45.51           | 74.00          | 100          | 28             | -28.49      |         |
| *   | 7324.500        | 26.08          | AVG      | 11.49               | 37.57           | 54.00          | 100          | 28             | -16.43      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Kai

File : 3

Data : #5


Date: 2024/10/6

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 02:18:01

Humidity: 53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2043.000        | 34.94          | peak     | -5.23               | 29.71           | 74.00          | 100          | 214            | -44.29      |         |
|     | 2043.000        | 26.88          | AVG      | -5.23               | 21.65           | 54.00          | 100          | 214            | -32.35      |         |
|     | 3597.000        | 33.74          | peak     | -0.46               | 33.28           | 74.00          | 100          | 48             | -40.72      |         |
|     | 3597.000        | 25.96          | AVG      | -0.46               | 25.50           | 54.00          | 100          | 48             | -28.50      |         |
|     | 7930.000        | 33.34          | peak     | 12.19               | 45.53           | 74.00          | 100          | 122            | -28.47      |         |
| *   | 7930.000        | 25.77          | AVG      | 12.19               | 37.96           | 54.00          | 100          | 122            | -16.04      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:16:14

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:18:44

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:17:05

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:19:35

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:17:16

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:19:46

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:36:51

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 146.4000        | 41.33          | QP       | -12.44              | 28.89           | 43.50          | 100          | 39             | -14.61      |         |
|     | 219.1500        | 40.27          | QP       | -15.89              | 24.38           | 46.00          | 100          | 188            | -21.62      |         |
|     | 337.9750        | 35.88          | QP       | -11.33              | 24.55           | 46.00          | 100          | 203            | -21.45      |         |
|     | 367.0750        | 38.54          | QP       | -10.61              | 27.93           | 46.00          | 100          | 207            | -18.07      |         |
|     | 408.3000        | 43.18          | QP       | -9.58               | 33.60           | 46.00          | 100          | 35             | -12.40      |         |
| *   | 439.8250        | 43.66          | QP       | -8.65               | 35.01           | 46.00          | 100          | 145            | -10.99      |         |

\*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#2

Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:38:38

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 61.5250         | 38.61          | QP       | -13.22              | 25.39           | 40.00          | 100          | 152            | -14.61      |         |
|     | 76.0750         | 41.37          | QP       | -16.62              | 24.75           | 40.00          | 100          | 43             | -15.25      |         |
|     | 90.6250         | 44.72          | QP       | -18.54              | 26.18           | 43.50          | 100          | 230            | -17.32      |         |
|     | 146.4000        | 38.72          | QP       | -12.44              | 26.28           | 43.50          | 100          | 118            | -17.22      |         |
|     | 163.3750        | 40.13          | QP       | -12.45              | 27.68           | 43.50          | 100          | 35             | -15.82      |         |
| *   | 444.6750        | 44.27          | QP       | -8.48               | 35.79           | 46.00          | 100          | 291            | -10.21      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:22:27

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2246.000        | 34.79          | peak     | -4.51               | 30.28           | 74.00          | 100          | 15             | -43.72      |         |
|     | 2246.000        | 26.63          | AVG      | -4.51               | 22.12           | 54.00          | 100          | 15             | -31.88      |         |
|     | 3597.000        | 33.91          | peak     | -0.46               | 33.45           | 74.00          | 100          | 161            | -40.55      |         |
|     | 3597.000        | 25.99          | AVG      | -0.46               | 25.53           | 54.00          | 100          | 161            | -28.47      |         |
|     | 7758.500        | 33.55          | peak     | 11.82               | 45.37           | 74.00          | 100          | 332            | -28.63      |         |
| *   | 7758.500        | 25.78          | AVG      | 11.82               | 37.60           | 54.00          | 100          | 332            | -16.40      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:25:03

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2249.500        | 34.33          | peak     | -4.49               | 29.84           | 74.00          | 100          | 135            | -44.16      |         |
|     | 2249.500        | 26.30          | AVG      | -4.49               | 21.81           | 54.00          | 100          | 135            | -32.19      |         |
|     | 3562.000        | 34.16          | peak     | -0.75               | 33.41           | 74.00          | 100          | 4              | -40.59      |         |
|     | 3562.000        | 26.40          | AVG      | -0.75               | 25.65           | 54.00          | 100          | 4              | -28.35      |         |
|     | 7247.500        | 34.15          | peak     | 11.24               | 45.39           | 74.00          | 100          | 146            | -28.61      |         |
| *   | 7247.500        | 26.87          | AVG      | 11.24               | 38.11           | 54.00          | 100          | 146            | -15.89      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:23:16

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:25:45

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:24:07

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #7


Date: 2024/10/6

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 02:26:37

Humidity: 53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:24:18

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:26:48

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin