



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:59:47

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1763.527	-53.45	peak	3.69	-49.76	-13.00	150	300	-36.76	
	2827.655	-52.90	peak	2.40	-50.50	-13.00	150	210	-37.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 03:03:38

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1991.984	-52.82	peak	8.21	-44.61	-13.00	150	230	-31.61	
	2665.331	-56.51	peak	6.60	-49.91	-13.00	150	140	-36.91	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:00:43

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:05:20

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:01:35

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:07:29

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 03:09:34

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7493	-80.17	peak	22.33	-57.84	-13.00	150	270	-44.84	
	118.5772	-85.25	peak	19.60	-65.65	-13.00	150	330	-52.65	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 03:49:55

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.7274	-79.74	peak	20.93	-58.81	-13.00	150	60	-45.81	
	123.6873	-85.09	peak	20.75	-64.34	-13.00	150	270	-51.34	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2024/10/4

Temperature:22 °C

0.0 dBm

Time: 下午 07:17:26

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	435.6712	-50.42	peak	-9.04	-59.46	-13.00	150	120	-46.46	
*	761.1221	-47.86	peak	-4.90	-52.76	-13.00	150	300	-39.76	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2024/10/4

Temperature:22 °C

0.0 dBm

Time: 下午 07:19:37

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	395.5912	-38.27	peak	-12.12	-50.39	-13.00	150	300	-37.39	
*	434.0681	-39.08	peak	-10.53	-49.61	-13.00	150	120	-36.61	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:49:40

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-45.15	peak	3.57	-41.58	-13.00	150	300	-28.58	
	2136.273	-50.14	peak	3.04	-47.10	-13.00	150	250	-34.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4

Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 02:54:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1324.649	-48.82	peak	3.48	-45.34	-13.00	150	70	-32.34	
*	2016.032	-50.63	peak	8.22	-42.41	-13.00	150	230	-29.41	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:50:31

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:54:53

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:51:19

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 02:55:43

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:11:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7493	-80.55	peak	22.33	-58.22	-13.00	150	200	-45.22	
	122.6653	-84.82	peak	19.65	-65.17	-13.00	150	270	-52.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:43:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7493	-79.13	peak	21.03	-58.10	-13.00	150	300	-45.10	
	115.8516	-85.91	peak	21.17	-64.74	-13.00	150	220	-51.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 09:35:21

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	472.5451	-42.08	peak	-8.40	-50.48	-13.00	150	230	-37.48	
*	817.2345	-46.97	peak	-2.65	-49.62	-13.00	150	140	-36.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 09:39:12

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	434.0681	-44.39	peak	-10.53	-54.92	-13.00	150	210	-41.92	
	472.5451	-47.05	peak	-8.57	-55.62	-13.00	150	100	-42.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 03:31:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1048.096	-48.26	peak	3.66	-44.60	-13.00	150	60	-31.60	
	1991.984	-48.99	peak	3.82	-45.17	-13.00	150	210	-32.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 03:48:43

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1991.984	-49.05	peak	8.21	-40.84	-13.00	150	230	-27.84	
	3122.244	-55.39	peak	7.68	-47.71	-13.00	150	80	-34.71	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:36:46

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:49:32

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:39:06

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 03:50:23

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:12:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.4086	-79.63	peak	22.35	-57.28	-13.00	150	300	-44.28	
	119.2583	-84.36	peak	19.57	-64.79	-13.00	150	270	-51.79	

*:Maximum data x:Over limit !:over margin