



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 07:51:19

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 07:57:47

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:02:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 65.0901         | -80.72        | peak     | 24.46             | -56.26       | -13.00      | 150          | 140            | -43.26      |         |
|     | 123.6873        | -84.93        | peak     | 21.84             | -63.09       | -13.00      | 150          | 200            | -50.09      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:56:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 64.4086         | -80.07        | peak     | 23.15             | -56.92       | -13.00      | 150          | 100            | -43.92      |         |
|     | 125.3906        | -84.85        | peak     | 22.85             | -62.00       | -13.00      | 150          | 270            | -49.00      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1

Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 02:20:20

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 440.4810        | -50.25        | peak     | -6.81             | -57.06       | -13.00      | 150          | 220            | -44.06      |         |
|     | 740.2806        | -60.61        | peak     | -2.65             | -63.26       | -13.00      | 150          | 310            | -50.26      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 02:33:50

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 437.2744        | -51.35        | peak     | -8.22             | -59.57       | -13.00      | 150          | 140            | -46.57      |         |
|     | 738.6774        | -65.16        | peak     | -2.08             | -67.24       | -13.00      | 150          | 310            | -54.24      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

### Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 08:17:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 3464.930        | -42.66        | peak     | 6.14              | -36.52       | -13.00      | 150          | 300            | -23.52      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #6


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 08:34:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 3464.930        | -43.37        | peak     | 10.38             | -32.99       | -13.00      | 150          | 230            | -19.99      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:18:18

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 5202.405        | -51.36        | peak     | 7.86              | -43.50       | -13.00      | 150          | 200            | -30.50      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:45:58

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 5202.405        | -50.77        | peak     | 8.73              | -42.04       | -13.00      | 150          | 300            | -29.04      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:19:07

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:58:25

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 08:19:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:58:37

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:19:31

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:58:50

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:03:38

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 63.3868         | -80.61        | peak     | 24.56             | -56.05       | -13.00      | 150          | 140            | -43.05      |         |
|     | 122.3246        | -85.15        | peak     | 21.78             | -63.37       | -13.00      | 150          | 80             | -50.37      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:56:58

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 64.7493         | -79.14        | peak     | 23.18             | -55.96       | -13.00      | 150          | 270            | -42.96      |         |
|     | 163.5471        | -87.53        | peak     | 25.11             | -62.42       | -13.00      | 150          | 300            | -49.42      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

### Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 02:23:05

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 211.2223        | -49.62        | peak     | -14.83            | -64.45       | -13.00      | 150          | 110            | -51.45      |         |
| *   | 440.4810        | -50.18        | peak     | -6.81             | -56.99       | -13.00      | 150          | 320            | -43.99      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2

Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 02:34:43

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 214.4288        | -47.37        | peak     | -14.56            | -61.93       | -13.00      | 150          | 230            | -48.93      |         |
| *   | 435.6712        | -51.45        | peak     | -8.30             | -59.75       | -13.00      | 150          | 100            | -46.75      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:01:30

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 3446.894        | -36.75        | peak     | 6.11              | -30.64       | -13.00      | 150          | 220            | -17.64      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:07:38

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 3452.906        | -36.75        | peak     | 10.36             | -26.39       | -13.00      | 150          | 130            | -13.39      |         |

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:02:21

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 5202.405        | -51.03        | peak     | 7.86              | -43.17       | -13.00      | 150          | 230            | -30.17      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 3

Data : #7


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 08:09:30

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 5202.405        | -51.65        | peak     | 8.73              | -42.92       | -13.00      | 150          | 320            | -29.92      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:03:10

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:10:24

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 08:03:22

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin