



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 07:42:09

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 435.6713        | -49.97        | peak     | -10.45            | -60.42       | -13.00      | 150          | 90             | -47.42      |         |
|     | 817.2345        | -64.10        | peak     | -3.60             | -67.70       | -13.00      | 150          | 230            | -54.70      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 08:00:44

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 437.2745        | -50.91        | peak     | -9.02             | -59.93       | -13.00      | 150          | 140            | -46.93      |         |
| *   | 817.2345        | -52.04        | peak     | -2.65             | -54.69       | -13.00      | 150          | 200            | -41.69      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 08:45:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 2124.249        | -54.37        | peak     | 3.11              | -51.26       | -13.00      | 150          | 120            | -38.26      |         |
|     | 2827.655        | -56.01        | peak     | 2.40              | -53.61       | -13.00      | 150          | 320            | -40.61      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:05:02

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1997.996        | -46.71        | peak     | 8.27              | -38.44       | -13.00      | 150          | 270            | -25.44      |         |
|     | 2827.655        | -57.94        | peak     | 7.03              | -50.91       | -13.00      | 150          | 50             | -37.91      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:00:55

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:05:50

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:02:38

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:06:40

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:30:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 65.7715         | -79.73        | peak     | 22.27             | -57.46       | -13.00      | 150          | 140            | -44.46      |         |
|     | 175.1303        | -83.75        | peak     | 21.26             | -62.49       | -13.00      | 150          | 230            | -49.49      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:36:13

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 64.4087         | -79.63        | peak     | 21.00             | -58.63       | -13.00      | 150          | 40             | -45.63      |         |
|     | 164.5690        | -86.23        | peak     | 22.94             | -63.29       | -13.00      | 150          | 250            | -50.29      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 08:05:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 437.2744        | -49.90        | peak     | -9.02             | -58.92       | -13.00      | 150          | 140            | -45.92      |         |
| *   | 839.6793        | -51.94        | peak     | -1.47             | -53.41       | -13.00      | 150          | 200            | -40.41      |         |

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2024/10/4

Temperature:22 °C

0.0 dBm

Time: 下午 08:21:17

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 435.6713        | -50.70        | peak     | -10.45            | -61.15       | -13.00      | 150          | 60             | -48.15      |         |
|     | 878.1563        | -61.51        | peak     | -2.77             | -64.28       | -13.00      | 150          | 210            | -51.28      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 08:27:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 2346.693        | -55.87        | peak     | 1.84              | -54.03       | -13.00      | 150          | 120            | -41.03      |         |
| *   | 3128.256        | -56.63        | peak     | 3.39              | -53.24       | -13.00      | 150          | 320            | -40.24      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 08:32:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1919.840        | -51.59        | peak     | 7.52              | -44.07       | -13.00      | 150          | 60             | -31.07      |         |
|     | 3128.256        | -56.17        | peak     | 7.69              | -48.48       | -13.00      | 150          | 230            | -35.48      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 08:28:27

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 08:33:43

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 08:30:06

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #6


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 08:34:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND13-QPSK-5M-1@0-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1

Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 03:31:29

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 64.7493         | -80.16        | peak     | 22.33             | -57.83       | -13.00      | 150          | 140            | -44.83      |         |
|     | 167.2946        | -85.39        | peak     | 21.57             | -63.82       | -13.00      | 150          | 310            | -50.82      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:34:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 64.0681         | -77.70        | peak     | 20.96             | -56.74       | -13.00      | 150          | 140            | -43.74      |         |
|     | 119.2584        | -85.43        | peak     | 20.92             | -64.51       | -13.00      | 150          | 280            | -51.51      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 09:27:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 437.2745        | -50.24        | peak     | -9.02             | -59.26       | -13.00      | 150          | 170            | -46.26      |         |
| *   | 927.8557        | -55.30        | peak     | -2.78             | -58.08       | -13.00      | 150          | 220            | -45.08      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2024/10/4

Temperature:22 °C

0.0 dBm

Time: 下午 09:29:35

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 435.6713        | -51.48        | peak     | -10.45            | -61.93       | -13.00      | 150          | 200            | -48.93      |         |
|     | 996.7936        | -62.99        | peak     | -1.45             | -64.44       | -13.00      | 150          | 140            | -51.44      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 09:16:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1739.479        | -50.12        | peak     | 3.68              | -46.44       | -13.00      | 150          | 300            | -33.44      |         |
|     | 2496.994        | -58.44        | peak     | 0.98              | -57.46       | -13.00      | 150          | 210            | -44.46      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:21:16

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 1324.649        | -46.24        | peak     | 3.48              | -42.76       | -13.00      | 150          | 230            | -29.76      |         |
| *   | 1991.984        | -48.28        | peak     | 8.21              | -40.07       | -13.00      | 150          | 140            | -27.07      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:17:42

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:22:10

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:18:46

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND26-QPSK-5M-1@0-CH26865

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin