



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:55:57

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND2-QPSK-5M-1@0-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 02:59:20

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.7274	-80.31	peak	24.54	-55.77	-13.00	150	300	-42.77	
	125.7314	-85.76	peak	21.94	-63.82	-13.00	150	170	-50.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2

Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:58:47

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.4086	-79.33	peak	23.15	-56.18	-13.00	150	140	-43.18	
	162.5251	-88.11	peak	25.13	-62.98	-13.00	150	300	-49.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 02:27:21

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	440.4810	-49.99	peak	-6.81	-56.80	-13.00	150	270	-43.80	
	738.6774	-59.10	peak	-2.57	-61.67	-13.00	150	130	-48.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 02:28:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	437.2744	-51.72	peak	-8.22	-59.94	-13.00	150	170	-46.94	
	730.6612	-61.77	peak	-2.02	-63.79	-13.00	150	300	-50.79	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:29:24

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.05	peak	6.14	-43.91	-13.00	150	110	-30.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #6


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 09:33:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-41.16	peak	10.38	-30.78	-13.00	150	300	-17.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 09:30:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-50.77	peak	7.86	-42.91	-13.00	150	100	-29.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #7


Date: 2024/10/1

Temperature: 22 °C

0.0 dBm

Time: 下午 09:34:32

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-51.90	peak	8.73	-43.17	-13.00	150	310	-30.17	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3

Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:31:03

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:21

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:31:15

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:33

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:31:27

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2024/10/1

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:46

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND4-QPSK-5M-1@0-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:27:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.7274	-80.15	peak	22.39	-57.76	-13.00	150	140	-44.76	
	125.3907	-85.16	peak	19.77	-65.39	-13.00	150	200	-52.39	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:38:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.0901	-79.59	peak	21.07	-58.52	-13.00	150	280	-45.52	
	116.1924	-85.31	peak	21.14	-64.17	-13.00	150	130	-51.17	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2024/10/4

Temperature:22 °C

0.0 dBm

Time: 下午 05:38:16

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	443.6874	-50.94	peak	-8.90	-59.84	-13.00	150	140	-46.84	
*	778.7575	-49.17	peak	-4.29	-53.46	-13.00	150	200	-40.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2024/10/4

Temperature: 22 °C

0.0 dBm

Time: 下午 05:42:09

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	437.2745	-50.72	peak	-10.37	-61.09	-13.00	150	230	-48.09	
*	740.2806	-56.64	peak	-4.25	-60.89	-13.00	150	100	-47.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 09:27:20

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-57.01	peak	3.64	-53.37	-13.00	150	120	-40.37	
	2509.018	-59.88	peak	1.00	-58.88	-13.00	150	230	-45.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2024/9/30

Temperature: 22 °C

0.0 dBm

Time: 下午 09:32:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1745.491	-49.26	peak	5.85	-43.41	-13.00	150	170	-30.41	
	2659.319	-55.17	peak	6.58	-48.59	-13.00	150	210	-35.59	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:28:08

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:33:00

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:28:59

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2024/9/30

Temperature:22 °C

0.0 dBm

Time: 下午 09:33:48

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND5-QPSK-5M-1@0-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2024/10/4

Temperature:22 °C

-10.0 dBm

Time: 下午 03:29:00

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7493	-79.88	peak	22.33	-57.55	-13.00	150	230	-44.55	
	175.4710	-85.07	peak	21.24	-63.83	-13.00	150	270	-50.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2024/10/4

Temperature: 22 °C

-10.0 dBm

Time: 下午 03:37:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22409-23713

M/N:

Test Mode : BAND12-QPSK-5M-1@0-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.7274	-79.73	peak	20.93	-58.80	-13.00	150	100	-45.80	
	125.3907	-84.94	peak	20.70	-64.24	-13.00	150	250	-51.24	

*:Maximum data x:Over limit !:over margin