


Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1



Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1



Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac80 5210MHz High Ant1





Band Edge NVNT ax80 5210MHz High Ant1




5.7 CONDUCTED RF SPURIOUS EMISSION


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.7	-27	Pass
NVNT	a	5200	Ant1	-34.82	-27	Pass
NVNT	a	5240	Ant1	-35.51	-27	Pass
NVNT	n20	5180	Ant1	-34.82	-27	Pass
NVNT	n20	5200	Ant1	-35.36	-27	Pass
NVNT	n20	5240	Ant1	-34.87	-27	Pass
NVNT	n40	5190	Ant1	-34.69	-27	Pass
NVNT	n40	5230	Ant1	-34.01	-27	Pass
NVNT	ac20	5180	Ant1	-36.22	-27	Pass
NVNT	ac20	5200	Ant1	-34.73	-27	Pass
NVNT	ac20	5240	Ant1	-35.46	-27	Pass
NVNT	ac40	5190	Ant1	-35	-27	Pass
NVNT	ac40	5230	Ant1	-35.47	-27	Pass
NVNT	ac80	5210	Ant1	-34.69	-27	Pass





Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission










Tx. Spurious NVNT n40 5190MHz Ant1 Emission





Tx. Spurious NVNT n40 5230MHz Ant1 Emission










5.8G WIFI

5.1 DUTY CYCLE


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	98.24	0.08	0.72
NVNT	a	5785	Ant1	98.16	0.08	0.72
NVNT	a	5825	Ant1	98.22	0.08	0.72
NVNT	n20	5745	Ant1	98.04	0.09	0.77
NVNT	n20	5785	Ant1	98.03	0.09	0.77
NVNT	n20	5825	Ant1	98.11	0.08	0.77
NVNT	n40	5755	Ant1	96.35	0.16	1.54
NVNT	n40	5795	Ant1	96.31	0.16	1.54
NVNT	ac20	5745	Ant1	98.16	0.08	0.76
NVNT	ac20	5785	Ant1	98.05	0.09	0.76
NVNT	ac20	5825	Ant1	98.14	0.08	0.76
NVNT	ac40	5755	Ant1	96.34	0.16	1.54
NVNT	ac40	5795	Ant1	96.31	0.16	1.54
NVNT	ac80	5775	Ant1	92.83	0.32	3.12

Test Graphs


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1



Duty Cycle NVNT ac40 5795MHz Ant1



Duty Cycle NVNT ac80 5775MHz Ant1



5.2 MAXIMUM CONDUCTED OUTPUT POWER


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	10.36	0.08	10.44	30	Pass
NVNT	a	5785	Ant1	10.57	0.08	10.65	30	Pass
NVNT	a	5825	Ant1	10.22	0.08	10.3	30	Pass
NVNT	n20	5745	Ant1	10.2	0.09	10.29	30	Pass
NVNT	n20	5785	Ant1	10.41	0.09	10.5	30	Pass
NVNT	n20	5825	Ant1	10.1	0.08	10.18	30	Pass
NVNT	n40	5755	Ant1	10.4	0.16	10.56	30	Pass
NVNT	n40	5795	Ant1	10.6	0.16	10.76	30	Pass
NVNT	ac20	5745	Ant1	10.22	0.08	10.3	30	Pass
NVNT	ac20	5785	Ant1	10.42	0.09	10.51	30	Pass
NVNT	ac20	5825	Ant1	10.08	0.08	10.16	30	Pass
NVNT	ac40	5755	Ant1	10.28	0.16	10.44	30	Pass
NVNT	ac40	5795	Ant1	10.57	0.16	10.73	30	Pass
NVNT	ac80	5775	Ant1	10.12	0.32	10.44	30	Pass

5.3 -6DB BANDWIDTH


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	11.727	0.5	Pass
NVNT	a	5785	Ant1	16.305	0.5	Pass
NVNT	a	5825	Ant1	16.29	0.5	Pass
NVNT	n20	5745	Ant1	16.893	0.5	Pass
NVNT	n20	5785	Ant1	15.504	0.5	Pass
NVNT	n20	5825	Ant1	12.642	0.5	Pass
NVNT	n40	5755	Ant1	33.852	0.5	Pass
NVNT	n40	5795	Ant1	25.086	0.5	Pass
NVNT	ac20	5745	Ant1	17.046	0.5	Pass
NVNT	ac20	5785	Ant1	17.544	0.5	Pass
NVNT	ac20	5825	Ant1	17.154	0.5	Pass
NVNT	ac40	5755	Ant1	25.122	0.5	Pass
NVNT	ac40	5795	Ant1	35.052	0.5	Pass
NVNT	ac80	5775	Ant1	75.912	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1




5.4 OCCUPIED CHANNEL BANDWIDTH


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.429
NVNT	a	5785	Ant1	16.486
NVNT	a	5825	Ant1	16.39
NVNT	n20	5745	Ant1	17.515
NVNT	n20	5785	Ant1	17.554
NVNT	n20	5825	Ant1	17.521
NVNT	n40	5755	Ant1	35.96
NVNT	n40	5795	Ant1	35.972
NVNT	ac20	5745	Ant1	17.509
NVNT	ac20	5785	Ant1	17.47
NVNT	ac20	5825	Ant1	17.476
NVNT	ac40	5755	Ant1	35.918
NVNT	ac40	5795	Ant1	35.936
NVNT	ac80	5775	Ant1	75.712

Test Graphs

OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1



5.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-3.2	0.08	-3.12	30	Pass
NVNT	a	5785	Ant1	-3.36	0.08	-3.28	30	Pass
NVNT	a	5825	Ant1	-3.96	0.08	-3.88	30	Pass
NVNT	n20	5745	Ant1	-3.53	0.09	-3.44	30	Pass
NVNT	n20	5785	Ant1	-4.01	0.09	-3.92	30	Pass
NVNT	n20	5825	Ant1	-4.09	0.08	-4.01	30	Pass
NVNT	n40	5755	Ant1	-7.1	0.16	-6.94	30	Pass
NVNT	n40	5795	Ant1	-7.35	0.16	-7.19	30	Pass
NVNT	ac20	5745	Ant1	-3.67	0.08	-3.59	30	Pass
NVNT	ac20	5785	Ant1	-3.6	0.09	-3.51	30	Pass
NVNT	ac20	5825	Ant1	-4.43	0.08	-4.35	30	Pass
NVNT	ac40	5755	Ant1	-7.75	0.16	-7.59	30	Pass
NVNT	ac40	5795	Ant1	-7.23	0.16	-7.07	30	Pass
NVNT	ac80	5775	Ant1	-12.13	0.32	-11.81	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1




PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1




5.6 BAND EDGE


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-29.61		Pass
NVNT	a	5825	Ant1	-32.6		Pass
NVNT	n20	5745	Ant1	-29.97		Pass
NVNT	n20	5825	Ant1	-32.05		Pass
NVNT	n40	5755	Ant1	-21.84		Pass
NVNT	n40	5795	Ant1	-32.93		Pass
NVNT	ac20	5745	Ant1	-27.89		Pass
NVNT	ac20	5825	Ant1	-33.26		Pass
NVNT	ac40	5755	Ant1	-28.6		Pass
NVNT	ac40	5795	Ant1	-32.85		Pass
NVNT	ac80	5775	Ant1	-32.37		Pass

Test Graphs


Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT n20 5745MHz Low Ant1




Band Edge NVNT n20 5825MHz High Ant1




Band Edge NVNT n40 5755MHz Low Ant1




Band Edge NVNT n40 5795MHz High Ant1




Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1





Band Edge NVNT ac40 5795MHz High Ant1






5.7 CONDUCTED RF SPURIOUS EMISSION


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-34.93	-27	Pass
NVNT	a	5785	Ant1	-34.94	-27	Pass
NVNT	a	5825	Ant1	-35.29	-27	Pass
NVNT	n20	5745	Ant1	-34.04	-27	Pass
NVNT	n20	5785	Ant1	-34.62	-27	Pass
NVNT	n20	5825	Ant1	-34.21	-27	Pass
NVNT	n40	5755	Ant1	-34.17	-27	Pass
NVNT	n40	5795	Ant1	-34.37	-27	Pass
NVNT	ac20	5745	Ant1	-34.66	-27	Pass
NVNT	ac20	5785	Ant1	-34.77	-27	Pass
NVNT	ac20	5825	Ant1	-35.09	-27	Pass
NVNT	ac40	5755	Ant1	-35.14	-27	Pass
NVNT	ac40	5795	Ant1	-34.74	-27	Pass
NVNT	ac80	5775	Ant1	-34	-27	Pass







Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission












Tx. Spurious NVNT ac20 5745MHz Ant1 Emission



Tx. Spurious NVNT ac20 5785MHz Ant1 Emission







END OF REPORT