


Nubo | CMF DETAILS (MP)







PART NAME: ABS BAND




PANTONE 3252C
MATTE FINISH

PART NAME: TOP PANEL




WHITE (APPLE PRODUCTS)
MATTE FINISH



WHITE (APPLE PRODUCTS)
HIGH GLOSS FINISH ON THE LOGO
SURFACE (HIGHLIGHTED IN BLUE)


PART NAME: BOTTOM PANEL




**WHITE (APPLE PRODUCTS)
MATTE FINISH**

**PANTONE -COOL GREY 6C
ClicksieLogo Print (FILE ATTACHED)**

Dimension of the logo printing


clicksie 

PART NAME: BATTERY COVER




**WHITE (APPLE PRODUCTS)
MATTE FINISH**

PART NAME: GASKET



PANTONE -COOL GREY 8C
MATTE FINISH

PART NAME: DOCKING PLATE



nubo

SIZE : 16 mm x 5mm

Print colour : Pantone 427C

Diameter of docking plate : 40mm

Adhesive on docking plate : 3M 467MP self adhesive

Docking plate material : 0.5mm coated GI steel

PART NAME: SILICONE KEYPAD




Silicone Keypad
For Colour Reference Only



Pantone Cool Gray 9 C



Keypad Labels
Use 1:1 Scale PNG




Printing Guide
All Dimensions are in mm

ONBOARDING CARD



Install the app and follow in-app instructions to start using your baby's activities.



clicksie.io
support@clicksie.io

Quick Setup Guide



Nubo is already powered ON.

Press the button for six seconds to see the LED blinking.

Nubo is now ready to pair with the app.



If the LED does not blink, replace the battery.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.