



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: ROBOTIC POOL CLEANER

Test Model: WYB0T M2

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant0	0.948	N/A	Pass
NVNT	1-DH5	2441	Ant0	0.989	N/A	Pass
NVNT	1-DH5	2480	Ant0	1.002	N/A	Pass
NVNT	2-DH5	2402	Ant0	1.284	N/A	Pass
NVNT	2-DH5	2441	Ant0	1.313	N/A	Pass
NVNT	2-DH5	2480	Ant0	1.281	N/A	Pass
NVNT	3-DH5	2402	Ant0	1.288	N/A	Pass
NVNT	3-DH5	2441	Ant0	1.298	N/A	Pass
NVNT	3-DH5	2480	Ant0	1.295	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant0




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant0






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant0






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant0







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant0







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant0	-0.02	21	Pass
NVNT	1-DH5	2441	Ant0	0.49	21	Pass
NVNT	1-DH5	2480	Ant0	0.01	21	Pass
NVNT	2-DH5	2402	Ant0	0.48	21	Pass
NVNT	2-DH5	2441	Ant0	0.64	21	Pass
NVNT	2-DH5	2480	Ant0	-0.37	21	Pass
NVNT	3-DH5	2402	Ant0	-0.8	21	Pass
NVNT	3-DH5	2441	Ant0	0.91	21	Pass
NVNT	3-DH5	2480	Ant0	-0.14	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Power NVNT 1-DH5 2402MHz Ant0






Power NVNT 1-DH5 2441MHz Ant0













A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant0	2402.008	2403.016	1.008	0.668	Pass
NVNT	2-DH5	Ant0	2402.02	2403.066	1.046	0.875	Pass
NVNT	3-DH5	Ant0	2401.852	2403.006	1.154	0.865	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant0



CFS NVNT 2-DH5 2402MHz Ant0







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant0	2.91	334.65	115	31600	400	Pass
NVNT	2-DH5	2402	Ant0	2.898	330.372	114	31600	400	Pass
NVNT	3-DH5	2402	Ant0	2.897	338.949	117	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant0 One Burst



Dwell NVNT 1-DH5 2402MHz Ant0 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 2-DH5 2402MHz Ant0 One Burst




Dwell NVNT 2-DH5 2402MHz Ant0 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant0 One Burst



Dwell NVNT 3-DH5 2402MHz Ant0 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant0	79	15	Pass
NVNT	2-DH5	Ant0	79	15	Pass
NVNT	3-DH5	Ant0	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant0



Hopping No. NVNT 2-DH5 2402MHz Ant0









A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	-56.98	-20	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	-57.39	-20	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	-51.85	-20	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	-54.47	-20	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	-50.6	-20	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	-54.05	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Emission







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity








Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	Hopping	-52.54	-20	Pass
NVNT	1-DH5	2480	Ant0	Hopping	-54.02	-20	Pass
NVNT	2-DH5	2402	Ant0	Hopping	-51.14	-20	Pass
NVNT	2-DH5	2480	Ant0	Hopping	-53.79	-20	Pass
NVNT	3-DH5	2402	Ant0	Hopping	-52.17	-20	Pass
NVNT	3-DH5	2480	Ant0	Hopping	-54.01	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Emission








Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant0 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	-55.06	-20	Pass
NVNT	1-DH5	2441	Ant0	-55.59	-20	Pass
NVNT	1-DH5	2480	Ant0	-55.53	-20	Pass
NVNT	2-DH5	2402	Ant0	-54.33	-20	Pass
NVNT	2-DH5	2441	Ant0	-53.63	-20	Pass
NVNT	2-DH5	2480	Ant0	-52.03	-20	Pass
NVNT	3-DH5	2402	Ant0	-52.17	-20	Pass
NVNT	3-DH5	2441	Ant0	-53.82	-20	Pass
NVNT	3-DH5	2480	Ant0	-53.21	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant0	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant0	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant0	77.63	1.1	0.34
NVNT	2-DH5	2402	Ant0	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant0	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant0	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant0




Duty Cycle NVNT 1-DH5 2441MHz Ant0






Duty Cycle NVNT 1-DH5 2480MHz Ant0




Duty Cycle NVNT 2-DH5 2402MHz Ant0






Duty Cycle NVNT 2-DH5 2441MHz Ant0




Duty Cycle NVNT 2-DH5 2480MHz Ant0







Duty Cycle NVNT 3-DH5 2402MHz Ant0



Duty Cycle NVNT 3-DH5 2441MHz Ant0







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-53.21	4.16	-	46.21	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-59	4.16	1.1	41.52	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2337.936	-47.9	4.16	-	51.52	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2333.52	-57.86	4.16	1.1	42.66	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-51.76	4.16	-	47.66	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-58.66	4.16	1.1	41.86	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-50.09	4.16	-	49.33	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-57.66	4.16	1.1	42.86	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2484.16	-45.6	4.16	-	53.82	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2489.776	-57.14	4.16	1.1	43.38	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-50.49	4.16	-	48.93	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-57.88	4.16	1.1	42.64	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-51.87	4.16	-	47.55	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-59.25	4.16	1.12	41.29	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2382.864	-48	4.16	-	51.42	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2383.152	-57.95	4.16	1.12	42.59	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-50.09	4.16	-	49.33	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-58.71	4.16	1.12	41.83	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-46.36	4.16	-	53.06	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-57.41	4.16	1.12	43.13	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.56	-45.51	4.16	-	53.91	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.584	-57.04	4.16	1.12	43.50	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-49.49	4.16	-	49.93	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-57.97	4.16	1.12	42.57	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-50.29	4.16	-	49.13	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-58.83	4.16	1.12	41.71	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2361.648	-47.7	4.16	-	51.72	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2377.392	-57.71	4.16	1.12	42.83	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-49.49	4.16	-	49.93	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-58.18	4.16	1.12	42.36	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-47.81	4.16	-	51.61	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-57.39	4.16	1.12	43.15	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2486.488	-47.07	4.16	-	52.35	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.584	-57.19	4.16	1.12	43.35	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-51.07	4.16	-	48.35	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-58.25	4.16	1.12	42.29	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Average

