



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: ROBOTIC POOL CLEANER

Test Model: WYBOT S2

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.02	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.013	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.966	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.289	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.31	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.288	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.29	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.293	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.74	21	Pass
NVNT	1-DH5	2441	Ant1	-0.19	21	Pass
NVNT	1-DH5	2480	Ant1	0.13	21	Pass
NVNT	2-DH5	2402	Ant1	-1.05	21	Pass
NVNT	2-DH5	2441	Ant1	-0.47	21	Pass
NVNT	2-DH5	2480	Ant1	-0.14	21	Pass
NVNT	3-DH5	2402	Ant1	-1.06	21	Pass
NVNT	3-DH5	2441	Ant1	-0.41	21	Pass
NVNT	3-DH5	2480	Ant1	-0.12	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1









A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.958	2402.962	1.004	0.680	Pass
NVNT	2-DH5	Ant1	2401.806	2403.16	1.354	0.873	Pass
NVNT	3-DH5	Ant1	2401.838	2403.02	1.182	0.862	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	311.256	108	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.881	276.576	96	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	291.587	101	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.48	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.67	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.35	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.8	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.2	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.7	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission








Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission








Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.79	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.29	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.34	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.45	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.01	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.46	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.49	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.43	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.9	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.63	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.72	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.37	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.24	-20	Pass
NVNT	3-DH5	2441	Ant1	-51.8	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.89	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.85	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.99	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.02	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.3	4.16	-	48.12	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.92	4.16	1.14	41.64	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2361.264	-47.1	4.16	-	52.32	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.776	-57.64	4.16	1.14	42.92	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.13	4.16	-	50.29	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.36	4.16	1.14	42.20	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.49	4.16	-	49.93	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.78	4.16	1.14	42.78	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2493.928	-47.07	4.16	-	52.35	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.288	-57.21	4.16	1.14	43.35	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.92	4.16	-	49.50	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.47	4.16	1.14	42.09	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.51	4.16	-	49.91	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.76	4.16	1.14	41.80	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2314.32	-47.4	4.16	-	52.02	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2358.192	-57.67	4.16	1.14	42.89	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.68	4.16	-	48.74	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.95	4.16	1.14	42.61	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.56	4.16	-	48.86	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.84	4.16	1.14	42.72	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2489.008	-46.48	4.16	-	52.94	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.448	-57.1	4.16	1.14	43.46	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.66	4.16	-	49.76	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.11	4.16	1.14	42.45	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.19	4.16	-	49.23	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.87	4.16	1.13	41.68	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2353.968	-47.36	4.16	-	52.06	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2329.2	-57.57	4.16	1.13	42.98	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.45	4.16	-	47.97	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.56	4.16	1.13	41.99	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.79	4.16	-	49.63	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.24	4.16	1.13	42.31	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2489.344	-46.87	4.16	-	52.55	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2490.496	-56.98	4.16	1.13	43.57	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.58	4.16	-	48.84	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.09	4.16	1.13	42.46	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

