

Appendix B: Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A-CDD	Ant0	5180	8.39	≤30	PASS
	Ant1	5180	8.51	≤30	PASS
	Ant2	5180	8.44	≤30	PASS
	Ant3	5180	7.83	≤30	PASS
	total	5180	14.32	≤30	PASS
	Ant0	5200	8.20	≤30	PASS
	Ant1	5200	8.28	≤30	PASS
	Ant2	5200	8.56	≤30	PASS
	Ant3	5200	7.71	≤30	PASS
	total	5200	14.22	≤30	PASS
	Ant0	5240	8.48	≤30	PASS
	Ant1	5240	8.69	≤30	PASS
	Ant2	5240	8.80	≤30	PASS
	Ant3	5240	8.50	≤30	PASS
	total	5240	14.64	≤30	PASS
	Ant0	5260	14.14	≤23.98	PASS
	Ant1	5260	13.85	≤23.98	PASS
	Ant2	5260	13.93	≤23.98	PASS
	Ant3	5260	13.51	≤23.95	PASS
	total	5260	19.88	≤23.98	PASS
	Ant0	5280	13.93	≤23.98	PASS
	Ant1	5280	13.60	≤23.98	PASS
	Ant2	5280	14.06	≤23.98	PASS
	Ant3	5280	13.51	≤23.98	PASS
	total	5280	19.80	≤23.98	PASS
	Ant0	5320	13.86	≤23.98	PASS
	Ant1	5320	13.73	≤23.98	PASS
	Ant2	5320	13.76	≤23.98	PASS
	Ant3	5320	13.61	≤23.98	PASS
	total	5320	19.76	≤23.98	PASS
	Ant0	5500	14.54	≤23.98	PASS
	Ant1	5500	14.28	≤23.98	PASS
	Ant2	5500	14.18	≤23.94	PASS
	Ant3	5500	14.01	≤23.98	PASS
	total	5500	20.28	≤23.98	PASS
	Ant0	5580	13.59	≤23.98	PASS
	Ant1	5580	14.06	≤23.98	PASS
	Ant2	5580	13.98	≤23.98	PASS
	Ant3	5580	12.89	≤23.98	PASS
	total	5580	19.67	≤23.98	PASS
	Ant0	5700	12.77	≤23.98	PASS
	Ant1	5700	14.12	≤23.98	PASS
	Ant2	5700	13.63	≤23.98	PASS
	Ant3	5700	12.80	≤23.98	PASS
	total	5700	19.39	≤23.98	PASS
	Ant0	5745	12.39	≤30.00	PASS
	Ant1	5745	13.78	≤30.00	PASS
	Ant2	5745	12.95	≤30.00	PASS
	Ant3	5745	12.73	≤30.00	PASS
	total	5745	19.01	≤30.00	PASS
	Ant0	5785	12.60	≤30.00	PASS
	Ant1	5785	14.02	≤30.00	PASS
	Ant2	5785	13.02	≤30.00	PASS
	Ant3	5785	13.17	≤30.00	PASS
	total	5785	19.25	≤30.00	PASS
	Ant0	5825	13.07	≤30.00	PASS
	Ant1	5825	14.21	≤30.00	PASS
	Ant2	5825	13.27	≤30.00	PASS
	Ant3	5825	13.20	≤30.00	PASS

11AC20MIMO	total	5825	19.48	≤30.00	PASS
	Ant0	5180	11.97	≤30	PASS
	Ant1	5180	11.44	≤30	PASS
	Ant2	5180	12.27	≤30	PASS
	Ant3	5180	11.31	≤30	PASS
	total	5180	17.79	≤30	PASS
	Ant0	5200	11.93	≤30	PASS
	Ant1	5200	11.26	≤30	PASS
	Ant2	5200	11.65	≤30	PASS
	Ant3	5200	11.08	≤30	PASS
	total	5200	17.51	≤30	PASS
	Ant0	5240	11.68	≤30	PASS
	Ant1	5240	11.24	≤30	PASS
	Ant2	5240	11.61	≤30	PASS
	Ant3	5240	11.12	≤30	PASS
	total	5240	17.44	≤30	PASS
	Ant0	5260	13.85	≤23.98	PASS
	Ant1	5260	13.51	≤23.98	PASS
	Ant2	5260	13.62	≤23.98	PASS
	Ant3	5260	13.30	≤23.98	PASS
	total	5260	19.60	≤23.98	PASS
	Ant0	5280	13.88	≤23.98	PASS
	Ant1	5280	13.40	≤23.98	PASS
	Ant2	5280	13.61	≤23.98	PASS
	Ant3	5280	13.26	≤23.98	PASS
	total	5280	19.56	≤23.98	PASS
	Ant0	5320	13.42	≤23.98	PASS
	Ant1	5320	13.36	≤23.98	PASS
	Ant2	5320	13.52	≤23.98	PASS
	Ant3	5320	13.69	≤23.98	PASS
	total	5320	19.52	≤23.98	PASS
	Ant0	5500	14.09	≤23.98	PASS
	Ant1	5500	13.96	≤23.98	PASS
	Ant2	5500	13.84	≤23.98	PASS
	Ant3	5500	13.85	≤23.98	PASS
	total	5500	19.96	≤23.98	PASS
	Ant0	5580	13.47	≤23.98	PASS
	Ant1	5580	13.76	≤23.98	PASS
	Ant2	5580	13.57	≤23.98	PASS
	Ant3	5580	12.63	≤23.98	PASS
	total	5580	19.40	≤23.98	PASS
	Ant0	5700	12.47	≤23.98	PASS
	Ant1	5700	13.92	≤23.98	PASS
	Ant2	5700	13.46	≤23.98	PASS
	Ant3	5700	12.65	≤23.98	PASS
	total	5700	19.19	≤23.98	PASS
	Ant0	5745	12.11	≤30.00	PASS
	Ant1	5745	13.53	≤30.00	PASS
	Ant2	5745	12.74	≤30.00	PASS
	Ant3	5745	12.65	≤30.00	PASS
	total	5745	18.81	≤30.00	PASS
	Ant0	5785	12.50	≤30.00	PASS
	Ant1	5785	14.12	≤30.00	PASS
	Ant2	5785	12.84	≤30.00	PASS
	Ant3	5785	12.89	≤30.00	PASS
	total	5785	19.15	≤30.00	PASS
	Ant0	5825	12.85	≤30.00	PASS
	Ant1	5825	13.90	≤30.00	PASS
	Ant2	5825	13.08	≤30.00	PASS
	Ant3	5825	13.00	≤30.00	PASS
	total	5825	19.25	≤30.00	PASS
11AC40MIMO	Ant0	5190	12.13	≤30	PASS
	Ant1	5190	11.55	≤30	PASS
	Ant2	5190	12.25	≤30	PASS
	Ant3	5190	11.73	≤30	PASS
	total	5190	17.94	≤30	PASS

	Ant0	5230	12.38	≤30	PASS
	Ant1	5230	11.81	≤30	PASS
	Ant2	5230	12.04	≤30	PASS
	Ant3	5230	12.07	≤30	PASS
	total	5230	18.10	≤30	PASS
	Ant0	5270	14.25	≤23.98	PASS
	Ant1	5270	13.60	≤23.98	PASS
	Ant2	5270	13.74	≤23.98	PASS
	Ant3	5270	13.99	≤23.98	PASS
	total	5270	19.92	≤23.98	PASS
	Ant0	5310	14.10	≤23.98	PASS
	Ant1	5310	14.02	≤23.98	PASS
	Ant2	5310	14.08	≤23.98	PASS
	Ant3	5310	14.30	≤23.98	PASS
	total	5310	20.15	≤23.98	PASS
	Ant0	5510	14.24	≤23.98	PASS
	Ant1	5510	13.96	≤23.98	PASS
	Ant2	5510	13.81	≤23.98	PASS
	Ant3	5510	13.97	≤23.98	PASS
	total	5510	20.02	≤23.98	PASS
	Ant0	5550	14.07	≤23.98	PASS
	Ant1	5550	14.61	≤23.98	PASS
	Ant2	5550	13.99	≤23.98	PASS
	Ant3	5550	13.22	≤23.98	PASS
	total	5550	20.02	≤23.98	PASS
	Ant0	5670	13.25	≤23.98	PASS
	Ant1	5670	14.51	≤23.98	PASS
	Ant2	5670	13.67	≤23.98	PASS
	Ant3	5670	13.54	≤23.98	PASS
	total	5670	19.79	≤23.98	PASS
	Ant0	5755	12.70	≤30.00	PASS
	Ant1	5755	14.04	≤30.00	PASS
	Ant2	5755	13.22	≤30.00	PASS
	Ant3	5755	12.83	≤30.00	PASS
	total	5755	19.25	≤30.00	PASS
	Ant0	5795	12.67	≤30.00	PASS
	Ant1	5795	13.62	≤30.00	PASS
	Ant2	5795	13.00	≤30.00	PASS
	Ant3	5795	12.89	≤30.00	PASS
	total	5795	19.08	≤30.00	PASS
11AC80MIMO	Ant0	5210	12.50	≤30	PASS
	Ant1	5210	11.45	≤30	PASS
	Ant2	5210	12.08	≤30	PASS
	Ant3	5210	11.63	≤30	PASS
	total	5210	17.95	≤30	PASS
	Ant0	5290	13.87	≤23.98	PASS
	Ant1	5290	13.63	≤23.98	PASS
	Ant2	5290	13.70	≤23.98	PASS
	Ant3	5290	13.51	≤23.98	PASS
	total	5290	19.70	≤23.98	PASS
	Ant0	5530	14.00	≤23.98	PASS
	Ant1	5530	13.71	≤23.98	PASS
	Ant2	5530	13.47	≤23.98	PASS
	Ant3	5530	13.51	≤23.98	PASS
	total	5530	19.70	≤23.98	PASS
	Ant0	5610	13.12	≤23.98	PASS
	Ant1	5610	13.85	≤23.98	PASS
	Ant2	5610	13.50	≤23.98	PASS
	Ant3	5610	12.66	≤23.98	PASS
	total	5610	19.33	≤23.98	PASS
	Ant0	5775	12.60	≤30.00	PASS
	Ant1	5775	13.57	≤30.00	PASS
	Ant2	5775	13.07	≤30.00	PASS
	Ant3	5775	13.33	≤30.00	PASS
	total	5775	19.18	≤30.00	PASS
11AC160MIMO	Ant0	5250	13.98	≤23.98	PASS

	Ant1	5250	13.61	≤23.98	PASS
	Ant2	5250	13.77	≤23.98	PASS
	Ant3	5250	13.35	≤23.98	PASS
	total	5250	19.70	≤23.98	PASS
	Ant0	5570	13.70	≤23.98	PASS
	Ant1	5570	13.96	≤23.98	PASS
	Ant2	5570	13.63	≤23.98	PASS
	Ant3	5570	12.93	≤23.98	PASS
	total	5570	19.59	≤23.98	PASS
11AX20MIMO_242Tone_RU61	Ant0	5180	12.55	≤30	PASS
	Ant1	5180	12.15	≤30	PASS
	Ant2	5180	12.39	≤30	PASS
	Ant3	5180	11.89	≤30	PASS
	total	5180	18.27	≤30	PASS
	Ant0	5200	12.23	≤30	PASS
	Ant1	5200	11.86	≤30	PASS
	Ant2	5200	12.09	≤30	PASS
	Ant3	5200	11.63	≤30	PASS
	total	5200	17.98	≤30	PASS
	Ant0	5240	12.17	≤30	PASS
	Ant1	5240	11.91	≤30	PASS
	Ant2	5240	11.90	≤30	PASS
	Ant3	5240	11.70	≤30	PASS
	total	5240	17.94	≤30	PASS
	Ant0	5260	14.28	≤23.98	PASS
	Ant1	5260	14.23	≤23.98	PASS
	Ant2	5260	14.16	≤23.98	PASS
	Ant3	5260	13.78	≤23.98	PASS
	total	5260	20.14	≤23.98	PASS
	Ant0	5280	14.16	≤23.98	PASS
	Ant1	5280	14.19	≤23.98	PASS
	Ant2	5280	13.99	≤23.98	PASS
	Ant3	5280	13.78	≤23.98	PASS
	total	5280	20.05	≤23.98	PASS
	Ant0	5320	13.91	≤23.98	PASS
	Ant1	5320	14.08	≤23.98	PASS
	Ant2	5320	13.92	≤23.98	PASS
	Ant3	5320	13.95	≤23.98	PASS
	total	5320	19.99	≤23.98	PASS
	Ant0	5500	14.61	≤23.98	PASS
	Ant1	5500	14.69	≤23.98	PASS
	Ant2	5500	14.34	≤23.98	PASS
	Ant3	5500	14.16	≤23.98	PASS
	total	5500	20.48	≤23.98	PASS
	Ant0	5580	13.79	≤23.98	PASS
	Ant1	5580	14.63	≤23.98	PASS
	Ant2	5580	14.13	≤23.98	PASS
	Ant3	5580	13.17	≤23.98	PASS
	total	5580	19.98	≤23.98	PASS
	Ant0	5700	12.88	≤23.98	PASS
	Ant1	5700	14.68	≤23.98	PASS
	Ant2	5700	14.09	≤23.98	PASS
	Ant3	5700	13.01	≤23.98	PASS
	total	5700	19.75	≤23.98	PASS
	Ant0	5745	12.54	≤30.00	PASS
	Ant1	5745	14.27	≤30.00	PASS
	Ant2	5745	13.25	≤30.00	PASS
	Ant3	5745	13.75	≤30.00	PASS
	total	5745	19.52	≤30.00	PASS
	Ant0	5785	12.98	≤30.00	PASS
	Ant1	5785	14.57	≤30.00	PASS
	Ant2	5785	13.49	≤30.00	PASS
	Ant3	5785	13.30	≤30.00	PASS
	total	5785	19.65	≤30.00	PASS
	Ant0	5825	13.33	≤30.00	PASS
	Ant1	5825	14.90	≤30.00	PASS

	Ant2	5825	13.65	≤30.00	PASS
	Ant3	5825	13.43	≤30.00	PASS
	total	5825	19.90	≤30.00	PASS
11AX40MIMO_484Tone_RU65	Ant0	5190	12.51	≤30	PASS
	Ant1	5190	11.95	≤30	PASS
	Ant2	5190	12.45	≤30	PASS
	Ant3	5190	12.05	≤30	PASS
	total	5190	18.27	≤30	PASS
	Ant0	5230	12.62	≤30	PASS
	Ant1	5230	12.12	≤30	PASS
	Ant2	5230	12.49	≤30	PASS
	Ant3	5230	12.28	≤30	PASS
	total	5230	18.40	≤30	PASS
	Ant0	5270	14.51	≤23.98	PASS
	Ant1	5270	14.09	≤23.98	PASS
	Ant2	5270	14.19	≤23.98	PASS
	Ant3	5270	14.09	≤23.98	PASS
	total	5270	20.24	≤23.98	PASS
	Ant0	5310	14.43	≤23.98	PASS
	Ant1	5310	14.31	≤23.98	PASS
	Ant2	5310	14.26	≤23.98	PASS
	Ant3	5310	14.28	≤23.98	PASS
	total	5310	20.34	≤23.98	PASS
	Ant0	5510	14.65	≤23.98	PASS
	Ant1	5510	14.47	≤23.98	PASS
	Ant2	5510	14.18	≤23.98	PASS
	Ant3	5510	14.19	≤23.98	PASS
	total	5510	20.40	≤23.98	PASS
	Ant0	5550	14.53	≤23.98	PASS
	Ant1	5550	14.57	≤23.98	PASS
	Ant2	5550	14.37	≤23.98	PASS
	Ant3	5550	13.73	≤23.98	PASS
	total	5550	20.33	≤23.98	PASS
	Ant0	5670	14.80	≤23.98	PASS
	Ant1	5670	14.74	≤23.98	PASS
	Ant2	5670	14.45	≤23.98	PASS
	Ant3	5670	14.54	≤23.98	PASS
	total	5670	20.66	≤23.98	PASS
	Ant0	5755	13.15	≤30.00	PASS
	Ant1	5755	14.55	≤30.00	PASS
	Ant2	5755	14.09	≤30.00	PASS
	Ant3	5755	13.33	≤30.00	PASS
	total	5755	19.84	≤30.00	PASS
	Ant0	5795	13.27	≤30.00	PASS
	Ant1	5795	14.47	≤30.00	PASS
	Ant2	5795	13.51	≤30.00	PASS
	Ant3	5795	13.38	≤30.00	PASS
	total	5795	19.71	≤30.00	PASS
11AX80MIMO_996Tone_RU67	Ant0	5210	9.44	≤30	PASS
	Ant1	5210	9.78	≤30	PASS
	Ant2	5210	11.95	≤30	PASS
	Ant3	5210	12.67	≤30	PASS
	total	5210	17.20	≤30	PASS
	Ant0	5290	7.57	≤23.98	PASS
	Ant1	5290	8.52	≤23.98	PASS
	Ant2	5290	11.85	≤23.98	PASS
	Ant3	5290	12.38	≤23.98	PASS
	total	5290	16.57	≤23.98	PASS
	Ant0	5530	8.46	≤23.98	PASS
	Ant1	5530	11.49	≤23.98	PASS
	Ant2	5530	11.54	≤23.98	PASS
	Ant3	5530	12.19	≤23.98	PASS
	total	5530	17.15	≤23.98	PASS
	Ant0	5610	8.10	≤23.98	PASS
	Ant1	5610	10.70	≤23.98	PASS
	Ant2	5610	11.36	≤23.98	PASS

	Ant3	5610	11.60	≤23.98	PASS
	total	5610	16.66	≤23.98	PASS
	Ant0	5775	10.77	≤30.00	PASS
	Ant1	5775	11.47	≤30.00	PASS
	Ant2	5775	11.29	≤30.00	PASS
	Ant3	5775	10.79	≤30.00	PASS
	total	5775	17.11	≤30.00	PASS
11AX160MIMO_2*996Tone	Ant0	5250	7.93	≤23.98	PASS
	Ant1	5250	9.17	≤23.98	PASS
	Ant2	5250	11.75	≤23.98	PASS
	Ant3	5250	12.12	≤23.98	PASS
	total	5250	16.60	≤23.98	PASS
	Ant0	5570	10.23	≤23.98	PASS
	Ant1	5570	13.16	≤23.98	PASS
	Ant2	5570	13.60	≤23.98	PASS
	Ant3	5570	12.98	≤23.98	PASS
	total	5570	18.69	≤23.98	PASS

802.11AX Partial RU:

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant0	5180	26Tone	RU0	1.80	≤30.00	PASS
			52Tone	RU37	5.27	≤30.00	PASS
			106Tone	RU53	8.49	≤30.00	PASS
	Ant1	5180	26Tone	RU0	2.15	≤30.00	PASS
			52Tone	RU37	5.38	≤30.00	PASS
			106Tone	RU53	8.27	≤30.00	PASS
	Ant2	5180	26Tone	RU0	2.17	≤30.00	PASS
			52Tone	RU37	5.11	≤30.00	PASS
			106Tone	RU53	8.66	≤30.00	PASS
	Ant3	5180	26Tone	RU0	2.12	≤30.00	PASS
			52Tone	RU37	5.02	≤30.00	PASS
			106Tone	RU53	8.33	≤30.00	PASS
	total	5180	26Tone	RU0	8.08	≤30.00	PASS
			52Tone	RU37	11.22	≤30.00	PASS
			106Tone	RU53	14.46	≤30.00	PASS
	Ant0	5200	26Tone	RU0	2.17	≤30.00	PASS
			52Tone	RU37	5.33	≤30.00	PASS
			106Tone	RU53	8.45	≤30.00	PASS
	Ant1	5200	26Tone	RU0	2.07	≤30.00	PASS
			52Tone	RU37	4.97	≤30.00	PASS
			106Tone	RU53	8.41	≤30.00	PASS
	Ant2	5200	26Tone	RU0	2.20	≤30.00	PASS
			52Tone	RU37	5.29	≤30.00	PASS
			106Tone	RU53	8.52	≤30.00	PASS
	Ant3	5200	26Tone	RU0	2.18	≤30.00	PASS
			52Tone	RU37	5.21	≤30.00	PASS
			106Tone	RU53	8.56	≤30.00	PASS
	total	5200	26Tone	RU0	8.18	≤30.00	PASS
			52Tone	RU37	11.22	≤30.00	PASS
			106Tone	RU53	14.51	≤30.00	PASS
	Ant0	5240	26Tone	RU0	2.17	≤30.00	PASS
			52Tone	RU37	5.38	≤30.00	PASS
			106Tone	RU53	8.68	≤30.00	PASS
	Ant1	5240	26Tone	RU0	2.03	≤30.00	PASS
			52Tone	RU37	5.36	≤30.00	PASS
			106Tone	RU53	8.77	≤30.00	PASS
	Ant2	5240	26Tone	RU0	2.28	≤30.00	PASS
			52Tone	RU37	5.47	≤30.00	PASS
			106Tone	RU53	8.28	≤30.00	PASS
	Ant3	5240	26Tone	RU0	1.97	≤30.00	PASS
			52Tone	RU37	5.49	≤30.00	PASS
			106Tone	RU53	8.69	≤30.00	PASS
	total	5240	26Tone	RU0	8.13	≤30.00	PASS
			52Tone	RU37	11.45	≤30.00	PASS
			106Tone	RU53	14.63	≤30.00	PASS
	Ant0	5260	26Tone	RU0	4.87	≤23.98	PASS
			52Tone	RU37	7.47	≤23.98	PASS
			106Tone	RU53	10.06	≤23.98	PASS
	Ant1	5260	26Tone	RU0	4.91	≤23.98	PASS
			52Tone	RU37	7.75	≤23.98	PASS
			106Tone	RU53	10.13	≤23.98	PASS
	Ant2	5260	26Tone	RU0	4.79	≤23.98	PASS
			52Tone	RU37	7.59	≤23.98	PASS
			106Tone	RU53	10.38	≤23.98	PASS
	Ant3	5260	26Tone	RU0	4.65	≤23.98	PASS
			52Tone	RU37	7.32	≤23.98	PASS
			106Tone	RU53	10.31	≤23.98	PASS
	total	5260	26Tone	RU0	10.83	≤23.98	PASS
			52Tone	RU37	13.56	≤23.98	PASS
			106Tone	RU53	16.24	≤23.98	PASS
	Ant0	5280	26Tone	RU0	4.78	≤23.98	PASS

			52Tone	RU37	7.43	≤23.98	PASS
			106Tone	RU53	10.44	≤23.98	PASS
			26Tone	RU0	4.97	≤23.98	PASS
	Ant1	5280	52Tone	RU37	7.47	≤23.98	PASS
			106Tone	RU53	10.48	≤23.98	PASS
			26Tone	RU0	5.11	≤23.98	PASS
	Ant2	5280	52Tone	RU37	7.53	≤23.98	PASS
			106Tone	RU53	10.55	≤23.98	PASS
			26Tone	RU0	5.30	≤23.98	PASS
	Ant3	5280	52Tone	RU37	7.65	≤23.98	PASS
			106Tone	RU53	10.52	≤23.98	PASS
			26Tone	RU0	11.06	≤23.98	PASS
	total	5280	52Tone	RU37	13.54	≤23.98	PASS
			106Tone	RU53	16.52	≤23.98	PASS
			26Tone	RU0	4.85	≤23.98	PASS
	Ant0	5320	52Tone	RU37	7.57	≤23.98	PASS
			106Tone	RU53	10.37	≤23.98	PASS
			26Tone	RU0	5.05	≤23.98	PASS
	Ant1	5320	52Tone	RU37	7.31	≤23.98	PASS
			106Tone	RU53	10.16	≤23.98	PASS
			26Tone	RU0	5.06	≤23.98	PASS
	Ant2	5320	52Tone	RU37	7.40	≤23.98	PASS
			106Tone	RU53	10.22	≤23.98	PASS
			26Tone	RU0	5.12	≤23.98	PASS
	Ant3	5320	52Tone	RU37	7.79	≤23.98	PASS
			106Tone	RU53	10.04	≤23.98	PASS
			26Tone	RU0	11.04	≤23.98	PASS
	total	5320	52Tone	RU37	13.54	≤23.98	PASS
			106Tone	RU53	16.22	≤23.98	PASS
			26Tone	RU0	5.20	≤23.98	PASS
	Ant0	5500	52Tone	RU37	7.59	≤23.98	PASS
			106Tone	RU53	10.22	≤23.98	PASS
			26Tone	RU0	5.02	≤23.98	PASS
	Ant1	5500	52Tone	RU37	7.29	≤23.98	PASS
			106Tone	RU53	10.50	≤23.98	PASS
			26Tone	RU0	5.11	≤23.98	PASS
	Ant2	5500	52Tone	RU37	7.50	≤23.98	PASS
			106Tone	RU53	10.41	≤23.98	PASS
			26Tone	RU0	4.88	≤23.98	PASS
	Ant3	5500	52Tone	RU37	7.54	≤23.98	PASS
			106Tone	RU53	10.72	≤23.98	PASS
			26Tone	RU0	11.07	≤23.98	PASS
	total	5500	52Tone	RU37	13.50	≤23.98	PASS
			106Tone	RU53	16.49	≤23.98	PASS
			26Tone	RU0	4.94	≤23.98	PASS
	Ant0	5580	52Tone	RU37	7.61	≤23.98	PASS
			106Tone	RU53	10.40	≤23.98	PASS
			26Tone	RU0	4.56	≤23.98	PASS
	Ant1	5580	52Tone	RU37	7.47	≤23.98	PASS
			106Tone	RU53	10.46	≤23.98	PASS
			26Tone	RU0	5.03	≤23.98	PASS
	Ant2	5580	52Tone	RU37	7.31	≤23.98	PASS
			106Tone	RU53	10.50	≤23.98	PASS
			26Tone	RU0	5.10	≤23.98	PASS
	Ant3	5580	52Tone	RU37	7.25	≤23.98	PASS
			106Tone	RU53	10.07	≤23.98	PASS
			26Tone	RU0	10.93	≤23.98	PASS
	total	5580	52Tone	RU37	13.43	≤23.98	PASS
			106Tone	RU53	16.38	≤23.98	PASS
			26Tone	RU0	5.18	≤23.98	PASS
	Ant0	5700	52Tone	RU37	7.77	≤23.98	PASS
			106Tone	RU53	10.32	≤23.98	PASS
			26Tone	RU0	4.92	≤23.98	PASS
	Ant1	5700	52Tone	RU37	7.25	≤23.98	PASS
			106Tone	RU53	10.43	≤23.98	PASS
			26Tone	RU0	5.10	≤23.98	PASS
	Ant2	5700	26Tone	RU0	5.10	≤23.98	PASS

11AX40MIMO	Ant3	5700	52Tone	RU37	7.21	≤23.98	PASS
			106Tone	RU53	10.37	≤23.98	PASS
			26Tone	RU0	5.30	≤23.98	PASS
			52Tone	RU37	7.23	≤23.98	PASS
			106Tone	RU53	10.70	≤23.98	PASS
			26Tone	RU0	11.15	≤23.98	PASS
	total	5700	52Tone	RU37	13.39	≤23.98	PASS
			106Tone	RU53	16.48	≤23.98	PASS
			26Tone	RU0	5.15	≤30.00	PASS
	Ant0	5745	52Tone	RU37	7.47	≤30.00	PASS
			106Tone	RU53	10.31	≤30.00	PASS
			26Tone	RU0	4.63	≤30.00	PASS
	Ant1	5745	52Tone	RU37	7.38	≤30.00	PASS
			106Tone	RU53	10.52	≤30.00	PASS
			26Tone	RU0	4.83	≤30.00	PASS
	Ant2	5745	52Tone	RU37	7.27	≤30.00	PASS
			106Tone	RU53	10.43	≤30.00	PASS
			26Tone	RU0	4.89	≤30.00	PASS
	Ant3	5745	52Tone	RU37	7.75	≤30.00	PASS
			106Tone	RU53	10.59	≤30.00	PASS
			26Tone	RU0	10.90	≤30.00	PASS
	total	5745	52Tone	RU37	13.49	≤30.00	PASS
			106Tone	RU53	16.48	≤30.00	PASS
			26Tone	RU0	5.01	≤30.00	PASS
	Ant0	5785	52Tone	RU37	7.57	≤30.00	PASS
			106Tone	RU53	10.20	≤30.00	PASS
			26Tone	RU0	5.04	≤30.00	PASS
	Ant1	5785	52Tone	RU37	7.47	≤30.00	PASS
			106Tone	RU53	10.67	≤30.00	PASS
			26Tone	RU0	5.12	≤30.00	PASS
	Ant2	5785	52Tone	RU37	7.65	≤30.00	PASS
			106Tone	RU53	10.32	≤30.00	PASS
			26Tone	RU0	4.87	≤30.00	PASS
	Ant3	5785	52Tone	RU37	7.73	≤30.00	PASS
			106Tone	RU53	10.58	≤30.00	PASS
			26Tone	RU0	11.03	≤30.00	PASS
	total	5785	52Tone	RU37	13.63	≤30.00	PASS
			106Tone	RU53	16.47	≤30.00	PASS
			26Tone	RU0	5.22	≤30.00	PASS
	Ant0	5825	52Tone	RU37	7.49	≤30.00	PASS
			106Tone	RU53	10.45	≤30.00	PASS
			26Tone	RU0	5.04	≤30.00	PASS
	Ant1	5825	52Tone	RU37	7.45	≤30.00	PASS
			106Tone	RU53	10.46	≤30.00	PASS
			26Tone	RU0	5.15	≤30.00	PASS
	Ant2	5825	52Tone	RU37	7.19	≤30.00	PASS
			106Tone	RU53	10.40	≤30.00	PASS
			26Tone	RU0	4.87	≤30.00	PASS
	Ant3	5825	52Tone	RU37	7.82	≤30.00	PASS
			106Tone	RU53	10.23	≤30.00	PASS
			26Tone	RU0	11.09	≤30.00	PASS
	total	5825	52Tone	RU37	13.51	≤30.00	PASS
			106Tone	RU53	16.41	≤30.00	PASS
			26Tone	RU0	0.08	≤30.00	PASS
	Ant0	5190	52Tone	RU37	2.90	≤30.00	PASS
			106Tone	RU53	5.69	≤30.00	PASS
			242Tone	RU61	9.33	≤30.00	PASS
			26Tone	RU0	-0.28	≤30.00	PASS
	Ant1	5190	52Tone	RU37	2.98	≤30.00	PASS
			106Tone	RU53	5.96	≤30.00	PASS
			242Tone	RU61	8.98	≤30.00	PASS
			26Tone	RU0	0.25	≤30.00	PASS
	Ant2	5190	52Tone	RU37	2.95	≤30.00	PASS
			106Tone	RU53	6.03	≤30.00	PASS
			242Tone	RU61	9.04	≤30.00	PASS
	Ant3	5190	26Tone	RU0	-0.14	≤30.00	PASS

			52Tone	RU37	2.82	≤30.00	PASS
			106Tone	RU53	5.84	≤30.00	PASS
			242Tone	RU61	9.16	≤30.00	PASS
			26Tone	RU0	6.00	≤30.00	PASS
total	5190		52Tone	RU37	8.93	≤30.00	PASS
			106Tone	RU53	11.90	≤30.00	PASS
			242Tone	RU61	15.15	≤30.00	PASS
			26Tone	RU0	0.04	≤30.00	PASS
Ant0	5230		52Tone	RU37	3.49	≤30.00	PASS
			106Tone	RU53	6.44	≤30.00	PASS
			242Tone	RU61	9.44	≤30.00	PASS
			26Tone	RU0	0.05	≤30.00	PASS
Ant1	5230		52Tone	RU37	3.30	≤30.00	PASS
			106Tone	RU53	6.39	≤30.00	PASS
			242Tone	RU61	9.20	≤30.00	PASS
			26Tone	RU0	0.36	≤30.00	PASS
Ant2	5230		52Tone	RU37	3.20	≤30.00	PASS
			106Tone	RU53	6.15	≤30.00	PASS
			242Tone	RU61	9.24	≤30.00	PASS
			26Tone	RU0	0.30	≤30.00	PASS
Ant3	5230		52Tone	RU37	3.22	≤30.00	PASS
			106Tone	RU53	6.22	≤30.00	PASS
			242Tone	RU61	9.61	≤30.00	PASS
			26Tone	RU0	6.21	≤30.00	PASS
total	5230		52Tone	RU37	9.32	≤30.00	PASS
			106Tone	RU53	12.32	≤30.00	PASS
			242Tone	RU61	15.40	≤30.00	PASS
			26Tone	RU0	1.80	≤23.98	PASS
Ant0	5270		52Tone	RU37	4.77	≤23.98	PASS
			106Tone	RU53	7.26	≤23.98	PASS
			242Tone	RU61	10.16	≤23.98	PASS
			26Tone	RU0	2.02	≤23.98	PASS
Ant1	5270		52Tone	RU37	4.75	≤23.98	PASS
			106Tone	RU53	7.43	≤23.98	PASS
			242Tone	RU61	10.24	≤23.98	PASS
			26Tone	RU0	2.16	≤23.98	PASS
Ant2	5270		52Tone	RU37	4.82	≤23.98	PASS
			106Tone	RU53	7.56	≤23.98	PASS
			242Tone	RU61	10.34	≤23.98	PASS
			26Tone	RU0	1.85	≤23.98	PASS
Ant3	5270		52Tone	RU37	4.88	≤23.98	PASS
			106Tone	RU53	7.52	≤23.98	PASS
			242Tone	RU61	10.29	≤23.98	PASS
			26Tone	RU0	7.98	≤23.98	PASS
total	5270		52Tone	RU37	10.83	≤23.98	PASS
			106Tone	RU53	13.46	≤23.98	PASS
			242Tone	RU61	16.28	≤23.98	PASS
			26Tone	RU0	2.05	≤23.98	PASS
Ant0	5310		52Tone	RU37	4.71	≤23.98	PASS
			106Tone	RU53	7.69	≤23.98	PASS
			242Tone	RU61	10.35	≤23.98	PASS
			26Tone	RU0	1.79	≤23.98	PASS
Ant1	5310		52Tone	RU37	4.93	≤23.98	PASS
			106Tone	RU53	7.58	≤23.98	PASS
			242Tone	RU61	10.53	≤23.98	PASS
			26Tone	RU0	1.83	≤23.98	PASS
Ant2	5310		52Tone	RU37	4.91	≤23.98	PASS
			106Tone	RU53	7.66	≤23.98	PASS
			242Tone	RU61	10.48	≤23.98	PASS
			26Tone	RU0	1.93	≤23.98	PASS
Ant3	5310		52Tone	RU37	4.93	≤23.98	PASS
			106Tone	RU53	7.24	≤23.98	PASS
			242Tone	RU61	10.30	≤23.98	PASS
			26Tone	RU0	7.92	≤23.98	PASS
total	5310		52Tone	RU37	10.89	≤23.98	PASS
			106Tone	RU53	13.57	≤23.98	PASS
			242Tone	RU61	16.28	≤23.98	PASS

	Ant0	5510	242Tone	RU61	16.44	≤23.98	PASS
			26Tone	RU0	1.86	≤23.98	PASS
			52Tone	RU37	4.79	≤23.98	PASS
			106Tone	RU53	7.48	≤23.98	PASS
	Ant1	5510	242Tone	RU61	10.67	≤23.98	PASS
			26Tone	RU0	1.96	≤23.98	PASS
			52Tone	RU37	4.86	≤23.98	PASS
			106Tone	RU53	7.57	≤23.98	PASS
	Ant2	5510	242Tone	RU61	10.32	≤23.98	PASS
			26Tone	RU0	2.15	≤23.98	PASS
			52Tone	RU37	4.70	≤23.98	PASS
			106Tone	RU53	7.73	≤23.98	PASS
	Ant3	5510	242Tone	RU61	10.73	≤23.98	PASS
			26Tone	RU0	1.75	≤23.98	PASS
			52Tone	RU37	5.15	≤23.98	PASS
			106Tone	RU53	7.62	≤23.98	PASS
	total	5510	242Tone	RU61	10.50	≤23.98	PASS
			26Tone	RU0	7.95	≤23.98	PASS
			52Tone	RU37	10.90	≤23.98	PASS
			106Tone	RU53	13.62	≤23.98	PASS
	Ant0	5550	242Tone	RU61	16.58	≤23.98	PASS
			26Tone	RU0	1.95	≤23.98	PASS
			52Tone	RU37	5.21	≤23.98	PASS
			106Tone	RU53	7.19	≤23.98	PASS
	Ant1	5550	242Tone	RU61	10.39	≤23.98	PASS
			26Tone	RU0	1.96	≤23.98	PASS
			52Tone	RU37	4.96	≤23.98	PASS
			106Tone	RU53	7.42	≤23.98	PASS
	Ant2	5550	242Tone	RU61	10.62	≤23.98	PASS
			26Tone	RU0	1.97	≤23.98	PASS
			52Tone	RU37	4.71	≤23.98	PASS
			106Tone	RU53	7.56	≤23.98	PASS
	Ant3	5550	242Tone	RU61	10.35	≤23.98	PASS
			26Tone	RU0	1.70	≤23.98	PASS
			52Tone	RU37	4.76	≤23.98	PASS
			106Tone	RU53	7.57	≤23.98	PASS
	total	5550	242Tone	RU61	10.64	≤23.98	PASS
			26Tone	RU0	7.92	≤23.98	PASS
			52Tone	RU37	10.94	≤23.98	PASS
			106Tone	RU53	13.46	≤23.98	PASS
	Ant0	5670	242Tone	RU61	16.52	≤23.98	PASS
			26Tone	RU0	1.87	≤23.98	PASS
			52Tone	RU37	4.94	≤23.98	PASS
			106Tone	RU53	7.67	≤23.98	PASS
	Ant1	5670	242Tone	RU61	10.37	≤23.98	PASS
			26Tone	RU0	1.81	≤23.98	PASS
			52Tone	RU37	4.96	≤23.98	PASS
			106Tone	RU53	7.84	≤23.98	PASS
	Ant2	5670	242Tone	RU61	10.38	≤23.98	PASS
			26Tone	RU0	1.73	≤23.98	PASS
			52Tone	RU37	4.98	≤23.98	PASS
			106Tone	RU53	7.60	≤23.98	PASS
	Ant3	5670	242Tone	RU61	10.25	≤23.98	PASS
			26Tone	RU0	1.92	≤23.98	PASS
			52Tone	RU37	4.58	≤23.98	PASS
			106Tone	RU53	7.37	≤23.98	PASS
	total	5670	242Tone	RU61	10.48	≤23.98	PASS
			26Tone	RU0	7.98	≤23.98	PASS
			52Tone	RU37	10.91	≤23.98	PASS
			106Tone	RU53	13.57	≤23.98	PASS
	Ant0	5755	242Tone	RU61	16.44	≤23.98	PASS
			26Tone	RU0	2.07	≤30.00	PASS
			52Tone	RU37	5	≤30.00	PASS
			106Tone	RU53	7.63	≤30.00	PASS
	Ant1	5755	242Tone	RU61	10.64	≤30.00	PASS
			26Tone	RU0	2.26	≤30.00	PASS

			52Tone	RU37	4.51	≤30.00	PASS
			106Tone	RU53	7.38	≤30.00	PASS
			242Tone	RU61	10.67	≤30.00	PASS
			26Tone	RU0	1.83	≤30.00	PASS
	Ant2	5755	52Tone	RU37	4.79	≤30.00	PASS
			106Tone	RU53	7.59	≤30.00	PASS
			242Tone	RU61	10.34	≤30.00	PASS
			26Tone	RU0	2.05	≤30.00	PASS
	Ant3	5755	52Tone	RU37	4.89	≤30.00	PASS
			106Tone	RU53	7.31	≤30.00	PASS
			242Tone	RU61	10.44	≤30.00	PASS
			26Tone	RU0	8.08	≤30.00	PASS
	total	5755	52Tone	RU37	10.82	≤30.00	PASS
			106Tone	RU53	13.50	≤30.00	PASS
			242Tone	RU61	16.55	≤30.00	PASS
			26Tone	RU0	1.70	≤30.00	PASS
	Ant0	5795	52Tone	RU37	4.63	≤30.00	PASS
			106Tone	RU53	7.55	≤30.00	PASS
			242Tone	RU61	10.68	≤30.00	PASS
			26Tone	RU0	1.95	≤30.00	PASS
	Ant1	5795	52Tone	RU37	4.61	≤30.00	PASS
			106Tone	RU53	7.65	≤30.00	PASS
			242Tone	RU61	10.36	≤30.00	PASS
			26Tone	RU0	1.66	≤30.00	PASS
	Ant2	5795	52Tone	RU37	4.73	≤30.00	PASS
			106Tone	RU53	7.25	≤30.00	PASS
			242Tone	RU61	10.16	≤30.00	PASS
			26Tone	RU0	1.89	≤30.00	PASS
	Ant3	5795	52Tone	RU37	4.74	≤30.00	PASS
			106Tone	RU53	7.67	≤30.00	PASS
			242Tone	RU61	10.30	≤30.00	PASS
			26Tone	RU0	7.82	≤30.00	PASS
	total	5795	52Tone	RU37	10.70	≤30.00	PASS
			106Tone	RU53	13.55	≤30.00	PASS
			242Tone	RU61	16.40	≤30.00	PASS
			26Tone	RU0	-3.87	≤30.00	PASS
11AX80MIMO	Ant0	5210	52Tone	RU37	-0.96	≤30.00	PASS
			106Tone	RU53	2.14	≤30.00	PASS
			242Tone	RU61	5.16	≤30.00	PASS
			484Tone	RU65	8.04	≤30.00	PASS
			26Tone	RU0	-3.87	≤30.00	PASS
	Ant1	5210	52Tone	RU37	-0.79	≤30.00	PASS
			106Tone	RU53	2.03	≤30.00	PASS
			242Tone	RU61	5.05	≤30.00	PASS
			484Tone	RU65	8.13	≤30.00	PASS
			26Tone	RU0	-3.92	≤30.00	PASS
	Ant2	5210	52Tone	RU37	-0.92	≤30.00	PASS
			106Tone	RU53	2.00	≤30.00	PASS
			242Tone	RU61	5.00	≤30.00	PASS
			484Tone	RU65	7.96	≤30.00	PASS
			26Tone	RU0	-3.86	≤30.00	PASS
	Ant3	5210	52Tone	RU37	-0.85	≤30.00	PASS
			106Tone	RU53	2.21	≤30.00	PASS
			242Tone	RU61	5.04	≤30.00	PASS
			484Tone	RU65	8.16	≤30.00	PASS
			26Tone	RU0	2.14	≤30.00	PASS
	total	5210	52Tone	RU37	5.14	≤30.00	PASS
			106Tone	RU53	8.12	≤30.00	PASS
			242Tone	RU61	11.08	≤30.00	PASS
			484Tone	RU65	14.09	≤30.00	PASS
			26Tone	RU0	-4.58	≤23.98	PASS
	Ant0	5290	52Tone	RU37	-1.52	≤23.98	PASS
			106Tone	RU53	1.40	≤23.98	PASS
			242Tone	RU61	4.51	≤23.98	PASS
			484Tone	RU65	7.44	≤23.98	PASS
			26Tone	RU0	-4.51	≤23.98	PASS
	Ant1	5290	26Tone	RU0	-4.51	≤23.98	PASS

			52Tone	RU37	-1.48	≤23.98	PASS
			106Tone	RU53	1.44	≤23.98	PASS
			242Tone	RU61	4.48	≤23.98	PASS
			484Tone	RU65	7.46	≤23.98	PASS
Ant2	5290		26Tone	RU0	-4.50	≤23.98	PASS
			52Tone	RU37	-1.47	≤23.98	PASS
			106Tone	RU53	1.46	≤23.98	PASS
			242Tone	RU61	4.52	≤23.98	PASS
			484Tone	RU65	7.48	≤23.98	PASS
			26Tone	RU0	-4.53	≤23.98	PASS
			52Tone	RU37	-1.38	≤23.98	PASS
			106Tone	RU53	1.49	≤23.98	PASS
Ant3	5290		242Tone	RU61	4.54	≤23.98	PASS
			484Tone	RU65	7.65	≤23.98	PASS
			26Tone	RU0	1.49	≤23.98	PASS
			52Tone	RU37	4.56	≤23.98	PASS
total	5290		106Tone	RU53	7.47	≤23.98	PASS
			242Tone	RU61	10.53	≤23.98	PASS
			484Tone	RU65	13.53	≤23.98	PASS
			26Tone	RU0	-4.00	≤23.98	PASS
Ant0	5530		52Tone	RU37	-0.88	≤23.98	PASS
			106Tone	RU53	2.19	≤23.98	PASS
			242Tone	RU61	5.25	≤23.98	PASS
			484Tone	RU65	8.09	≤23.98	PASS
Ant1	5530		26Tone	RU0	-3.94	≤23.98	PASS
			52Tone	RU37	-0.92	≤23.98	PASS
			106Tone	RU53	1.99	≤23.98	PASS
			242Tone	RU61	4.97	≤23.98	PASS
			484Tone	RU65	8.27	≤23.98	PASS
			26Tone	RU0	-4.03	≤23.98	PASS
			52Tone	RU37	-0.76	≤23.98	PASS
			106Tone	RU53	2.20	≤23.98	PASS
Ant2	5530		242Tone	RU61	5.04	≤23.98	PASS
			484Tone	RU65	8.05	≤23.98	PASS
			26Tone	RU0	-4.04	≤23.98	PASS
			52Tone	RU37	-0.76	≤23.98	PASS
Ant3	5530		106Tone	RU53	2.12	≤23.98	PASS
			242Tone	RU61	5.22	≤23.98	PASS
			484Tone	RU65	8.11	≤23.98	PASS
			26Tone	RU0	2.02	≤23.98	PASS
total	5530		52Tone	RU37	5.19	≤23.98	PASS
			106Tone	RU53	8.15	≤23.98	PASS
			242Tone	RU61	11.14	≤23.98	PASS
			484Tone	RU65	14.15	≤23.98	PASS
Ant0	5610		26Tone	RU0	-4.39	≤23.98	PASS
			52Tone	RU37	-1.29	≤23.98	PASS
			106Tone	RU53	4.72	≤23.98	PASS
			242Tone	RU61	4.71	≤23.98	PASS
			484Tone	RU65	7.65	≤23.98	PASS
			26Tone	RU0	-4.29	≤23.98	PASS
			52Tone	RU37	-1.43	≤23.98	PASS
			106Tone	RU53	4.75	≤23.98	PASS
Ant0	5610		242Tone	RU61	4.62	≤23.98	PASS
			484Tone	RU65	7.58	≤23.98	PASS
			26Tone	RU0	-4.36	≤23.98	PASS
			52Tone	RU37	-1.34	≤23.98	PASS
Ant2	5610		106Tone	RU53	4.69	≤23.98	PASS
			242Tone	RU61	4.72	≤23.98	PASS
			484Tone	RU65	7.62	≤23.98	PASS
			26Tone	RU0	-4.39	≤23.98	PASS
Ant3	5610		52Tone	RU37	-1.42	≤23.98	PASS
			106Tone	RU53	4.72	≤23.98	PASS
			242Tone	RU61	4.71	≤23.98	PASS
			484Tone	RU65	7.72	≤23.98	PASS
total	5610		26Tone	RU0	1.66	≤23.98	PASS
			52Tone	RU37	4.65	≤23.98	PASS

			106Tone	RU53	10.74	≤23.98	PASS
			242Tone	RU61	10.71	≤23.98	PASS
			484Tone	RU65	13.66	≤23.98	PASS
	Ant0	5775	26Tone	RU0	-3.79	≤30.00	PASS
			52Tone	RU37	-1.03	≤30.00	PASS
			106Tone	RU53	2.02	≤30.00	PASS
			242Tone	RU61	5.09	≤30.00	PASS
			484Tone	RU65	7.97	≤30.00	PASS
	Ant1	5775	26Tone	RU0	-3.80	≤30.00	PASS
			52Tone	RU37	-0.83	≤30.00	PASS
			106Tone	RU53	2.27	≤30.00	PASS
			242Tone	RU61	5.23	≤30.00	PASS
			484Tone	RU65	8.13	≤30.00	PASS
	Ant2	5775	26Tone	RU0	-3.87	≤30.00	PASS
			52Tone	RU37	-0.89	≤30.00	PASS
			106Tone	RU53	2.12	≤30.00	PASS
			242Tone	RU61	4.95	≤30.00	PASS
			484Tone	RU65	7.96	≤30.00	PASS
	Ant3	5775	26Tone	RU0	-3.82	≤30.00	PASS
			52Tone	RU37	-0.86	≤30.00	PASS
			106Tone	RU53	2.17	≤30.00	PASS
			242Tone	RU61	5.08	≤30.00	PASS
			484Tone	RU65	8.05	≤30.00	PASS
	total	5775	26Tone	RU0	2.20	≤30.00	PASS
			52Tone	RU37	5.12	≤30.00	PASS
			106Tone	RU53	8.17	≤30.00	PASS
			242Tone	RU61	11.11	≤30.00	PASS
			484Tone	RU65	14.05	≤30.00	PASS
11AX160MIM O	Ant0	5250	26Tone	RU0	-7.52	≤23.98	PASS
			52Tone	RU37	-4.37	≤23.98	PASS
			106Tone	RU53	-1.54	≤23.98	PASS
			242Tone	RU61	1.61	≤23.98	PASS
			484Tone	RU65	4.54	≤23.98	PASS
	Ant1	5250	996Tone	RU67	7.61	≤23.98	PASS
			26Tone	RU0	-7.53	≤23.98	PASS
			52Tone	RU37	-4.34	≤23.98	PASS
			106Tone	RU53	-1.44	≤23.98	PASS
			242Tone	RU61	1.53	≤23.98	PASS
	Ant2	5250	484Tone	RU65	4.53	≤23.98	PASS
			996Tone	RU67	7.60	≤23.98	PASS
			26Tone	RU0	-7.40	≤23.98	PASS
			52Tone	RU37	-4.50	≤23.98	PASS
			106Tone	RU53	-1.30	≤23.98	PASS
	Ant3	5250	242Tone	RU61	1.59	≤23.98	PASS
			484Tone	RU65	4.74	≤23.98	PASS
			996Tone	RU67	7.51	≤23.98	PASS
			26Tone	RU0	-7.56	≤23.98	PASS
			52Tone	RU37	-4.46	≤23.98	PASS
	total	5250	106Tone	RU53	-1.45	≤23.98	PASS
			242Tone	RU61	1.66	≤23.98	PASS
			484Tone	RU65	4.51	≤23.98	PASS
			996Tone	RU67	7.51	≤23.98	PASS
			26Tone	RU0	-1.48	≤23.98	PASS
	Ant0	5570	52Tone	RU37	1.60	≤23.98	PASS
			106Tone	RU53	4.59	≤23.98	PASS
			242Tone	RU61	7.62	≤23.98	PASS
			484Tone	RU65	10.60	≤23.98	PASS
			996Tone	RU67	13.58	≤23.98	PASS
	Ant1	5570	26Tone	RU0	-5.35	≤23.98	PASS
			52Tone	RU37	-2.38	≤23.98	PASS
			106Tone	RU53	0.65	≤23.98	PASS
			242Tone	RU61	3.54	≤23.98	PASS
			484Tone	RU65	6.62	≤23.98	PASS
		5570	996Tone	RU67	9.46	≤23.98	PASS
			26Tone	RU0	-5.50	≤23.98	PASS

			52Tone	RU37	-2.27	≤ 23.98	PASS
			106Tone	RU53	0.58	≤ 23.98	PASS
			242Tone	RU61	3.63	≤ 23.98	PASS
			484Tone	RU65	6.68	≤ 23.98	PASS
			996Tone	RU67	9.67	≤ 23.98	PASS
	Ant2	5570	26Tone	RU0	-5.38	≤ 23.98	PASS
			52Tone	RU37	-2.30	≤ 23.98	PASS
			106Tone	RU53	0.54	≤ 23.98	PASS
			242Tone	RU61	3.59	≤ 23.98	PASS
			484Tone	RU65	6.59	≤ 23.98	PASS
	Ant3	5570	996Tone	RU67	9.66	≤ 23.98	PASS
			26Tone	RU0	-5.33	≤ 23.98	PASS
			52Tone	RU37	-2.40	≤ 23.98	PASS
			106Tone	RU53	0.76	≤ 23.98	PASS
			242Tone	RU61	3.57	≤ 23.98	PASS
	total	5570	484Tone	RU65	6.60	≤ 23.98	PASS
			996Tone	RU67	9.69	≤ 23.98	PASS
			26Tone	RU0	0.63	≤ 23.98	PASS
			52Tone	RU37	3.68	≤ 23.98	PASS
			106Tone	RU53	6.65	≤ 23.98	PASS
			242Tone	RU61	9.60	≤ 23.98	PASS
			484Tone	RU65	12.64	≤ 23.98	PASS
			996Tone	RU67	15.64	≤ 23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Note:

The device is an Indoor AP.

The device employs CDD for MIMO

Directional Gain = $G_{ANT} + \text{Array Gain}$

For Output Power measurement on 802.11 devices,
 $\text{Array Gain} = 0\text{dB}$ for $N_{ANT} \leq 4$

$G_{ANT} = 5\text{dBi}$, $N_{ANT} = 4$

Directional Gain = $5\text{dBi} < 6\text{dBi}$