

Appendix C: Maximum power spectral density

Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant0	5180	0.52	≤12.00	PASS
	Ant1	5180	0.16	≤12.00	PASS
	Ant2	5180	-1.88	≤12.00	PASS
	Ant3	5180	-0.7	≤12.00	PASS
	total	5180	5.64	≤12.00	PASS
	Ant0	5200	0.1	≤12.00	PASS
	Ant1	5200	-0.15	≤12.00	PASS
	Ant2	5200	-1.44	≤12.00	PASS
	Ant3	5200	-0.64	≤12.00	PASS
	total	5200	5.53	≤12.00	PASS
	Ant0	5240	-0.2	≤12.00	PASS
	Ant1	5240	0.12	≤12.00	PASS
	Ant2	5240	-1.15	≤12.00	PASS
	Ant3	5240	-1.29	≤12.00	PASS
	total	5240	5.43	≤12.00	PASS
	Ant0	5260	-0.52	≤6.00	PASS
	Ant1	5260	-0.11	≤6.00	PASS
	Ant2	5260	-1.43	≤6.00	PASS
	Ant3	5260	-1.56	≤6.00	PASS
	total	5260	5.16	≤6.00	PASS
	Ant0	5280	-0.33	≤6.00	PASS
	Ant1	5280	-0.46	≤6.00	PASS
	Ant2	5280	-0.93	≤6.00	PASS
	Ant3	5280	-1.85	≤6.00	PASS
	total	5280	5.17	≤6.00	PASS
	Ant0	5320	0.02	≤6.00	PASS
	Ant1	5320	0.03	≤6.00	PASS
	Ant2	5320	-0.28	≤6.00	PASS
	Ant3	5320	-1.18	≤6.00	PASS
	total	5320	5.70	≤6.00	PASS
	Ant0	5500	-1.42	≤6.00	PASS
	Ant1	5500	-1.66	≤6.00	PASS
	Ant2	5500	-2.69	≤6.00	PASS
	Ant3	5500	-2.94	≤6.00	PASS
	total	5500	3.89	≤6.00	PASS
	Ant0	5580	0.8	≤6.00	PASS
	Ant1	5580	-0.18	≤6.00	PASS
	Ant2	5580	-1.2	≤6.00	PASS
	Ant3	5580	-1.32	≤6.00	PASS
	total	5580	5.63	≤6.00	PASS
	Ant0	5700	-0.64	≤6.00	PASS
	Ant1	5700	-1.15	≤6.00	PASS
	Ant2	5700	-0.86	≤6.00	PASS
	Ant3	5700	-2.24	≤6.00	PASS
	total	5700	4.84	≤6.00	PASS
	Ant0	5745	-1.65	≤25.00	PASS
	Ant1	5745	-0.03	≤25.00	PASS
	Ant2	5745	-0.73	≤25.00	PASS
	Ant3	5745	-1.15	≤25.00	PASS
	total	5745	5.17	≤25.00	PASS
	Ant0	5785	-1.2	≤25.00	PASS
	Ant1	5785	0.51	≤25.00	PASS
	Ant2	5785	-0.69	≤25.00	PASS
	Ant3	5785	-0.54	≤25.00	PASS
	total	5785	5.59	≤25.00	PASS
	Ant0	5825	-1.08	≤25.00	PASS
	Ant1	5825	0.23	≤25.00	PASS
	Ant2	5825	-0.89	≤25.00	PASS
	Ant3	5825	-0.57	≤25.00	PASS
	total	5825	5.47	≤25.00	PASS

11AC20MIMO	Ant0	5180	0.07	≤12.00	PASS
	Ant1	5180	0.27	≤12.00	PASS
	Ant2	5180	-1.33	≤12.00	PASS
	Ant3	5180	-0.9	≤12.00	PASS
	total	5180	5.60	≤12.00	PASS
	Ant0	5200	0.3	≤12.00	PASS
	Ant1	5200	0.05	≤12.00	PASS
	Ant2	5200	-1.82	≤12.00	PASS
	Ant3	5200	-1.19	≤12.00	PASS
	total	5200	5.44	≤12.00	PASS
	Ant0	5240	0.61	≤12.00	PASS
	Ant1	5240	0.48	≤12.00	PASS
	Ant2	5240	-1.17	≤12.00	PASS
	Ant3	5240	-0.81	≤12.00	PASS
	total	5240	5.87	≤12.00	PASS
	Ant0	5260	0.09	≤6.00	PASS
	Ant1	5260	0.18	≤6.00	PASS
	Ant2	5260	-1.3	≤6.00	PASS
	Ant3	5260	-1.04	≤6.00	PASS
	total	5260	5.55	≤6.00	PASS
	Ant0	5280	0.37	≤6.00	PASS
	Ant1	5280	0.39	≤6.00	PASS
	Ant2	5280	-1.05	≤6.00	PASS
	Ant3	5280	-1.49	≤6.00	PASS
	total	5280	5.66	≤6.00	PASS
	Ant0	5320	-0.31	≤6.00	PASS
	Ant1	5320	-0.27	≤6.00	PASS
	Ant2	5320	-1.11	≤6.00	PASS
	Ant3	5320	-1.27	≤6.00	PASS
	total	5320	5.30	≤6.00	PASS
	Ant0	5500	0.71	≤6.00	PASS
	Ant1	5500	0.17	≤6.00	PASS
	Ant2	5500	-1.6	≤6.00	PASS
	Ant3	5500	-0.54	≤6.00	PASS
	total	5500	5.79	≤6.00	PASS
	Ant0	5580	0.38	≤6.00	PASS
	Ant1	5580	-0.77	≤6.00	PASS
	Ant2	5580	-1.98	≤6.00	PASS
	Ant3	5580	-2.18	≤6.00	PASS
	total	5580	5.01	≤6.00	PASS
	Ant0	5700	-0.05	≤6.00	PASS
	Ant1	5700	-0.86	≤6.00	PASS
	Ant2	5700	-0.17	≤6.00	PASS
	Ant3	5700	-1.79	≤6.00	PASS
	total	5700	5.36	≤6.00	PASS
	Ant0	5745	-2.14	≤25.00	PASS
	Ant1	5745	-0.64	≤25.00	PASS
	Ant2	5745	-1.2	≤25.00	PASS
	Ant3	5745	-1.41	≤25.00	PASS
	total	5745	4.71	≤25.00	PASS
	Ant0	5785	-1.42	≤25.00	PASS
	Ant1	5785	0.06	≤25.00	PASS
	Ant2	5785	-1.2	≤25.00	PASS
	Ant3	5785	-1.36	≤25.00	PASS
	total	5785	5.08	≤25.00	PASS
	Ant0	5825	-1.3	≤25.00	PASS
	Ant1	5825	-0.47	≤25.00	PASS
	Ant2	5825	-0.88	≤25.00	PASS
	Ant3	5825	-1.53	≤25.00	PASS
	total	5825	4.99	≤25.00	PASS
11AC40MIMO	Ant0	5190	-2.18	≤12.00	PASS
	Ant1	5190	-2.77	≤12.00	PASS
	Ant2	5190	-2.2	≤12.00	PASS
	Ant3	5190	-2.51	≤12.00	PASS
	total	5190	3.61	≤12.00	PASS
	Ant0	5230	-2.34	≤12.00	PASS
	Ant1	5230	-2.39	≤12.00	PASS

	Ant2	5230	-2.54	≤12.00	PASS
	Ant3	5230	-2.26	≤12.00	PASS
	total	5230	3.64	≤12.00	PASS
	Ant0	5270	-0.14	≤6.00	PASS
	Ant1	5270	-0.66	≤6.00	PASS
	Ant2	5270	-0.8	≤6.00	PASS
	Ant3	5270	-0.27	≤6.00	PASS
	total	5270	5.56	≤6.00	PASS
	Ant0	5310	-0.23	≤6.00	PASS
	Ant1	5310	-0.33	≤6.00	PASS
	Ant2	5310	-0.33	≤6.00	PASS
	Ant3	5310	0.24	≤6.00	PASS
	total	5310	5.86	≤6.00	PASS
	Ant0	5510	-0.21	≤6.00	PASS
	Ant1	5510	-0.32	≤6.00	PASS
	Ant2	5510	-0.52	≤6.00	PASS
	Ant3	5510	-0.31	≤6.00	PASS
	total	5510	5.68	≤6.00	PASS
	Ant0	5550	0	≤6.00	PASS
	Ant1	5550	0.38	≤6.00	PASS
	Ant2	5550	-0.23	≤6.00	PASS
	Ant3	5550	-1.17	≤6.00	PASS
	total	5550	5.80	≤6.00	PASS
	Ant0	5670	-0.88	≤6.00	PASS
	Ant1	5670	0.3	≤6.00	PASS
	Ant2	5670	-0.44	≤6.00	PASS
	Ant3	5670	-0.23	≤6.00	PASS
	total	5670	5.73	≤6.00	PASS
	Ant0	5755	-4.79	≤25.00	PASS
	Ant1	5755	-3.45	≤25.00	PASS
	Ant2	5755	-4.19	≤25.00	PASS
	Ant3	5755	-4.76	≤25.00	PASS
	total	5755	1.76	≤25.00	PASS
	Ant0	5795	-4.95	≤25.00	PASS
	Ant1	5795	-3.8	≤25.00	PASS
	Ant2	5795	-4.46	≤25.00	PASS
	Ant3	5795	-4.78	≤25.00	PASS
	total	5795	1.55	≤25.00	PASS
11AC80MIMO	Ant0	5210	-4.68	≤12.00	PASS
	Ant1	5210	-6.11	≤12.00	PASS
	Ant2	5210	-5.39	≤12.00	PASS
	Ant3	5210	-5.5	≤12.00	PASS
	total	5210	0.63	≤12.00	PASS
	Ant0	5290	-3.37	≤6.00	PASS
	Ant1	5290	-4.11	≤6.00	PASS
	Ant2	5290	-3.72	≤6.00	PASS
	Ant3	5290	-3.77	≤6.00	PASS
	total	5290	2.29	≤6.00	PASS
	Ant0	5530	-3.31	≤6.00	PASS
	Ant1	5530	-3.66	≤6.00	PASS
	Ant2	5530	-4.02	≤6.00	PASS
	Ant3	5530	-3.8	≤6.00	PASS
	total	5530	2.33	≤6.00	PASS
	Ant0	5610	-5.18	≤6.00	PASS
	Ant1	5610	-4.01	≤6.00	PASS
	Ant2	5610	-4.02	≤6.00	PASS
	Ant3	5610	-4.78	≤6.00	PASS
	total	5610	1.55	≤6.00	PASS
	Ant0	5775	-7.53	≤25.00	PASS
	Ant1	5775	-6.58	≤25.00	PASS
	Ant2	5775	-6.98	≤25.00	PASS
	Ant3	5775	-6.95	≤25.00	PASS
	total	5775	-0.98	≤25.00	PASS
11AC160MIMO	Ant0	5250	-6.34	≤6.00	PASS
	Ant1	5250	-6.47	≤6.00	PASS
	Ant2	5250	-6.19	≤6.00	PASS
	Ant3	5250	-7.16	≤6.00	PASS

	total	5250	-0.50	≤6.00	PASS
	Ant0	5570	-6.4	≤6.00	PASS
	Ant1	5570	-6.09	≤6.00	PASS
	Ant2	5570	-6.33	≤6.00	PASS
	Ant3	5570	-7.11	≤6.00	PASS
	total	5570	-0.45	≤6.00	PASS
11AX20MIMO (worst case 242 Tone)	Ant0	5180	0.53	≤12.00	PASS
	Ant1	5180	0.61	≤12.00	PASS
	Ant2	5180	-1.27	≤12.00	PASS
	Ant3	5180	-0.29	≤12.00	PASS
	total	5180	5.98	≤12.00	PASS
	Ant0	5200	0.39	≤12.00	PASS
	Ant1	5200	0.16	≤12.00	PASS
	Ant2	5200	-1.55	≤12.00	PASS
	Ant3	5200	-0.91	≤12.00	PASS
	total	5200	5.61	≤12.00	PASS
	Ant0	5240	0.16	≤12.00	PASS
	Ant1	5240	0.04	≤12.00	PASS
	Ant2	5240	-1.16	≤12.00	PASS
	Ant3	5240	-1.03	≤12.00	PASS
	total	5240	5.56	≤12.00	PASS
	Ant0	5260	-0.08	≤6.00	PASS
	Ant1	5260	-0.21	≤6.00	PASS
	Ant2	5260	-1.46	≤6.00	PASS
	Ant3	5260	-1.27	≤6.00	PASS
	total	5260	5.31	≤6.00	PASS
	Ant0	5280	-0.08	≤6.00	PASS
	Ant1	5280	0.04	≤6.00	PASS
	Ant2	5280	-0.95	≤6.00	PASS
	Ant3	5280	-1.69	≤6.00	PASS
	total	5280	5.41	≤6.00	PASS
	Ant0	5320	0.07	≤6.00	PASS
	Ant1	5320	-0.12	≤6.00	PASS
	Ant2	5320	-0.16	≤6.00	PASS
	Ant3	5320	-1.14	≤6.00	PASS
	total	5320	5.71	≤6.00	PASS
	Ant0	5500	1.25	≤6.00	PASS
	Ant1	5500	-0.06	≤6.00	PASS
	Ant2	5500	-1.58	≤6.00	PASS
	Ant3	5500	-0.54	≤6.00	PASS
	total	5500	5.91	≤6.00	PASS
	Ant0	5580	0.87	≤6.00	PASS
	Ant1	5580	-0.45	≤6.00	PASS
	Ant2	5580	-0.89	≤6.00	PASS
	Ant3	5580	-2.05	≤6.00	PASS
	total	5580	5.52	≤6.00	PASS
	Ant0	5700	-0.55	≤6.00	PASS
	Ant1	5700	-1.1	≤6.00	PASS
	Ant2	5700	-0.24	≤6.00	PASS
	Ant3	5700	-1.71	≤6.00	PASS
	total	5700	5.16	≤6.00	PASS
	Ant0	5745	-1.75	≤25.00	PASS
	Ant1	5745	-0.19	≤25.00	PASS
	Ant2	5745	-1.03	≤25.00	PASS
	Ant3	5745	-0.54	≤25.00	PASS
	total	5745	5.18	≤25.00	PASS
	Ant0	5785	-1.18	≤25.00	PASS
	Ant1	5785	0.39	≤25.00	PASS
	Ant2	5785	-0.62	≤25.00	PASS
	Ant3	5785	-0.96	≤25.00	PASS
	total	5785	5.47	≤25.00	PASS
	Ant0	5825	-1.15	≤25.00	PASS
	Ant1	5825	0.4	≤25.00	PASS
	Ant2	5825	-0.7	≤25.00	PASS
	Ant3	5825	-1.29	≤25.00	PASS
	total	5825	5.39	≤25.00	PASS
11AX40MIMO	Ant0	5190	-2.12	≤12.00	PASS

(worst case 484 Tone)	Ant1	5190	-2.49	≤12.00	PASS
	Ant2	5190	-2.2	≤12.00	PASS
	Ant3	5190	-2.49	≤12.00	PASS
	total	5190	3.70	≤12.00	PASS
	Ant0	5230	-1.85	≤12.00	PASS
	Ant1	5230	-2.23	≤12.00	PASS
	Ant2	5230	-2.09	≤12.00	PASS
	Ant3	5230	-2.15	≤12.00	PASS
	total	5230	3.94	≤12.00	PASS
	Ant0	5270	0.2	≤6.00	PASS
	Ant1	5270	-0.39	≤6.00	PASS
	Ant2	5270	-0.27	≤6.00	PASS
	Ant3	5270	-0.2	≤6.00	PASS
	total	5270	5.86	≤6.00	PASS
	Ant0	5310	0.05	≤6.00	PASS
	Ant1	5310	-0.06	≤6.00	PASS
	Ant2	5310	-0.18	≤6.00	PASS
	Ant3	5310	-0.08	≤6.00	PASS
	total	5310	5.95	≤6.00	PASS
	Ant0	5510	0.07	≤6.00	PASS
	Ant1	5510	-0.05	≤6.00	PASS
	Ant2	5510	-0.48	≤6.00	PASS
	Ant3	5510	-0.28	≤6.00	PASS
	total	5510	5.84	≤6.00	PASS
	Ant0	5550	0.22	≤6.00	PASS
	Ant1	5550	0.19	≤6.00	PASS
	Ant2	5550	-0.08	≤6.00	PASS
	Ant3	5550	-0.48	≤6.00	PASS
	total	5550	5.99	≤6.00	PASS
	Ant0	5670	-1.74	≤6.00	PASS
	Ant1	5670	-1.68	≤6.00	PASS
	Ant2	5670	-1.03	≤6.00	PASS
	Ant3	5670	-1.27	≤6.00	PASS
	total	5670	4.60	≤6.00	PASS
	Ant0	5755	-4.39	≤25.00	PASS
	Ant1	5755	-2.99	≤25.00	PASS
	Ant2	5755	-3.59	≤25.00	PASS
	Ant3	5755	-3.92	≤25.00	PASS
	total	5755	2.33	≤25.00	PASS
	Ant0	5795	-4.07	≤25.00	PASS
	Ant1	5795	-3.13	≤25.00	PASS
	Ant2	5795	-4.07	≤25.00	PASS
	Ant3	5795	-4.16	≤25.00	PASS
	total	5795	2.18	≤25.00	PASS
11AX80MIMO (worst case 996 Tone)	Ant0	5210	-8.15	≤12.00	PASS
	Ant1	5210	-7.61	≤12.00	PASS
	Ant2	5210	-5.41	≤12.00	PASS
	Ant3	5210	-4.56	≤12.00	PASS
	total	5210	-0.16	≤12.00	PASS
	Ant0	5290	-9.82	≤6.00	PASS
	Ant1	5290	-9.06	≤6.00	PASS
	Ant2	5290	-5.48	≤6.00	PASS
	Ant3	5290	-5.15	≤6.00	PASS
	total	5290	-0.88	≤6.00	PASS
	Ant0	5530	-8.94	≤6.00	PASS
	Ant1	5530	-5.93	≤6.00	PASS
	Ant2	5530	-6	≤6.00	PASS
	Ant3	5530	-5.32	≤6.00	PASS
	total	5530	-0.33	≤6.00	PASS
	Ant0	5610	-9.19	≤6.00	PASS
	Ant1	5610	-6.76	≤6.00	PASS
	Ant2	5610	-6.35	≤6.00	PASS
	Ant3	5610	-6.07	≤6.00	PASS
	total	5610	-0.91	≤6.00	PASS
	Ant0	5775	-9.18	≤25.00	PASS
	Ant1	5775	-8.68	≤25.00	PASS
	Ant2	5775	-8.88	≤25.00	PASS

	Ant3	5775	-9.44	≤25.00	PASS
	total	5775	-3.01	≤25.00	PASS
11AX160MIMO (worst case 2*996 Tone)	Ant0	5250	-12.48	≤6.00	PASS
	Ant1	5250	-11.16	≤6.00	PASS
	Ant2	5250	-8.57	≤6.00	PASS
	Ant3	5250	-8.22	≤6.00	PASS
	total	5250	-3.74	≤6.00	PASS
	Ant0	5570	-9.72	≤6.00	PASS
	Ant1	5570	-7.28	≤6.00	PASS
	Ant2	5570	-6.56	≤6.00	PASS
	Ant3	5570	-7.21	≤6.00	PASS
	total	5570	-1.52	≤6.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor is compensated in the graph.

3. The device employ CDD for MIMO

Directional Gain= G_{ANT} + Array Gain

For PSD measurement,


Array Gain= $10 \cdot \log N_{ANT}$

$G_{ANT}=5\text{dBi}$, $N_{ANT}=4$


Directional Gain= $5\text{dBi}+10 \cdot \log 4=11>6\text{dBi}$

So the limit should reduced 5dB

Test Graphs




11A-CDD_Ant3_5180




Date: 10.MAY.2023 22:21:09

11A-CDD_Ant0_5200




Date: 10.MAY.2023 22:22:27

11A-CDD_Ant1_5200




Date: 10.MAY.2023 22:22:34

11A-CDD_Ant2_5200




Date: 10.MAY.2023 22:22:42

11A-CDD_Ant3_5200




Date: 10.MAY.2023 22:22:49

11A-CDD_Ant0_5240



Date: 10.MAY.2023 22:25:10

11A-CDD_Ant1_5240




11A-CDD_Ant2_5240



11A-CDD_Ant3_5240



11A-CDD_Ant0_5260



11A-CDD_Ant1_5260



11A-CDD_Ant2_5260




11A-CDD_Ant3_5260




11A-CDD_Ant0_5280



11A-CDD_Ant1_5280




11A-CDD_Ant2_5280




Date: 10.MAY.2023 22:31:13

11A-CDD_Ant3_5280



Date: 10.MAY.2023 22:31:20

11A-CDD_Ant0_5320



Date: 10.MAY.2023 22:35:48


11A-CDD_Ant1_5320




11A-CDD_Ant2_5320



11A-CDD_Ant3_5320



11A-CDD_Ant0_5500




11A-CDD_Ant1_5500



11A-CDD_Ant2_5500




11A-CDD_Ant3_5500




11A-CDD_Ant0_5580




11A-CDD_Ant1_5580





11A-CDD_Ant1_5700



11A-CDD_Ant2_5700



11A-CDD_Ant3_5700



11A-CDD_Ant0_5745



11A-CDD_Ant1_5745



11A-CDD_Ant2_5745



11A-CDD_Ant3_5745



11A-CDD_Ant0_5785



11A-CDD_Ant1_5785



11A-CDD_Ant2_5785




11A-CDD_Ant3_5785



11A-CDD_Ant0_5825



11A-CDD_Ant1_5825




11A-CDD_Ant2_5825



11A-CDD_Ant3_5825




11AC20MIMO_Ant0_5180




Date: 10.MAY.2023 19:39:11

11AC20MIMO_Ant1_5180







Date: 10.MAY.2023 19:39:19


11AC20MIMO_Ant2_5180




Date: 10.MAY.2023 19:39:27











11AC20MIMO_Ant3_5260




11AC20MIMO_Ant0_5280



11AC20MIMO_Ant1_5280



11AC20MIMO_Ant2_5280





11AC20MIMO_Ant3_5280




11AC20MIMO_Ant0_5320








11AC20MIMO_Ant3_5500




11AC20MIMO_Ant0_5580




11AC20MIMO_Ant1_5580





11AC20MIMO_Ant1_5700




11AC20MIMO_Ant2_5700



11AC20MIMO_Ant3_5700



11AC20MIMO_Ant0_5745



11AC20MIMO_Ant1_5745



11AC20MIMO_Ant2_5745



11AC20MIMO_Ant3_5745



11AC20MIMO_Ant0_5785



11AC20MIMO_Ant1_5785



11AC20MIMO_Ant2_5785



11AC20MIMO_Ant3_5785




11AC20MIMO_Ant0_5825



11AC20MIMO_Ant1_5825



11AC20MIMO_Ant2_5825



11AC20MIMO_Ant3_5825



11AC40MIMO_Ant0_5190



11AC40MIMO_Ant1_5190



11AC40MIMO_Ant2_5190





11AC40MIMO_Ant2_5230



11AC40MIMO_Ant3_5230



11AC40MIMO_Ant0_5270



11AC40MIMO_Ant1_5270



11AC40MIMO_Ant2_5270



11AC40MIMO_Ant3_5270



11AC40MIMO_Ant0_5310



11AC40MIMO_Ant1_5310



11AC40MIMO_Ant2_5310



11AC40MIMO_Ant3_5310



11AC40MIMO_Ant0_5510



11AC40MIMO_Ant1_5510



11AC40MIMO_Ant2_5510



11AC40MIMO_Ant3_5510



11AC40MIMO_Ant0_5550



11AC40MIMO_Ant1_5550



11AC40MIMO_Ant2_5550



11AC40MIMO_Ant3_5550



11AC40MIMO_Ant0_5670



11AC40MIMO_Ant1_5670



11AC40MIMO_Ant2_5670



11AC40MIMO_Ant3_5670



11AC40MIMO_Ant0_5755



11AC40MIMO_Ant1_5755



11AC40MIMO_Ant2_5755



11AC40MIMO_Ant3_5755



11AC40MIMO_Ant0_5795



11AC40MIMO_Ant1_5795



11AC40MIMO_Ant2_5795



11AC40MIMO_Ant3_5795

