


天线规格

SHEN ZHEN SKYLINK TECHNOLOGY CO.,LTD 样品承认书

SPECIFICATION FOR APPROVAL


Company Name : SHEN ZHEN SKYLINK TECHNOLOGY CO.,LTD
Company Address : 5D, Building L, No. 26, Lane 2, Liuxian First Road,
District 71, Bao 'an District, Shenzhen
Material Code: QH01
Approval Date : 2023-03-02
Supplier Name : SHEN ZHEN SKYLINK TECHNOLOGY CO.,LTD
Supplier model: Bluetooth

Test equipment




Antenna matching circuit

Antenna end



	value
L1 (0201)	/
L2 (0201)	/
L3 (0201)	/
L4 (0201)	/
L5 (0201)	/

Return loss




efficiency or gain


Fre (MHz)	Eff (%) (dB)	Gain (dB)
2400	44.94	-0.5
2410	45.46	-0.53
2420	45.25	-0.39
2430	44.39	-0.11
2440	43.89	-0.35
2450	39.97	-0.65
2460	36.9	-0.74
2470	39.3	0.15
2480	39.97	0.73
2490	42.74	1.32
2500	40.67	1.19

Direction chart (2400MHz)


2400.000MHz




2400.000MHz H



2400.000MHz E1




2400.000MHz E2




Direction chart (2450MHz)


2450.000MHz




2450.000MHz H



2450.000MHz E1




2450.000MHz E2




Direction chart (2500MHz)


2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

