



















Min emission bandwidth



Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.48	5736.68	5753.16	0.5	PASS
		5785	16.36	5776.76	5793.12	0.5	PASS
		5825	16.32	5816.80	5833.12	0.5	PASS
11N20SISO	Ant1	5745	17.52	5736.20	5753.72	0.5	PASS
		5785	16.32	5776.80	5793.12	0.5	PASS
		5825	17.52	5816.20	5833.72	0.5	PASS
11N40SISO	Ant1	5755	35.68	5737.08	5772.76	0.5	PASS
		5795	35.12	5777.40	5812.52	0.5	PASS




Test Graphs B4









Maximum power spectral density


Test Result



TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	5.87	≤11.00	PASS
		5220	7.06	≤11.00	PASS
		5240	6.72	≤11.00	PASS
		5260	6.57	≤11.00	PASS
		5300	6.88	≤11.00	PASS
		5320	5.73	≤11.00	PASS
		5500	5.88	≤11.00	PASS
		5580	7.91	≤11.00	PASS
		5700	5.25	≤11.00	PASS
		5745	4.57	≤30.00	PASS
		5785	5.02	≤30.00	PASS
		5825	5.23	≤30.00	PASS
11N20SISO	Ant1	5180	5.76	≤11.00	PASS
		5220	6.38	≤11.00	PASS
		5240	6.50	≤11.00	PASS
		5260	7.64	≤11.00	PASS
		5300	7.72	≤11.00	PASS
		5320	5.54	≤11.00	PASS
		5500	5.50	≤11.00	PASS
		5580	7.50	≤11.00	PASS
		5700	5.36	≤11.00	PASS
		5745	4.55	≤30.00	PASS
		5785	4.47	≤30.00	PASS
		5825	4.60	≤30.00	PASS
11N40SISO	Ant1	5190	-2.41	≤11.00	PASS
		5230	5.02	≤11.00	PASS
		5270	4.39	≤11.00	PASS
		5310	-2.11	≤11.00	PASS
		5510	-1.23	≤11.00	PASS
		5550	4.68	≤11.00	PASS
		5670	2.60	≤11.00	PASS
		5755	0.01	≤30.00	PASS
		5795	0.84	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs



























































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2024-N-1 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	35.54	-20.20	55.74	15.80	9.73	10.01	Average
2	0.15	49.44	-16.30	65.74	29.70	9.73	10.01	QP
3	0.16	34.13	-21.21	55.34	14.39	9.73	10.01	Average
4	0.16	48.53	-16.81	65.34	28.79	9.73	10.01	QP
5	0.19	36.82	-17.42	54.24	17.10	9.70	10.02	Average
6 *	0.19	50.12	-14.12	64.24	30.40	9.70	10.02	QP
7	0.20	35.11	-18.43	53.54	15.40	9.69	10.02	Average
8	0.20	49.31	-14.23	63.54	29.60	9.69	10.02	QP
9	0.22	27.61	-25.05	52.66	7.90	9.68	10.03	Average
10	0.22	42.71	-19.95	62.66	23.00	9.68	10.03	QP
11	0.25	25.61	-26.30	51.91	5.90	9.68	10.03	Average
12	0.25	40.01	-21.90	61.91	20.30	9.68	10.03	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	HuaCong Liang	Relative Humidity :	48~49%
		Temperature :	24~25°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	SISO	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	SISO	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	SISO	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	SISO	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	SISO	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	SISO	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	SISO	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	SISO	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	SISO	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	SISO	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	SISO	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	SISO	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	SISO	802.11n HT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	SISO	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	SISO	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	SISO	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	SISO	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	SISO	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	SISO	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	SISO	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	SISO	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	SISO	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	SISO	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	SISO	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-3	5.725-5.85	SISO	802.11a	149	5745	6Mbps	-	-
Mode 26	U-NII-3	5.725-5.85	SISO	802.11a	157	5785	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	SISO	802.11a	165	5825	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	SISO	802.11n HT20	149	5745	MCS0	-	-
Mode 29	U-NII-3	5.725-5.85	SISO	802.11n HT20	157	5785	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	SISO	802.11n HT20	165	5825	MCS0	-	-
Mode 31	U-NII-3	5.725-5.85	SISO	802.11n HT40	151	5755	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	SISO	802.11n HT40	159	5795	MCS0	-	-
Mode 33	U-NII-2C	5.47-5.725	SISO	802.11n HT20	140	5700	MCS0	LF	-
Mode 34	U-NII-3	5.725-5.85	SISO	802.11a	165	5825	6Mbps	LF	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	50.54	54.00	-3.46	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	47.45	68.30	-20.85	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	52.45	68.30	-15.85	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	49.27	68.30	-19.03	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	49.56	68.30	-18.74	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	48.84	74.00	-25.16	H	Peak	Pass	Harmonic
6	802.11a	64	5350.10	47.62	54.00	-6.38	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
7	802.11a	100	5469.40	64.94	68.30	-3.36	V	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	45.78	68.30	-22.52	H	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	46.67	54.00	-7.33	V	Average	Pass	Harmonic
9	802.11a	140	5727.24	64.53	68.30	-3.77	V	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	48.99	68.30	-19.31	H	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.76	49.57	54.00	-4.43	V	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	48.07	68.30	-20.23	H	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	47.98	68.30	-20.32	H	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	49.19	68.30	-19.11	H	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	47.93	68.30	-20.37	H	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	10600.00	48.28	74.00	-25.72	H	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.10	49.00	54.00	-5.00	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	10640.00	48.60	74.00	-25.40	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5467.75	62.82	68.30	-5.48	V	PEAK	Pass	Band Edge
16	802.11n HT20	100	16500.00	47.09	68.30	-21.21	V	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	49.86	68.30	-18.44	V	Peak	Pass	Harmonic
18	802.11n HT20	140	5728.54	64.95	68.30	-3.35	V	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	48.75	68.30	-19.55	V	Peak	Pass	Harmonic
19	802.11n HT40	38	5149.72	50.40	54.00	-3.60	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11n HT40	46	5138.69	48.16	54.00	-5.84	V	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5350.37	45.54	54.00	-8.46	V	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	62	5350.20	50.49	54.00	-3.51	V	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic







23	802.11n HT40	102	5469.52	64.80	68.30	-3.50	V	PEAK	Pass	Band Edge
23	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11n HT40	134	5725.29	64.57	68.30	-3.73	V	PEAK	Pass	Band Edge
24	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11a	149	-	-	-	-	-	-	-	Band Edge
25	802.11a	149	17235.00	49.99	68.30	-18.31	V	Peak	Pass	Harmonic
26	802.11a	157	-	-	-	-	-	-	-	Band Edge
26	802.11a	157	17355.00	48.69	68.30	-19.61	V	Peak	Pass	Harmonic
27	802.11a	165	-	-	-	-	-	-	-	Band Edge
27	802.11a	165	11650.00	45.30	54.00	-8.70	V	Average	Pass	Harmonic
28	802.11n HT20	149	5650.61	54.73	68.75	-14.02	V	PEAK	Pass	Band Edge
28	802.11n HT20	149	17235.00	50.30	68.30	-18.00	V	Peak	Pass	Harmonic
29	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
29	802.11n HT20	157	17355.00	49.17	68.30	-19.13	H	Peak	Pass	Harmonic
30	802.11n HT20	165	5933.50	51.95	68.30	-16.35	V	PEAK	Pass	Band Edge
30	802.11n HT20	165	11650.00	45.27	54.00	-8.73	V	Average	Pass	Harmonic
31	802.11n HT40	151	5647.12	59.08	68.30	-9.22	V	PEAK	Pass	Band Edge
31	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
32	802.11n HT40	159	5631.20	55.35	68.30	-12.95	V	PEAK	Pass	Band Edge
32	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
33	802.11n HT20	140	948.59	32.41	46.00	-13.59	H	PEAK	Pass	LF
34	802.11a	165	948.59	33.41	46.00	-12.59	H	PEAK	Pass	LF





Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-01-04  500050365072510851445180 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.22</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>45.13</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.22	54.30	74.00	-19.70	45.13	33.99	7.92	32.74	100	100	PEAK	Level (dBuV/m) Date: 2025-01-04  100022003400460058007000 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.79</td><td>-----</td><td>-----</td><td>84.57</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	93.79	-----	-----	84.57	34.01	7.94	32.73	100	100	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5149.22	54.30	74.00	-19.70	45.13	33.99	7.92	32.74	100	100	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5180.00	93.79	-----	-----	84.57	34.01	7.94	32.73	100	100	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-01-04  500050365072510851445180 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>33.82</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	42.99	54.00	-11.01	33.82	33.99	7.92	32.74	100	100	AVERAGE	Level (dBuV/m) Date: 2025-01-04  100022003400460058007000 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>85.87</td><td>-----</td><td>-----</td><td>76.65</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	85.87	-----	-----	76.65	34.01	7.94	32.73	100	100	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5149.94	42.99	54.00	-11.01	33.82	33.99	7.92	32.74	100	100	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5180.00	85.87	-----	-----	76.65	34.01	7.94	32.73	100	100	AVERAGE																																																																							



Mode	1																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	SISO																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-01-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.32</td><td>60.61</td><td>74.00</td><td>-13.39</td><td>51.44</td><td>33.99</td><td>7.92</td><td>32.74</td><td>308 215 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5148.32	60.61	74.00	-13.39	51.44	33.99	7.92	32.74	308 215 PEAK	Level (dBuV/m) Date: 2025-01-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>102.39</td><td>-----</td><td>-----</td><td>93.17</td><td>34.01</td><td>7.94</td><td>32.73</td><td>308 215 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	102.39	-----	-----	93.17	34.01	7.94	32.73	308 215 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5148.32	60.61	74.00	-13.39	51.44	33.99	7.92	32.74	308 215 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	102.39	-----	-----	93.17	34.01	7.94	32.73	308 215 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-01-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.94</td><td>50.54</td><td>54.00</td><td>-3.46</td><td>41.37</td><td>33.99</td><td>7.92</td><td>32.74</td><td>308 215 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.94	50.54	54.00	-3.46	41.37	33.99	7.92	32.74	308 215 AVERAGE	Level (dBuV/m) Date: 2025-01-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>96.08</td><td>-----</td><td>-----</td><td>86.86</td><td>34.01</td><td>7.94</td><td>32.73</td><td>308 215 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	96.08	-----	-----	86.86	34.01	7.94	32.73	308 215 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5149.94	50.54	54.00	-3.46	41.37	33.99	7.92	32.74	308 215 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	96.08	-----	-----	86.86	34.01	7.94	32.73	308 215 AVERAGE																																																																		





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>64.15</td><td>37.16</td><td>10.73</td><td>64.59 -- -- Peak</td></tr><tr><td>2</td><td>15540.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>56.79</td><td>39.42</td><td>12.72</td><td>63.38 -- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	47.45	68.30	-20.85	64.15	37.16	10.73	64.59 -- -- Peak	2	15540.00	45.55	74.00	-28.45	56.79	39.42	12.72	63.38 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>46.72</td><td>68.30</td><td>-21.58</td><td>63.42</td><td>37.16</td><td>10.73</td><td>64.59 -- -- Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>57.48</td><td>39.42</td><td>12.72</td><td>63.38 -- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	46.72	68.30	-21.58	63.42	37.16	10.73	64.59 -- -- Peak	2	15540.00	46.24	74.00	-27.76	57.48	39.42	12.72	63.38 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10360.00	47.45	68.30	-20.85	64.15	37.16	10.73	64.59 -- -- Peak																																																																																														
2	15540.00	45.55	74.00	-28.45	56.79	39.42	12.72	63.38 -- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10360.00	46.72	68.30	-21.58	63.42	37.16	10.73	64.59 -- -- Peak																																																																																														
2	15540.00	46.24	74.00	-27.76	57.48	39.42	12.72	63.38 -- -- Peak																																																																																														





Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)						Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>69.07</td><td>37.35</td><td>10.79</td><td>64.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>57.89</td><td>39.46</td><td>12.72</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	52.45	68.30	-15.85	69.07	37.35	10.79	64.76	--	--	Peak	2	15660.00	46.45	74.00	-27.55	57.89	39.46	12.72	63.62	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>64.00</td><td>37.35</td><td>10.79</td><td>64.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>58.39</td><td>39.46</td><td>12.72</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	47.38	68.30	-20.92	64.00	37.35	10.79	64.76	--	--	Peak	2	15660.00	46.95	74.00	-27.05	58.39	39.46	12.72	63.62	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10440.00	52.45	68.30	-15.85	69.07	37.35	10.79	64.76	--	--	Peak																																																																																																									
2	15660.00	46.45	74.00	-27.55	57.89	39.46	12.72	63.62	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10440.00	47.38	68.30	-20.92	64.00	37.35	10.79	64.76	--	--	Peak																																																																																																									
2	15660.00	46.95	74.00	-27.05	58.39	39.46	12.72	63.62	--	--	Peak																																																																																																									





Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>49.27</td><td>68.30</td><td>-19.03</td><td>65.85</td><td>37.45</td><td>10.82</td><td>64.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>58.53</td><td>39.49</td><td>12.71</td><td>63.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	49.27	68.30	-19.03	65.85	37.45	10.82	64.85	--	--	Peak	2	15720.00	46.99	74.00	-27.01	58.53	39.49	12.71	63.74	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>65.75</td><td>37.45</td><td>10.82</td><td>64.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>59.45</td><td>39.49</td><td>12.71</td><td>63.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	49.17	68.30	-19.13	65.75	37.45	10.82	64.85	--	--	Peak	2	15720.00	47.91	74.00	-26.09	59.45	39.49	12.71	63.74	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10480.00	49.27	68.30	-19.03	65.85	37.45	10.82	64.85	--	--	Peak																																																																																																																							
2	15720.00	46.99	74.00	-27.01	58.53	39.49	12.71	63.74	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10480.00	49.17	68.30	-19.13	65.75	37.45	10.82	64.85	--	--	Peak																																																																																																																							
2	15720.00	47.91	74.00	-26.09	59.45	39.49	12.71	63.74	--	--	Peak																																																																																																																							







Mode	4																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																																															
ANT	SISO																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg	 Date: 2025-01-05 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>49.56</td><td>68.30</td><td>-18.74</td><td>66.02</td><td>37.53</td><td>10.85</td><td>64.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>58.33</td><td>39.51</td><td>12.71</td><td>63.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	49.56	68.30	-18.74	66.02	37.53	10.85	64.84	--	--	Peak	2	15780.00	46.68	74.00	-27.32	58.33	39.51	12.71	63.87	--	--	Peak	 Date: 2025-01-05 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>48.24</td><td>68.30</td><td>-20.06</td><td>64.70</td><td>37.53</td><td>10.85</td><td>64.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>59.23</td><td>39.51</td><td>12.71</td><td>63.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	48.24	68.30	-20.06	64.70	37.53	10.85	64.84	--	--	Peak	2	15780.00	47.58	74.00	-26.42	59.23	39.51	12.71	63.87	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	49.56	68.30	-18.74	66.02	37.53	10.85	64.84	--	--	Peak																																																																																																																					
2	15780.00	46.68	74.00	-27.32	58.33	39.51	12.71	63.87	--	--	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	48.24	68.30	-20.06	64.70	37.53	10.85	64.84	--	--	Peak																																																																																																																					
2	15780.00	47.58	74.00	-26.42	59.23	39.51	12.71	63.87	--	--	Peak																																																																																																																					







Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>48.55</td><td>74.00</td><td>-25.45</td><td>64.51</td><td>37.70</td><td>10.91</td><td>64.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.84</td><td>74.00</td><td>-25.16</td><td>60.68</td><td>39.56</td><td>12.71</td><td>64.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	48.55	74.00	-25.45	64.51	37.70	10.91	64.57	--	--	Peak	2	15900.00	48.84	74.00	-25.16	60.68	39.56	12.71	64.11	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>63.33</td><td>37.70</td><td>10.91</td><td>64.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>58.92</td><td>39.56</td><td>12.71</td><td>64.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	47.37	74.00	-26.63	63.33	37.70	10.91	64.57	--	--	Peak	2	15900.00	47.08	74.00	-26.92	58.92	39.56	12.71	64.11	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10600.00	48.55	74.00	-25.45	64.51	37.70	10.91	64.57	--	--	Peak																																																																																																																							
2	15900.00	48.84	74.00	-25.16	60.68	39.56	12.71	64.11	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10600.00	47.37	74.00	-26.63	63.33	37.70	10.91	64.57	--	--	Peak																																																																																																																							
2	15900.00	47.08	74.00	-26.92	58.92	39.56	12.71	64.11	--	--	Peak																																																																																																																							





Mode	6																																																																																										
	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Date: 2025-01-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.50</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>44.23</td><td>34.11</td><td>8.33</td><td>32.66</td><td>300</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.50	54.01	74.00	-19.99	44.23	34.11	8.33	32.66	300	316	PEAK	 Date: 2025-01-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>95.89</td><td>-----</td><td>-----</td><td>86.22</td><td>34.09</td><td>8.25</td><td>32.67</td><td>300</td><td>316</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	95.89	-----	-----	86.22	34.09	8.25	32.67	300	316	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5351.50	54.01	74.00	-19.99	44.23	34.11	8.33	32.66	300	316	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	95.89	-----	-----	86.22	34.09	8.25	32.67	300	316	PEAK																																																																																
Avg	 Date: 2025-01-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.72</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>33.87</td><td>34.11</td><td>8.34</td><td>32.66</td><td>300</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5354.72	43.66	54.00	-10.34	33.87	34.11	8.34	32.66	300	316	AVERAGE	 Date: 2025-01-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>88.06</td><td>-----</td><td>-----</td><td>78.39</td><td>34.09</td><td>8.25</td><td>32.67</td><td>300</td><td>316</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	88.06	-----	-----	78.39	34.09	8.25	32.67	300	316	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5354.72	43.66	54.00	-10.34	33.87	34.11	8.34	32.66	300	316	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	88.06	-----	-----	78.39	34.09	8.25	32.67	300	316	AVERAGE																																																																																







Mode	6																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>61.02</td><td>74.00</td><td>-12.98</td><td>51.24</td><td>34.11</td><td>8.33</td><td>32.66</td><td>340</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.24	61.02	74.00	-12.98	51.24	34.11	8.33	32.66	340	338	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.92</td><td>-----</td><td>-----</td><td>91.25</td><td>34.09</td><td>8.25</td><td>32.67</td><td>340</td><td>338</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	100.92	-----	-----	91.25	34.09	8.25	32.67	340	338
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5350.24	61.02	74.00	-12.98	51.24	34.11	8.33	32.66	340	338	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5320.00	100.92	-----	-----	91.25	34.09	8.25	32.67	340	338	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>47.62</td><td>54.00</td><td>-6.38</td><td>37.84</td><td>34.11</td><td>8.33</td><td>32.66</td><td>340</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	47.62	54.00	-6.38	37.84	34.11	8.33	32.66	340	338	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>94.02</td><td>-----</td><td>-----</td><td>84.35</td><td>34.09</td><td>8.25</td><td>32.67</td><td>340</td><td>338</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	94.02	-----	-----	84.35	34.09	8.25	32.67	340	338
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5350.10	47.62	54.00	-6.38	37.84	34.11	8.33	32.66	340	338	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5320.00	94.02	-----	-----	84.35	34.09	8.25	32.67	340	338	AVERAGE																																																																															







Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>62.41</td><td>37.78</td><td>10.94</td><td>64.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>57.96</td><td>39.59</td><td>12.70</td><td>64.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	46.70	74.00	-27.30	62.41	37.78	10.94	64.43	--	--	Peak	2	15960.00	46.02	74.00	-27.98	57.96	39.59	12.70	64.23	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>63.66</td><td>37.78</td><td>10.94</td><td>64.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.38</td><td>39.59</td><td>12.70</td><td>64.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	47.95	74.00	-26.05	63.66	37.78	10.94	64.43	--	--	Peak	2	15960.00	45.44	74.00	-28.56	57.38	39.59	12.70	64.23	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	46.70	74.00	-27.30	62.41	37.78	10.94	64.43	--	--	Peak																																																																																																																							
2	15960.00	46.02	74.00	-27.98	57.96	39.59	12.70	64.23	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	47.95	74.00	-26.05	63.66	37.78	10.94	64.43	--	--	Peak																																																																																																																							
2	15960.00	45.44	74.00	-28.56	57.38	39.59	12.70	64.23	--	--	Peak																																																																																																																							





		7																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT		SISO																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a rising signal level starting around 5450 MHz, reaching a peak of 59.89 dBuV/m at 5470.00 MHz. A red limit line is at 70.0 dBuV/m. The date is 2025-01-04. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>42.00</td><td>34.17</td><td>8.41</td><td>32.61</td><td>289</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>59.89</td><td>68.30</td><td>-8.41</td><td>49.92</td><td>34.18</td><td>8.40</td><td>32.61</td><td>289</td><td>303</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.00	51.97	74.00	-22.03	42.00	34.17	8.41	32.61	289	303	PEAK	2	5470.00	59.89	68.30	-8.41	49.92	34.18	8.40	32.61	289	303	PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at 5500.00 MHz with a level of 98.60 dBuV/m. A red limit line is at 70.0 dBuV/m. The date is 2025-01-04. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.60</td><td>-----</td><td>-----</td><td>88.65</td><td>34.20</td><td>8.36</td><td>32.61</td><td>289</td><td>303</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	98.60	-----	-----	88.65	34.20	8.36	32.61	289	303	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5458.00	51.97	74.00	-22.03	42.00	34.17	8.41	32.61	289	303	PEAK																																																																																											
2	5470.00	59.89	68.30	-8.41	49.92	34.18	8.40	32.61	289	303	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5500.00	98.60	-----	-----	88.65	34.20	8.36	32.61	289	303	PEAK																																																																																											
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a rising signal level starting around 5450 MHz, reaching an average level of 43.50 dBuV/m at 5459.95 MHz. A red limit line is at 52.5 dBuV/m. The date is 2025-01-04. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>33.53</td><td>34.17</td><td>8.41</td><td>32.61</td><td>289</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	43.50	54.00	-10.50	33.53	34.17	8.41	32.61	289	303	AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at 5500.00 MHz with an average level of 92.19 dBuV/m. A red limit line is at 52.5 dBuV/m. The date is 2025-01-04. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>92.19</td><td>-----</td><td>-----</td><td>82.24</td><td>34.20</td><td>8.36</td><td>32.61</td><td>289</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	92.19	-----	-----	82.24	34.20	8.36	32.61	289	303	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5459.95	43.50	54.00	-10.50	33.53	34.17	8.41	32.61	289	303	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5500.00	92.19	-----	-----	82.24	34.20	8.36	32.61	289	303	AVERAGE																																																																																											





		7																																																																																												
Mode		Band Edge																																																																																												
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																												
ANT		SISO																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.65	59.00	74.00	-15.00	49.03	34.17	8.41	32.61	297	0	PEAK	2	5469.40	64.94	68.30	-3.36	54.97	34.18	8.40	32.61	297	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.62</td><td>-----</td><td>-----</td><td>97.67</td><td>34.20</td><td>8.36</td><td>32.61</td><td>297</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	107.62	-----	-----	97.67	34.20	8.36	32.61	297	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5459.65	59.00	74.00	-15.00	49.03	34.17	8.41	32.61	297	0	PEAK																																																																																			
2	5469.40	64.94	68.30	-3.36	54.97	34.18	8.40	32.61	297	0	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	107.62	-----	-----	97.67	34.20	8.36	32.61	297	0	PEAK																																																																																			
Avg																																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	49.59	54.00	-4.41	39.62	34.17	8.41	32.61	297	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.70</td><td>-----</td><td>-----</td><td>88.75</td><td>34.20</td><td>8.36</td><td>32.61</td><td>297</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	98.70	-----	-----	88.75	34.20	8.36	32.61	297	0	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5459.95	49.59	54.00	-4.41	39.62	34.17	8.41	32.61	297	0	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	98.70	-----	-----	88.75	34.20	8.36	32.61	297	0	AVERAGE																																																																																			



Mode	7																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>63.92</td><td>38.49</td><td>11.21</td><td>63.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>45.78</td><td>68.30</td><td>-22.52</td><td>57.57</td><td>40.39</td><td>12.91</td><td>65.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	50.42	74.00	-23.58	63.92	38.49	11.21	63.20	--	--	Peak	2	16500.00	45.78	68.30	-22.52	57.57	40.39	12.91	65.09	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>64.44</td><td>38.49</td><td>11.21</td><td>63.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>45.57</td><td>68.30</td><td>-22.73</td><td>57.36</td><td>40.39</td><td>12.91</td><td>65.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	50.94	74.00	-23.06	64.44	38.49	11.21	63.20	--	--	Peak	2	16500.00	45.57	68.30	-22.73	57.36	40.39	12.91	65.09	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	50.42	74.00	-23.58	63.92	38.49	11.21	63.20	--	--	Peak																																																																																																																							
2	16500.00	45.78	68.30	-22.52	57.57	40.39	12.91	65.09	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	50.94	74.00	-23.06	64.44	38.49	11.21	63.20	--	--	Peak																																																																																																																							
2	16500.00	45.57	68.30	-22.73	57.36	40.39	12.91	65.09	--	--	Peak																																																																																																																							



Mode	8																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																															
ANT	SISO																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>65.75</td><td>38.05</td><td>11.29</td><td>63.10</td><td>100</td><td>35</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>58.42</td><td>38.05</td><td>11.29</td><td>63.10</td><td>100</td><td>35</td><td>Average</td></tr><tr><td>3</td><td>16740.00</td><td>46.53</td><td>68.30</td><td>-21.77</td><td>58.03</td><td>40.59</td><td>13.01</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	51.99	74.00	-22.01	65.75	38.05	11.29	63.10	100	35	Peak	2	11160.00	44.66	54.00	-9.34	58.42	38.05	11.29	63.10	100	35	Average	3	16740.00	46.53	68.30	-21.77	58.03	40.59	13.01	65.10	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>68.31</td><td>38.05</td><td>11.29</td><td>63.10</td><td>242</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>60.43</td><td>38.05</td><td>11.29</td><td>63.10</td><td>242</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>16740.00</td><td>49.86</td><td>68.30</td><td>-18.44</td><td>61.36</td><td>40.59</td><td>13.01</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	54.55	74.00	-19.45	68.31	38.05	11.29	63.10	242	360	Peak	2	11160.00	46.67	54.00	-7.33	60.43	38.05	11.29	63.10	242	360	Average	3	16740.00	49.86	68.30	-18.44	61.36	40.59	13.01	65.10	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11160.00	51.99	74.00	-22.01	65.75	38.05	11.29	63.10	100	35	Peak																																																																																																																																					
2	11160.00	44.66	54.00	-9.34	58.42	38.05	11.29	63.10	100	35	Average																																																																																																																																					
3	16740.00	46.53	68.30	-21.77	58.03	40.59	13.01	65.10	--	--	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11160.00	54.55	74.00	-19.45	68.31	38.05	11.29	63.10	242	360	Peak																																																																																																																																					
2	11160.00	46.67	54.00	-7.33	60.43	38.05	11.29	63.10	242	360	Average																																																																																																																																					
3	16740.00	49.86	68.30	-18.44	61.36	40.59	13.01	65.10	--	--	Peak																																																																																																																																					





Mode	9																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																															
ANT	SISO																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5727.50</td><td>57.59</td><td>68.30</td><td>-10.71</td><td>47.08</td><td>34.61</td><td>8.68</td><td>32.78</td><td>309</td><td>302</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5727.50	57.59	68.30	-10.71	47.08	34.61	8.68	32.78	309	302	PEAK	Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>104.57</td><td>-----</td><td>-----</td><td>94.21</td><td>34.55</td><td>8.57</td><td>32.76</td><td>309</td><td>302</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	104.57	-----	-----	94.21	34.55	8.57	32.76	309	302	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5727.50	57.59	68.30	-10.71	47.08	34.61	8.68	32.78	309	302	PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5700.00	104.57	-----	-----	94.21	34.55	8.57	32.76	309	302	PEAK																																																																						
Avg	Blank	Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>91.04</td><td>-----</td><td>-----</td><td>80.68</td><td>34.55</td><td>8.57</td><td>32.76</td><td>309</td><td>302</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	91.04	-----	-----	80.68	34.55	8.57	32.76	309	302	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5700.00	91.04	-----	-----	80.68	34.55	8.57	32.76	309	302	AVERAGE																																																																						







Mode	9																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.24</td><td>64.53</td><td>68.30</td><td>-3.77</td><td>54.02</td><td>34.61</td><td>8.68</td><td>32.78</td><td>300</td><td>126</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.24	64.53	68.30	-3.77	54.02	34.61	8.68	32.78	300	126	PEAK	Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.66</td><td>-----</td><td>-----</td><td>97.30</td><td>34.55</td><td>8.57</td><td>32.76</td><td>300</td><td>126</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	107.66	-----	-----	97.30	34.55	8.57	32.76	300	126	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5727.24	64.53	68.30	-3.77	54.02	34.61	8.68	32.78	300	126	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	107.66	-----	-----	97.30	34.55	8.57	32.76	300	126	PEAK																																																																																
Avg	Blank						Level (dBuV/m) Date: 2025-01-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.77</td><td>-----</td><td>-----</td><td>87.41</td><td>34.55</td><td>8.57</td><td>32.76</td><td>300</td><td>126</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	97.77	-----	-----	87.41	34.55	8.57	32.76	300	126	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	97.77	-----	-----	87.41	34.55	8.57	32.76	300	126	AVERAGE																																																																																







Mode	9																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>61.54</td><td>37.39</td><td>11.41</td><td>62.96</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>60.03</td><td>41.00</td><td>13.14</td><td>65.18</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.38	74.00	-26.62	61.54	37.39	11.41	62.96	--	--	Peak	2	17100.00	48.99	68.30	-19.31	60.03	41.00	13.14	65.18	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>62.29</td><td>37.39</td><td>11.41</td><td>62.96</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.87</td><td>68.30</td><td>-19.43</td><td>59.91</td><td>41.00</td><td>13.14</td><td>65.18</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	48.13	74.00	-25.87	62.29	37.39	11.41	62.96	--	--	Peak	2	17100.00	48.87	68.30	-19.43	59.91	41.00	13.14	65.18	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	47.38	74.00	-26.62	61.54	37.39	11.41	62.96	--	--	Peak																																																																																																																							
2	17100.00	48.99	68.30	-19.31	60.03	41.00	13.14	65.18	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	48.13	74.00	-25.87	62.29	37.39	11.41	62.96	--	--	Peak																																																																																																																							
2	17100.00	48.87	68.30	-19.43	59.91	41.00	13.14	65.18	--	--	Peak																																																																																																																							





Mode	10																																																																																										
	Band Edge																																																																																										
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>44.80</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100</td><td>96</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	53.97	74.00	-20.03	44.80	33.99	7.92	32.74	100	96	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>92.44</td><td>-----</td><td>-----</td><td>83.22</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100</td><td>96</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	92.44	-----	-----	83.22	34.01	7.94	32.73	100	96
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.94	53.97	74.00	-20.03	44.80	33.99	7.92	32.74	100	96	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	92.44	-----	-----	83.22	34.01	7.94	32.73	100	96	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>33.74</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.50	42.91	54.00	-11.09	33.74	33.99	7.92	32.74	100	96	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>85.66</td><td>-----</td><td>-----</td><td>76.44</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	85.66	-----	-----	76.44	34.01	7.94	32.73	100	96
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.50	42.91	54.00	-11.09	33.74	33.99	7.92	32.74	100	96	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	85.66	-----	-----	76.44	34.01	7.94	32.73	100	96	AVERAGE																																																																																





Mode	10																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																									
ANT	SISO																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-01-04  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.40</td><td>60.43</td><td>74.00</td><td>-13.57</td><td>51.26</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100 281 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.40	60.43	74.00	-13.57	51.26	33.99	7.92	32.74	100 281 PEAK	Level (dBuV/m) Date: 2025-01-04  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>102.74</td><td>-----</td><td>-----</td><td>93.52</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100 281 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	102.74	-----	-----	93.52	34.01	7.94	32.73	100 281 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5149.40	60.43	74.00	-13.57	51.26	33.99	7.92	32.74	100 281 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	102.74	-----	-----	93.52	34.01	7.94	32.73	100 281 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-01-04  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.76</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>40.40</td><td>33.99</td><td>7.92</td><td>32.74</td><td>100 281 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.76	49.57	54.00	-4.43	40.40	33.99	7.92	32.74	100 281 AVERAGE	Level (dBuV/m) Date: 2025-01-04  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>94.61</td><td>-----</td><td>-----</td><td>85.39</td><td>34.01</td><td>7.94</td><td>32.73</td><td>100 281 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	94.61	-----	-----	85.39	34.01	7.94	32.73	100 281 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5149.76	49.57	54.00	-4.43	40.40	33.99	7.92	32.74	100 281 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	94.61	-----	-----	85.39	34.01	7.94	32.73	100 281 AVERAGE																																																																		





Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 10360.00</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>64.77</td><td>37.16</td><td>10.73</td><td>64.59</td><td>-- -- Peak</td></tr><tr><td>2 15540.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>56.98</td><td>39.42</td><td>12.72</td><td>63.38</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 10360.00	48.07	68.30	-20.23	64.77	37.16	10.73	64.59	-- -- Peak	2 15540.00	45.74	74.00	-28.26	56.98	39.42	12.72	63.38	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 10360.00</td><td>45.50</td><td>68.30</td><td>-22.80</td><td>62.20</td><td>37.16</td><td>10.73</td><td>64.59</td><td>-- -- Peak</td></tr><tr><td>2 15540.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>57.84</td><td>39.42</td><td>12.72</td><td>63.38</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 10360.00	45.50	68.30	-22.80	62.20	37.16	10.73	64.59	-- -- Peak	2 15540.00	46.60	74.00	-27.40	57.84	39.42	12.72	63.38	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 10360.00	48.07	68.30	-20.23	64.77	37.16	10.73	64.59	-- -- Peak																																																																																														
2 15540.00	45.74	74.00	-28.26	56.98	39.42	12.72	63.38	-- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 10360.00	45.50	68.30	-22.80	62.20	37.16	10.73	64.59	-- -- Peak																																																																																														
2 15540.00	46.60	74.00	-27.40	57.84	39.42	12.72	63.38	-- -- Peak																																																																																														





Mode	11																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>64.60</td><td>37.35</td><td>10.79</td><td>64.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>58.77</td><td>39.46</td><td>12.72</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	47.98	68.30	-20.32	64.60	37.35	10.79	64.76	--	--	Peak	2	15660.00	47.33	74.00	-26.67	58.77	39.46	12.72	63.62	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.79</td><td>68.30</td><td>-22.51</td><td>62.41</td><td>37.35</td><td>10.79</td><td>64.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>59.81</td><td>39.46</td><td>12.72</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	45.79	68.30	-22.51	62.41	37.35	10.79	64.76	--	--	Peak	2	15660.00	48.37	74.00	-25.63	59.81	39.46	12.72	63.62	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	47.98	68.30	-20.32	64.60	37.35	10.79	64.76	--	--	Peak																																																																																																																							
2	15660.00	47.33	74.00	-26.67	58.77	39.46	12.72	63.62	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	45.79	68.30	-22.51	62.41	37.35	10.79	64.76	--	--	Peak																																																																																																																							
2	15660.00	48.37	74.00	-25.63	59.81	39.46	12.72	63.62	--	--	Peak																																																																																																																							



Mode	12																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>49.19</td><td>68.30</td><td>-19.11</td><td>65.77</td><td>37.45</td><td>10.82</td><td>64.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>58.41</td><td>39.49</td><td>12.71</td><td>63.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	49.19	68.30	-19.11	65.77	37.45	10.82	64.85	--	--	Peak	2	15720.00	46.87	74.00	-27.13	58.41	39.49	12.71	63.74	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.57</td><td>68.30</td><td>-20.73</td><td>64.15</td><td>37.45</td><td>10.82</td><td>64.85</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>58.54</td><td>39.49</td><td>12.71</td><td>63.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	47.57	68.30	-20.73	64.15	37.45	10.82	64.85	--	--	Peak	2	15720.00	47.00	74.00	-27.00	58.54	39.49	12.71	63.74	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	49.19	68.30	-19.11	65.77	37.45	10.82	64.85	--	--	Peak																																																																																																																							
2	15720.00	46.87	74.00	-27.13	58.41	39.49	12.71	63.74	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	47.57	68.30	-20.73	64.15	37.45	10.82	64.85	--	--	Peak																																																																																																																							
2	15720.00	47.00	74.00	-27.00	58.54	39.49	12.71	63.74	--	--	Peak																																																																																																																							







Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5280MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10520.00</td><td>47.93</td><td>68.30</td><td>-20.37</td><td>64.39</td><td>37.53</td><td>10.85</td><td>64.84</td></tr><tr><td>2</td><td>15780.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>59.01</td><td>39.51</td><td>12.71</td><td>63.87</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.93	68.30	-20.37	64.39	37.53	10.85	64.84	2	15780.00	47.36	74.00	-26.64	59.01	39.51	12.71	63.87	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10520.00</td><td>46.85</td><td>68.30</td><td>-21.45</td><td>63.31</td><td>37.53</td><td>10.85</td><td>64.84</td></tr><tr><td>2</td><td>15780.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>59.32</td><td>39.51</td><td>12.71</td><td>63.87</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.85	68.30	-21.45	63.31	37.53	10.85	64.84	2	15780.00	47.67	74.00	-26.33	59.32	39.51	12.71	63.87
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10520.00	47.93	68.30	-20.37	64.39	37.53	10.85	64.84																																																																																														
2	15780.00	47.36	74.00	-26.64	59.01	39.51	12.71	63.87																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10520.00	46.85	68.30	-21.45	63.31	37.53	10.85	64.84																																																																																														
2	15780.00	47.67	74.00	-26.33	59.32	39.51	12.71	63.87																																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10520.00</td><td>47.93</td><td>68.30</td><td>-20.37</td><td>64.39</td><td>37.53</td><td>10.85</td><td>64.84</td></tr><tr><td>2</td><td>15780.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>59.01</td><td>39.51</td><td>12.71</td><td>63.87</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.93	68.30	-20.37	64.39	37.53	10.85	64.84	2	15780.00	47.36	74.00	-26.64	59.01	39.51	12.71	63.87	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10520.00</td><td>46.85</td><td>68.30</td><td>-21.45</td><td>63.31</td><td>37.53</td><td>10.85</td><td>64.84</td></tr><tr><td>2</td><td>15780.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>59.32</td><td>39.51</td><td>12.71</td><td>63.87</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.85	68.30	-21.45	63.31	37.53	10.85	64.84	2	15780.00	47.67	74.00	-26.33	59.32	39.51	12.71	63.87	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10520.00	47.93	68.30	-20.37	64.39	37.53	10.85	64.84																																																																																														
2	15780.00	47.36	74.00	-26.64	59.01	39.51	12.71	63.87																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10520.00	46.85	68.30	-21.45	63.31	37.53	10.85	64.84																																																																																														
2	15780.00	47.67	74.00	-26.33	59.32	39.51	12.71	63.87																																																																																														



Mode	14																																																																																																														
	Harmonic																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg	Date: 2025-01-05						Date: 2025-01-05																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>64.24</td><td>37.70</td><td>10.91</td><td>64.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>59.97</td><td>39.56</td><td>12.71</td><td>64.11</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	48.28	74.00	-25.72	64.24	37.70	10.91	64.57	--	Peak	2	15900.00	48.13	74.00	-25.87	59.97	39.56	12.71	64.11	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>63.79</td><td>37.70</td><td>10.91</td><td>64.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>58.80</td><td>39.56</td><td>12.71</td><td>64.11</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	47.83	74.00	-26.17	63.79	37.70	10.91	64.57	--	Peak	2	15900.00	46.96	74.00	-27.04	58.80	39.56	12.71	64.11	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	10600.00	48.28	74.00	-25.72	64.24	37.70	10.91	64.57	--	Peak																																																																																																					
2	15900.00	48.13	74.00	-25.87	59.97	39.56	12.71	64.11	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	10600.00	47.83	74.00	-26.17	63.79	37.70	10.91	64.57	--	Peak																																																																																																					
2	15900.00	46.96	74.00	-27.04	58.80	39.56	12.71	64.11	--	Peak																																																																																																					





Mode	15																																																																																										
	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>42.98</td><td>34.11</td><td>8.33</td><td>32.66</td><td>100</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.80	52.76	74.00	-21.24	42.98	34.11	8.33	32.66	100	65	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.78</td><td>-----</td><td>-----</td><td>84.11</td><td>34.09</td><td>8.25</td><td>32.67</td><td>100</td><td>65</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	93.78	-----	-----	84.11	34.09	8.25	32.67	100	65	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5350.80	52.76	74.00	-21.24	42.98	34.11	8.33	32.66	100	65	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	93.78	-----	-----	84.11	34.09	8.25	32.67	100	65	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>32.36</td><td>34.11</td><td>8.33</td><td>32.66</td><td>100</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	42.14	54.00	-11.86	32.36	34.11	8.33	32.66	100	65	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>87.22</td><td>-----</td><td>-----</td><td>77.55</td><td>34.09</td><td>8.25</td><td>32.67</td><td>100</td><td>65</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	87.22	-----	-----	77.55	34.09	8.25	32.67	100	65	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5350.10	42.14	54.00	-11.86	32.36	34.11	8.33	32.66	100	65	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	87.22	-----	-----	77.55	34.09	8.25	32.67	100	65	AVERAGE																																																																																







Mode	15																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																											
ANT	SISO																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.08</td><td>59.42</td><td>74.00</td><td>-14.58</td><td>49.64</td><td>34.11</td><td>8.33</td><td>32.66</td><td>301</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.08	59.42	74.00	-14.58	49.64	34.11	8.33	32.66	301	360	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.78</td><td>-----</td><td>-----</td><td>91.11</td><td>34.09</td><td>8.25</td><td>32.67</td><td>301</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	100.78	-----	-----	91.11	34.09	8.25	32.67	301	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5351.08	59.42	74.00	-14.58	49.64	34.11	8.33	32.66	301	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5320.00	100.78	-----	-----	91.11	34.09	8.25	32.67	301	360	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>39.22</td><td>34.11</td><td>8.33</td><td>32.66</td><td>301</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	49.00	54.00	-5.00	39.22	34.11	8.33	32.66	301	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.89</td><td>-----</td><td>-----</td><td>84.22</td><td>34.09</td><td>8.25</td><td>32.67</td><td>301</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	93.89	-----	-----	84.22	34.09	8.25	32.67	301	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5350.10	49.00	54.00	-5.00	39.22	34.11	8.33	32.66	301	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5320.00	93.89	-----	-----	84.22	34.09	8.25	32.67	301	360	AVERAGE																																																																																	



Mode	15																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																	
ANT	SISO																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>64.31</td><td>37.78</td><td>10.94</td><td>64.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>57.77</td><td>39.59</td><td>12.70</td><td>64.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	48.60	74.00	-25.40	64.31	37.78	10.94	64.43	--	--	Peak	2	15960.00	45.83	74.00	-28.17	57.77	39.59	12.70	64.23	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>63.20</td><td>37.78</td><td>10.94</td><td>64.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>57.34</td><td>39.59</td><td>12.70</td><td>64.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.49	74.00	-26.51	63.20	37.78	10.94	64.43	--	--	Peak	2	15960.00	45.40	74.00	-28.60	57.34	39.59	12.70	64.23	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	48.60	74.00	-25.40	64.31	37.78	10.94	64.43	--	--	Peak																																																																																																																							
2	15960.00	45.83	74.00	-28.17	57.77	39.59	12.70	64.23	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.49	74.00	-26.51	63.20	37.78	10.94	64.43	--	--	Peak																																																																																																																							
2	15960.00	45.40	74.00	-28.60	57.34	39.59	12.70	64.23	--	--	Peak																																																																																																																							



		16																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																								
ANT		SISO																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.70</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>38.52</td><td>34.17</td><td>8.41</td><td>32.61</td><td>319</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>5467.75</td><td>56.84</td><td>68.30</td><td>-11.46</td><td>46.87</td><td>34.18</td><td>8.40</td><td>32.61</td><td>319</td><td>314</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.70	48.49	74.00	-25.51	38.52	34.17	8.41	32.61	319	314	PEAK	2	5467.75	56.84	68.30	-11.46	46.87	34.18	8.40	32.61	319	314	PEAK	 Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.61</td><td>-----</td><td>-----</td><td>85.66</td><td>34.20</td><td>8.36</td><td>32.61</td><td>319</td><td>314</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	95.61	-----	-----	85.66	34.20	8.36	32.61	319	314	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5457.70	48.49	74.00	-25.51	38.52	34.17	8.41	32.61	319	314	PEAK																																																																																															
2	5467.75	56.84	68.30	-11.46	46.87	34.18	8.40	32.61	319	314	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5500.00	95.61	-----	-----	85.66	34.20	8.36	32.61	319	314	PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>30.05</td><td>34.17</td><td>8.41</td><td>32.61</td><td>319</td><td>314</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.95	40.02	54.00	-13.98	30.05	34.17	8.41	32.61	319	314	AVERAGE	 Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>89.08</td><td>-----</td><td>-----</td><td>79.13</td><td>34.20</td><td>8.36</td><td>32.61</td><td>319</td><td>314</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	89.08	-----	-----	79.13	34.20	8.36	32.61	319	314	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.95	40.02	54.00	-13.98	30.05	34.17	8.41	32.61	319	314	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5500.00	89.08	-----	-----	79.13	34.20	8.36	32.61	319	314	AVERAGE																																																																																															



Mode	16										
	Band Edge										
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz										
ANT	SISO										
Pol.	Vertical										
Peak	Level (dBuV/m) Date: 2025-01-05										



Mode	16																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>63.86</td><td>38.49</td><td>11.21</td></tr><tr><td>2</td><td>16500.00</td><td>45.55</td><td>68.30</td><td>-22.75</td><td>57.34</td><td>40.39</td><td>12.91</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11000.00	50.36	74.00	-23.64	63.86	38.49	11.21	2	16500.00	45.55	68.30	-22.75	57.34	40.39	12.91	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>64.22</td><td>38.49</td><td>11.21</td></tr><tr><td>2</td><td>16500.00</td><td>47.09</td><td>68.30</td><td>-21.21</td><td>58.88</td><td>40.39</td><td>12.91</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11000.00	50.72	74.00	-23.28	64.22	38.49	11.21	2	16500.00	47.09	68.30	-21.21	58.88	40.39	12.91
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11000.00	50.36	74.00	-23.64	63.86	38.49	11.21																																																																											
2	16500.00	45.55	68.30	-22.75	57.34	40.39	12.91																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11000.00	50.72	74.00	-23.28	64.22	38.49	11.21																																																																											
2	16500.00	47.09	68.30	-21.21	58.88	40.39	12.91																																																																											






Mode	17																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11160.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>63.21</td><td>38.05</td><td>11.29</td><td>63.10</td><td>-- -- Peak</td></tr><tr><td>2 16740.00</td><td>46.94</td><td>68.30</td><td>-21.36</td><td>58.44</td><td>40.59</td><td>13.01</td><td>65.10</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11160.00	49.45	74.00	-24.55	63.21	38.05	11.29	63.10	-- -- Peak	2 16740.00	46.94	68.30	-21.36	58.44	40.59	13.01	65.10	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11160.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>64.22</td><td>38.05</td><td>11.29</td><td>63.10</td><td>-- -- Peak</td></tr><tr><td>2 16740.00</td><td>49.86</td><td>68.30</td><td>-18.44</td><td>61.36</td><td>40.59</td><td>13.01</td><td>65.10</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11160.00	50.46	74.00	-23.54	64.22	38.05	11.29	63.10	-- -- Peak	2 16740.00	49.86	68.30	-18.44	61.36	40.59	13.01	65.10	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11160.00	49.45	74.00	-24.55	63.21	38.05	11.29	63.10	-- -- Peak																																																																																														
2 16740.00	46.94	68.30	-21.36	58.44	40.59	13.01	65.10	-- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11160.00	50.46	74.00	-23.54	64.22	38.05	11.29	63.10	-- -- Peak																																																																																														
2 16740.00	49.86	68.30	-18.44	61.36	40.59	13.01	65.10	-- -- Peak																																																																																														





Mode	18										
	Band Edge										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz										
ANT	SISO										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2025-01-05										







Mode	18																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																											
ANT	SISO																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.54</td><td>64.95</td><td>68.30</td><td>-3.35</td><td>54.43</td><td>34.61</td><td>8.69</td><td>32.78</td><td>300</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5728.54	64.95	68.30	-3.35	54.43	34.61	8.69	32.78	300	207	PEAK	 Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.12</td><td>-----</td><td>-----</td><td>95.76</td><td>34.55</td><td>8.57</td><td>32.76</td><td>300</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	106.12	-----	-----	95.76	34.55	8.57	32.76	300	207	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5728.54	64.95	68.30	-3.35	54.43	34.61	8.69	32.78	300	207	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	106.12	-----	-----	95.76	34.55	8.57	32.76	300	207	PEAK																																																																																	
Avg	Blank						 Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.11</td><td>-----</td><td>-----</td><td>86.75</td><td>34.55</td><td>8.57</td><td>32.76</td><td>300</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	97.11	-----	-----	86.75	34.55	8.57	32.76	300	207	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	97.11	-----	-----	86.75	34.55	8.57	32.76	300	207	AVERAGE																																																																																	



Mode	18																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal					Vertical																																																																																																						
Peak Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>60.97</td><td>37.39</td><td>11.41</td><td>62.96</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.51</td><td>68.30</td><td>-19.79</td><td>59.55</td><td>41.00</td><td>13.14</td><td>65.18</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	46.81	74.00	-27.19	60.97	37.39	11.41	62.96	--	Peak	2	17100.00	48.51	68.30	-19.79	59.55	41.00	13.14	65.18	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>61.84</td><td>37.39</td><td>11.41</td><td>62.96</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.75</td><td>68.30</td><td>-19.55</td><td>59.79</td><td>41.00</td><td>13.14</td><td>65.18</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	47.68	74.00	-26.32	61.84	37.39	11.41	62.96	--	Peak	2	17100.00	48.75	68.30	-19.55	59.79	41.00	13.14	65.18	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	11400.00	46.81	74.00	-27.19	60.97	37.39	11.41	62.96	--	Peak																																																																																																		
2	17100.00	48.51	68.30	-19.79	59.55	41.00	13.14	65.18	--	Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	11400.00	47.68	74.00	-26.32	61.84	37.39	11.41	62.96	--	Peak																																																																																																		
2	17100.00	48.75	68.30	-19.55	59.79	41.00	13.14	65.18	--	Peak																																																																																																		







		19																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																		
ANT		SISO																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5190 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until 5152 MHz, where it rises sharply to 86.10 dBuV/m. A peak is labeled 'PART 15.407'.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until 5190 MHz, where it rises sharply to 86.10 dBuV/m. A peak is labeled 'PART 15.407'.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.34	53.06	74.00	-20.94	43.89	33.99	7.92	32.74	100	242	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	86.10	-----	-----	76.88	34.01	7.94	32.73	100	242	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5149.34	53.06	74.00	-20.94	43.89	33.99	7.92	32.74	100	242	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5190.00	86.10	-----	-----	76.88	34.01	7.94	32.73	100	242	PEAK																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5190 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until 5152 MHz, where it rises sharply to 79.26 dBuV/m. A peak is labeled 'PART 15.407 AVG'.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until 5190 MHz, where it rises sharply to 79.26 dBuV/m. A peak is labeled 'PART 15.407 AVG'.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.53	42.43	54.00	-11.57	33.26	33.99	7.92	32.74	100	242	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	79.26	-----	-----	70.01	34.02	7.95	32.72	100	242	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5149.53	42.43	54.00	-11.57	33.26	33.99	7.92	32.74	100	242	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5190.00	79.26	-----	-----	70.01	34.02	7.95	32.72	100	242	AVERAGE																																																																									



Mode	19																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																		
ANT	SISO																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-12-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.68</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>37.96</td><td>34.12</td><td>8.39</td><td>32.65</td><td>100</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5374.68	47.82	74.00	-26.18	37.96	34.12	8.39	32.65	100	242	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5374.68	47.82	74.00	-26.18	37.96	34.12	8.39	32.65	100	242	PEAK																																								
Avg	Level (dBuV/m) Date: 2024-12-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.49</td><td>38.40</td><td>54.00</td><td>-15.60</td><td>28.43</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.49	38.40	54.00	-15.60	28.43	34.17	8.41	32.61	100	242	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5456.49	38.40	54.00	-15.60	28.43	34.17	8.41	32.61	100	242	AVERAGE																																								



Mode	19																																																																													
	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																													
ANT	SISO																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-12-24  500050385076511451525190 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.39</td><td>60.00</td><td>74.00</td><td>-14.00</td><td>50.83</td><td>33.99</td><td>7.92</td><td>32.74</td><td>162 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.39	60.00	74.00	-14.00	50.83	33.99	7.92	32.74	162 PEAK	Level (dBuV/m) Date: 2024-12-24  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>96.14</td><td>-----</td><td>-----</td><td>86.92</td><td>34.01</td><td>7.94</td><td>32.73</td><td>300 162 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	96.14	-----	-----	86.92	34.01	7.94	32.73	300 162 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5148.39	60.00	74.00	-14.00	50.83	33.99	7.92	32.74	162 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5190.00	96.14	-----	-----	86.92	34.01	7.94	32.73	300 162 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2024-12-24  500050385076511451525190 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.72</td><td>50.40</td><td>54.00</td><td>-3.60</td><td>41.23</td><td>33.99</td><td>7.92</td><td>32.74</td><td>162 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.72	50.40	54.00	-3.60	41.23	33.99	7.92	32.74	162 AVERAGE	Level (dBuV/m) Date: 2024-12-24  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>88.98</td><td>-----</td><td>-----</td><td>79.75</td><td>34.01</td><td>7.94</td><td>32.72</td><td>300 162 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	88.98	-----	-----	79.75	34.01	7.94	32.72	300 162 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5149.72	50.40	54.00	-3.60	41.23	33.99	7.92	32.74	162 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5190.00	88.98	-----	-----	79.75	34.01	7.94	32.72	300 162 AVERAGE																																																																					