








Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	15.79	30	Pass
NVNT	b	2437	16.32	30	Pass
NVNT	b	2462	15.75	30	Pass
NVNT	g	2412	14.9	30	Pass
NVNT	g	2437	15.35	30	Pass
NVNT	g	2462	14.92	30	Pass
NVNT	n20	2412	14.74	30	Pass
NVNT	n20	2437	15.29	30	Pass
NVNT	n20	2462	14.77	30	Pass
NVNT	n40	2422	15.41	30	Pass
NVNT	n40	2437	15.32	30	Pass
NVNT	n40	2452	15.13	30	Pass





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	7.577	0.5	Pass
NVNT	b	2437	8.027	0.5	Pass
NVNT	b	2462	7.114	0.5	Pass
NVNT	g	2412	16.328	0.5	Pass
NVNT	g	2437	16.351	0.5	Pass
NVNT	g	2462	16.344	0.5	Pass
NVNT	n20	2412	17.585	0.5	Pass
NVNT	n20	2437	17.596	0.5	Pass
NVNT	n20	2462	17.6	0.5	Pass
NVNT	n40	2422	35.051	0.5	Pass
NVNT	n40	2437	35.18	0.5	Pass
NVNT	n40	2452	36.104	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	b	2412	13.042
NVNT	b	2437	12.874
NVNT	b	2462	12.949
NVNT	g	2412	16.423
NVNT	g	2437	16.435
NVNT	g	2462	16.417
NVNT	n20	2412	17.571
NVNT	n20	2437	17.593
NVNT	n20	2462	17.598
NVNT	n40	2422	35.842
NVNT	n40	2437	35.784
NVNT	n40	2452	36.018















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	-7.8	8	Pass
NVNT	b	2437	-6.84	8	Pass
NVNT	b	2462	-7.84	8	Pass
NVNT	g	2412	-13.96	8	Pass
NVNT	g	2437	-13.78	8	Pass
NVNT	g	2462	-14.19	8	Pass
NVNT	n20	2412	-13.31	8	Pass
NVNT	n20	2437	-13.71	8	Pass
NVNT	n20	2462	-14.01	8	Pass
NVNT	n40	2422	-15.08	8	Pass
NVNT	n40	2437	-16.52	8	Pass
NVNT	n40	2452	-17.08	8	Pass














Band Edge


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	-48.09	-20	Pass
NVNT	b	2462	-60.19	-20	Pass
NVNT	g	2412	-38.45	-20	Pass
NVNT	g	2462	-50.71	-20	Pass
NVNT	n20	2412	-35.42	-20	Pass
NVNT	n20	2462	-49.81	-20	Pass
NVNT	n40	2422	-38.05	-20	Pass
NVNT	n40	2452	-44.58	-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	-48.47	-20	Pass
NVNT	b	2437	-51.29	-20	Pass
NVNT	b	2462	-50.18	-20	Pass
NVNT	g	2412	-43.7	-20	Pass
NVNT	g	2437	-45.26	-20	Pass
NVNT	g	2462	-44.04	-20	Pass
NVNT	n20	2412	-42.76	-20	Pass
NVNT	n20	2437	-44.15	-20	Pass
NVNT	n20	2462	-43.54	-20	Pass
NVNT	n40	2422	-42.61	-20	Pass
NVNT	n40	2437	-41.78	-20	Pass
NVNT	n40	2452	-41.22	-20	Pass




















APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID & IC.

※※※※※END OF THE REPORT※※※※※