





















Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.444
NVNT	a	5200	16.396
NVNT	a	5240	16.414
NVNT	a	5260	16.414
NVNT	a	5300	16.408
NVNT	a	5320	16.417
NVNT	a	5500	16.42
NVNT	a	5580	16.405
NVNT	a	5700	16.432
NVNT	a	5745	16.432
NVNT	a	5785	16.411
NVNT	a	5825	16.42
NVNT	n20	5180	17.566
NVNT	n20	5200	17.563
NVNT	n20	5240	17.563
NVNT	n20	5260	17.56
NVNT	n20	5300	17.554
NVNT	n20	5320	17.56
NVNT	n20	5500	17.557
NVNT	n20	5580	17.551
NVNT	n20	5700	17.572
NVNT	n20	5745	17.632
NVNT	n20	5785	17.554
NVNT	n20	5825	17.566
NVNT	n40	5190	35.99
NVNT	n40	5230	35.978
NVNT	n40	5270	36.026
NVNT	n40	5310	36.008
NVNT	n40	5510	36.026
NVNT	n40	5550	35.996
NVNT	n40	5670	36.032
NVNT	n40	5755	36.02
NVNT	n40	5795	36.008
NVNT	ac20	5180	17.563
NVNT	ac20	5200	17.548
NVNT	ac20	5240	17.563
NVNT	ac20	5260	17.566
NVNT	ac20	5300	17.557
NVNT	ac20	5320	17.566
NVNT	ac20	5500	17.563
NVNT	ac20	5580	17.548
NVNT	ac20	5700	17.566
NVNT	ac20	5745	17.566
NVNT	ac20	5785	17.557
NVNT	ac20	5825	17.557
NVNT	ac40	5190	36.008
NVNT	ac40	5230	35.96
NVNT	ac40	5270	36.014
NVNT	ac40	5310	36.002
NVNT	ac40	5510	36.014
NVNT	ac40	5550	35.996
NVNT	ac40	5670	35.996
NVNT	ac40	5755	36.008




NVNT	ac40	5795	36.014
NVNT	ac80	5210	75.028
NVNT	ac80	5290	75.124
NVNT	ac80	5530	75.1
NVNT	ac80	5610	75.076
NVNT	ac80	5775	75.088




Test Graphs


OBW NVNT a 5180MHz





OBW NVNT a 5200MHz





OBW NVNT a 5240MHz






























































Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	5.67	0	5.67	11	Pass
NVNT	a	5200	5.23	0	5.23	11	Pass
NVNT	a	5240	5.35	0	5.35	11	Pass
NVNT	a	5260	5.29	0	5.29	11	Pass
NVNT	a	5300	5.2	0	5.2	11	Pass
NVNT	a	5320	5.28	0	5.28	11	Pass
NVNT	a	5500	5.25	0	5.25	11	Pass
NVNT	a	5580	5.63	0	5.63	11	Pass
NVNT	a	5700	5.61	0	5.61	11	Pass
NVNT	n20	5180	4.52	0	4.52	11	Pass
NVNT	n20	5200	4.82	0	4.82	11	Pass
NVNT	n20	5240	4.99	0	4.99	11	Pass
NVNT	n20	5260	5	0	5	11	Pass
NVNT	n20	5300	5.01	0	5.01	11	Pass
NVNT	n20	5320	5.22	0	5.22	11	Pass
NVNT	n20	5500	4.94	0	4.94	11	Pass
NVNT	n20	5580	5.38	0	5.38	11	Pass
NVNT	n20	5700	5.36	0	5.36	11	Pass
NVNT	n40	5190	2.26	0	2.26	11	Pass
NVNT	n40	5230	2.53	0	2.53	11	Pass
NVNT	n40	5270	2.5	0	2.5	11	Pass
NVNT	n40	5310	2.55	0	2.55	11	Pass
NVNT	n40	5510	2.49	0	2.49	11	Pass
NVNT	n40	5550	2.56	0	2.56	11	Pass
NVNT	n40	5670	2.57	0	2.57	11	Pass
NVNT	ac20	5180	4.87	0	4.87	11	Pass
NVNT	ac20	5200	5.34	0	5.34	11	Pass
NVNT	ac20	5240	5.25	0	5.25	11	Pass
NVNT	ac20	5260	5.36	0	5.36	11	Pass
NVNT	ac20	5300	5.7	0	5.7	11	Pass
NVNT	ac20	5320	5.38	0	5.38	11	Pass
NVNT	ac20	5500	5.55	0	5.55	11	Pass
NVNT	ac20	5580	5.21	0	5.21	11	Pass
NVNT	ac20	5700	4.8	0	4.8	11	Pass
NVNT	ac40	5190	1.64	0	1.64	11	Pass
NVNT	ac40	5230	1.76	0	1.76	11	Pass
NVNT	ac40	5270	1.85	0	1.85	11	Pass
NVNT	ac40	5310	1.91	0	1.91	11	Pass
NVNT	ac40	5510	1.72	0	1.72	11	Pass
NVNT	ac40	5550	2.03	0	2.03	11	Pass
NVNT	ac40	5670	1.8	0	1.8	11	Pass
NVNT	ac80	5210	-1.79	0	-1.79	11	Pass
NVNT	ac80	5290	-1.68	0	-1.68	11	Pass
NVNT	ac80	5530	-1.65	0	-1.65	11	Pass
NVNT	ac80	5610	-1.14	0	-1.14	11	Pass

















































Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	2.87	0	2.87	30	Pass
NVNT	a	5785	3.12	0	3.12	30	Pass
NVNT	a	5825	2.84	0	2.84	30	Pass
NVNT	n20	5745	2.68	0	2.68	30	Pass
NVNT	n20	5785	2.9	0	2.9	30	Pass
NVNT	n20	5825	2.56	0	2.56	30	Pass
NVNT	n40	5755	-0.05	0	-0.05	30	Pass
NVNT	n40	5795	-0.09	0	-0.09	30	Pass
NVNT	ac20	5745	2.08	0	2.08	30	Pass
NVNT	ac20	5785	2.41	0	2.41	30	Pass
NVNT	ac20	5825	2.13	0	2.13	30	Pass
NVNT	ac40	5755	-0.72	0	-0.72	30	Pass
NVNT	ac40	5795	-0.66	0	-0.66	30	Pass
NVNT	ac80	5775	-4.15	0	-4.15	30	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	-34.51	-27	Pass
NVNT	a	5240	-32.99	-27	Pass
NVNT	a	5260	-34.99	-27	Pass
NVNT	a	5320	-33.49	-27	Pass
NVNT	a	5500	-33	-27	Pass
NVNT	a	5700	-29.66	-27	Pass
NVNT	n20	5180	-32.98	-27	Pass
NVNT	n20	5240	-33.34	-27	Pass
NVNT	n20	5260	-34.19	-27	Pass
NVNT	n20	5320	-30.68	-27	Pass
NVNT	n20	5500	-32.18	-27	Pass
NVNT	n20	5700	-27.5	-27	Pass
NVNT	n40	5190	-30.96	-27	Pass
NVNT	n40	5230	-33.62	-27	Pass
NVNT	n40	5270	-34.94	-27	Pass
NVNT	n40	5310	-27.74	-27	Pass
NVNT	n40	5510	-30.67	-27	Pass
NVNT	n40	5550	-33.9	-27	Pass
NVNT	n40	5670	-33.07	-27	Pass
NVNT	ac20	5180	-34.94	-27	Pass
NVNT	ac20	5240	-33.23	-27	Pass
NVNT	ac20	5260	-35.21	-27	Pass
NVNT	ac20	5320	-33.02	-27	Pass
NVNT	ac20	5500	-32.77	-27	Pass
NVNT	ac20	5700	-28.73	-27	Pass
NVNT	ac40	5190	-31.78	-27	Pass
NVNT	ac40	5230	-32.22	-27	Pass
NVNT	ac40	5270	-35.41	-27	Pass
NVNT	ac40	5310	-32.37	-27	Pass
NVNT	ac40	5510	-29.2	-27	Pass
NVNT	ac40	5550	-33.48	-27	Pass
NVNT	ac40	5670	-33.52	-27	Pass
NVNT	ac80	5210	-32.78	-27	Pass
NVNT	ac80	5290	-30	-27	Pass
NVNT	ac80	5530	-27.85	-27	Pass
NVNT	ac80	5610	-35.05	-27	Pass




Test Graphs

Band Edge NVNT a 5180MHz Low




Date: 5.00N.2025 16:51:47

Band Edge NVNT a 5240MHz High




Date: 5.00N.2025 16:54:58


Band Edge NVNT a 5260MHz Low







Date: 5.00N.2025 16:56:37



































Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-23.93	15.6	Pass
NVNT	a	5825	-28.92	15.6	Pass
NVNT	n20	5745	-23.92	15.6	Pass
NVNT	n20	5825	-29.74	15.6	Pass
NVNT	n40	5755	-25.26	15.6	Pass
NVNT	n40	5795	-31.76	15.6	Pass
NVNT	ac20	5745	-30	15.6	Pass
NVNT	ac20	5825	-33.21	15.6	Pass
NVNT	ac40	5755	-25.68	15.6	Pass
NVNT	ac40	5795	-33.5	15.6	Pass
NVNT	ac80	5775	-29.08	15.6	Pass




Test Graphs


Band Edge NVNT a 5745MHz Low







Band Edge NVNT a 5825MHz High



Band Edge NVNT n20 5745MHz Low












-6dB Bandwidth

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.335	0.5	Pass
NVNT	a	5785	16.299	0.5	Pass
NVNT	a	5825	16.344	0.5	Pass
NVNT	n20	5745	17.571	0.5	Pass
NVNT	n20	5785	17.58	0.5	Pass
NVNT	n20	5825	17.559	0.5	Pass
NVNT	n40	5755	36.3	0.5	Pass
NVNT	n40	5795	36.27	0.5	Pass
NVNT	ac20	5745	17.574	0.5	Pass
NVNT	ac20	5785	17.568	0.5	Pass
NVNT	ac20	5825	17.541	0.5	Pass
NVNT	ac40	5755	36.054	0.5	Pass
NVNT	ac40	5795	36.036	0.5	Pass
NVNT	ac80	5775	76.32	0.5	Pass




Test Graphs

-6dB Bandwidth NVNT a 5745MHz




Date: 5/08/2025 17:07:49

-6dB Bandwidth NVNT a 5785MHz







Date: 5/08/2025 17:09:59


-6dB Bandwidth NVNT a 5825MHz




Date: 5/08/2025 17:11:39











APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID & IC.

※※※※※END OF THE REPORT※※※※※