




Plot 78:

Test Date	2025-06-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR band 2
Signal	NR FDD
Frequency	1900
SAR 10g (W/Kg)	0.115
SAR 1g (W/Kg)	0.269
ConvF	2.20
Relative permittivity	41.09
Conductivity (S/m)	1.42

Maximum location: X=8.00, Y=-10.00 ; SAR Peak: 0.62 W/kg






Plot 79:

Test Date	2025-06-08
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 5
Signal	NR FDD
Frequency	839
SAR 10g (W/Kg)	0.208
SAR 1g (W/Kg)	0.361
ConvF	1.72
Relative permittivity	41.02
Conductivity (S/m)	0.92

Maximum location: X=-40.00, Y=-40.00 ; SAR Peak: 0.65 W/kg






Plot 80:

Test Date	2025-06-08
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 5
Signal	NR FDD
Frequency	839
SAR 10g (W/Kg)	0.114
SAR 1g (W/Kg)	0.258
ConvF	1.72
Relative permittivity	41.02
Conductivity (S/m)	0.92

Maximum location: X=0.00, Y=-2.00 ; SAR Peak: 0.54 W/kg






Plot 81:

Test Date	2025-06-04
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 7
Signal	NR FDD
Frequency	2535
SAR 10g (W/Kg)	0.282
SAR 1g (W/Kg)	0.659
ConvF	2.37
Relative permittivity	39.27
Conductivity (S/m)	1.94

Maximum location: X=-9.00, Y=-16.00 ; SAR Peak: 1.38 W/kg






Plot 82:

Test Date	2025-06-04
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	NR band 7
Signal	NR FDD
Frequency	2535
SAR 10g (W/Kg)	0.386
SAR 1g (W/Kg)	0.744
ConvF	2.37
Relative permittivity	39.27
Conductivity (S/m)	1.94

Maximum location: X=12.00, Y=9.00 ; SAR Peak: 1.50 W/kg






Plot 83:

Test Date	2025-06-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.053
SAR 1g (W/Kg)	0.133
ConvF	2.20
Relative permittivity	41.09
Conductivity (S/m)	1.42

Maximum location: X=-48.00, Y=-15.00 ; SAR Peak: 0.41 W/kg






Plot 84:

Test Date	2025-06-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.105
SAR 1g (W/Kg)	0.201
ConvF	2.20
Relative permittivity	41.09
Conductivity (S/m)	1.42

Maximum location: X=16.00, Y=-1.00 ; SAR Peak: 0.68 W/kg






Plot 85:

Test Date	2025-06-08
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 26
Signal	NR FDD
Frequency	836.5
SAR 10g (W/Kg)	0.087
SAR 1g (W/Kg)	0.122
ConvF	1.72
Relative permittivity	41.02
Conductivity (S/m)	0.92

Maximum location: X=-48.00, Y=-24.00 ; SAR Peak: 0.21 W/kg






Plot 86:

Test Date	2025-06-08
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR band 26
Signal	NR FDD
Frequency	836.5
SAR 10g (W/Kg)	0.141
SAR 1g (W/Kg)	0.207
ConvF	1.72
Relative permittivity	41.02
Conductivity (S/m)	0.92

Maximum location: X=8.00, Y=32.00 ; SAR Peak: 0.34 W/kg






Plot 87:

Test Date	2025-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 38
Signal	NR TDD
Frequency	2600
SAR 10g (W/Kg)	0.335
SAR 1g (W/Kg)	0.794
ConvF	2.37
Relative permittivity	39.53
Conductivity (S/m)	2.01

Maximum location: X=-9.00, Y=-5.00 ; SAR Peak: 1.63 W/kg






Plot 88:

Test Date	2025-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	NR band 38
Signal	NR TDD
Frequency	2600
SAR 10g (W/Kg)	0.393
SAR 1g (W/Kg)	0.769
ConvF	2.37
Relative permittivity	39.53
Conductivity (S/m)	2.01

Maximum location: X=15.00, Y=16.00 ; SAR Peak: 1.38 W/kg






Plot 89:

Test Date	2025-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 41
Signal	NR TDD
Frequency	2592.99
SAR 10g (W/Kg)	0.316
SAR 1g (W/Kg)	0.645
ConvF	2.37
Relative permittivity	39.53
Conductivity (S/m)	2.01

Maximum location: X=-7.00, Y=-7.00 ; SAR Peak: 1.18 W/kg






Plot 90:

Test Date	2025-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR band 41
Signal	NR TDD
Frequency	2592.99
SAR 10g (W/Kg)	0.311
SAR 1g (W/Kg)	0.638
ConvF	2.37
Relative permittivity	39.53
Conductivity (S/m)	2.01

Maximum location: X=-9.00, Y=25.00 ; SAR Peak: 1.21 W/kg






Plot 91:

Test Date	2025-06-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 66
Signal	NR FDD
Frequency	1777.5
SAR 10g (W/Kg)	0.107
SAR 1g (W/Kg)	0.230
ConvF	1.92
Relative permittivity	41.02
Conductivity (S/m)	1.35

Maximum location: X=-33.00, Y=-27.00 ; SAR Peak: 0.57 W/kg






Plot 92:

Test Date	2025-06-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR band 66
Signal	NR FDD
Frequency	1777.5
SAR 10g (W/Kg)	0.262
SAR 1g (W/Kg)	0.403
ConvF	1.92
Relative permittivity	41.02
Conductivity (S/m)	1.35

Maximum location: X=8.00, Y=25.00 ; SAR Peak: 0.76 W/kg






Plot 93:

Test Date	2025-06-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	NR band 77
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.245
SAR 1g (W/Kg)	0.455
ConvF	1.81
Relative permittivity	37.63
Conductivity (S/m)	3.13

Maximum location: X=-33.00, Y=-24.00 ; SAR Peak: 1.78 W/kg






Plot 94:

Test Date	2025-06-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Left Side
Band	NR band 77
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.392
SAR 1g (W/Kg)	0.789
ConvF	1.81
Relative permittivity	37.63
Conductivity (S/m)	3.13

Maximum location: X=10.00, Y=-21.00 ; SAR Peak: 2.43 W/kg






Plot 95:

Test Date	2025-06-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	NR band 78
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.233
SAR 1g (W/Kg)	0.540
ConvF	1.81
Relative permittivity	37.63
Conductivity (S/m)	3.13

Maximum location: X=-39.00, Y=-46.00 ; SAR Peak: 1.90 W/kg






Plot 96:

Test Date	2025-06-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Left Side
Band	NR band 78
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.361
SAR 1g (W/Kg)	0.790
ConvF	1.81
Relative permittivity	37.63
Conductivity (S/m)	3.13

Maximum location: X=8.00, Y=-41.00 ; SAR Peak: 2.17 W/kg






Plot 97:

Test Date	2025-06-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Bluetooth
Signal	Bluetooth
Frequency	2441
SAR 10g (W/Kg)	0.059
SAR 1g (W/Kg)	0.105
ConvF	2.33
Relative permittivity	39.79
Conductivity (S/m)	1.79

Maximum location: X=-17.00, Y=-16.00 ; SAR Peak: 0.24 W/kg






Plot 98:

Test Date	2025-06-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2441
SAR 10g (W/Kg)	0.067
SAR 1g (W/Kg)	0.092
ConvF	2.33
Relative permittivity	39.79
Conductivity (S/m)	1.79

Maximum location: X=-8.00, Y=-39.00 ; SAR Peak: 0.33 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※※END OF THE REPORT※※※※※