

Appendix A : Test Result - n26

1. Conducted Output Power

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Power (mW)	Power Limit (mW)	Verdict
n26(814-824)	15	5	163300	25@0	DFT_BPSK	22.43	174.98	100000	PASS
n26(814-824)	15	5	163300	12@6	DFT_BPSK	23.06	202.3	100000	PASS
n26(814-824)	15	5	163300	1@1	DFT_BPSK	23.05	201.84	100000	PASS
n26(814-824)	15	5	163300	1@23	DFT_BPSK	22.76	188.8	100000	PASS
n26(814-824)	15	5	163300	25@0	DFT_QPSK	21.96	157.04	100000	PASS
n26(814-824)	15	5	163300	12@6	DFT_QPSK	23.03	200.91	100000	PASS
n26(814-824)	15	5	163300	1@1	DFT_QPSK	22.99	199.07	100000	PASS
n26(814-824)	15	5	163300	1@23	DFT_QPSK	22.73	187.5	100000	PASS
n26(814-824)	15	5	163300	25@0	DFT_16QAM	21.07	127.94	100000	PASS
n26(814-824)	15	5	163300	12@6	DFT_16QAM	21.95	156.68	100000	PASS
n26(814-824)	15	5	163300	1@1	DFT_16QAM	22.24	167.49	100000	PASS
n26(814-824)	15	5	163300	1@23	DFT_16QAM	21.92	155.6	100000	PASS
n26(814-824)	15	5	163300	25@0	DFT_64QAM	20.58	114.29	100000	PASS
n26(814-824)	15	5	163300	12@6	DFT_64QAM	20.61	115.08	100000	PASS
n26(814-824)	15	5	163300	1@1	DFT_64QAM	20.77	119.4	100000	PASS
n26(814-824)	15	5	163300	1@23	DFT_64QAM	20.54	113.24	100000	PASS
n26(814-824)	15	5	163300	25@0	DFT_256QAM	18.5	70.79	100000	PASS
n26(814-824)	15	5	163300	12@6	DFT_256QAM	18.53	71.29	100000	PASS
n26(814-824)	15	5	163300	1@1	DFT_256QAM	18.65	73.28	100000	PASS
n26(814-824)	15	5	163300	1@23	DFT_256QAM	18.3	67.61	100000	PASS
n26(814-824)	15	5	163300	25@0	CP_QPSK	20.07	101.62	100000	PASS
n26(814-824)	15	5	163300	13@6	CP_QPSK	21.45	139.64	100000	PASS
n26(814-824)	15	5	163300	1@1	CP_QPSK	21.53	142.23	100000	PASS
n26(814-824)	15	5	163300	1@23	CP_QPSK	21.25	133.35	100000	PASS
n26(814-824)	15	5	163300	25@0	CP_16QAM	20.13	103.04	100000	PASS
n26(814-824)	15	5	163300	13@6	CP_16QAM	21.11	129.12	100000	PASS
n26(814-824)	15	5	163300	1@1	CP_16QAM	21.23	132.74	100000	PASS
n26(814-824)	15	5	163300	1@23	CP_16QAM	21.04	127.06	100000	PASS
n26(814-824)	15	5	163300	25@0	CP_64QAM	19.56	90.36	100000	PASS
n26(814-824)	15	5	163300	13@6	CP_64QAM	19.49	88.92	100000	PASS
n26(814-824)	15	5	163300	1@1	CP_64QAM	19.5	89.13	100000	PASS
n26(814-824)	15	5	163300	1@23	CP_64QAM	19.31	85.31	100000	PASS
n26(814-824)	15	5	163300	25@0	CP_256QAM	16.51	44.77	100000	PASS
n26(814-824)	15	5	163300	13@6	CP_256QAM	16.46	44.26	100000	PASS
n26(814-824)	15	5	163300	1@1	CP_256QAM	16.67	46.45	100000	PASS

n26(814-824)	15	5	163300	1@23	CP_256QAM	16.47	44.36	100000	PASS
n26(814-824)	15	5	163800	25@0	DFT_BPSK	22.3	169.82	100000	PASS
n26(814-824)	15	5	163800	12@6	DFT_BPSK	22.82	191.43	100000	PASS
n26(814-824)	15	5	163800	1@1	DFT_BPSK	22.85	192.75	100000	PASS
n26(814-824)	15	5	163800	1@23	DFT_BPSK	22.6	181.97	100000	PASS
n26(814-824)	15	5	163800	25@0	DFT_QPSK	21.83	152.41	100000	PASS
n26(814-824)	15	5	163800	12@6	DFT_QPSK	22.86	193.2	100000	PASS
n26(814-824)	15	5	163800	1@1	DFT_QPSK	22.82	191.43	100000	PASS
n26(814-824)	15	5	163800	1@23	DFT_QPSK	22.56	180.3	100000	PASS
n26(814-824)	15	5	163800	25@0	DFT_16QAM	20.88	122.46	100000	PASS
n26(814-824)	15	5	163800	12@6	DFT_16QAM	21.85	153.11	100000	PASS
n26(814-824)	15	5	163800	1@1	DFT_16QAM	21.98	157.76	100000	PASS
n26(814-824)	15	5	163800	1@23	DFT_16QAM	21.77	150.31	100000	PASS
n26(814-824)	15	5	163800	25@0	DFT_64QAM	20.41	109.9	100000	PASS
n26(814-824)	15	5	163800	12@6	DFT_64QAM	20.48	111.69	100000	PASS
n26(814-824)	15	5	163800	1@1	DFT_64QAM	20.56	113.76	100000	PASS
n26(814-824)	15	5	163800	1@23	DFT_64QAM	20.45	110.92	100000	PASS
n26(814-824)	15	5	163800	25@0	DFT_256QAM	18.34	68.23	100000	PASS
n26(814-824)	15	5	163800	12@6	DFT_256QAM	18.44	69.82	100000	PASS
n26(814-824)	15	5	163800	1@1	DFT_256QAM	18.36	68.55	100000	PASS
n26(814-824)	15	5	163800	1@23	DFT_256QAM	18.17	65.61	100000	PASS
n26(814-824)	15	5	163800	25@0	CP_QPSK	19.9	97.72	100000	PASS
n26(814-824)	15	5	163800	13@6	CP_QPSK	21.31	135.21	100000	PASS
n26(814-824)	15	5	163800	1@1	CP_QPSK	21.33	135.83	100000	PASS
n26(814-824)	15	5	163800	1@23	CP_QPSK	21.14	130.02	100000	PASS
n26(814-824)	15	5	163800	25@0	CP_16QAM	19.98	99.54	100000	PASS
n26(814-824)	15	5	163800	13@6	CP_16QAM	20.9	123.03	100000	PASS
n26(814-824)	15	5	163800	1@1	CP_16QAM	21.08	128.23	100000	PASS
n26(814-824)	15	5	163800	1@23	CP_16QAM	20.9	123.03	100000	PASS
n26(814-824)	15	5	163800	25@0	CP_64QAM	19.35	86.1	100000	PASS
n26(814-824)	15	5	163800	13@6	CP_64QAM	19.32	85.51	100000	PASS
n26(814-824)	15	5	163800	1@1	CP_64QAM	19.33	85.7	100000	PASS
n26(814-824)	15	5	163800	1@23	CP_64QAM	19.12	81.66	100000	PASS
n26(814-824)	15	5	163800	25@0	CP_256QAM	16.35	43.15	100000	PASS
n26(814-824)	15	5	163800	13@6	CP_256QAM	16.3	42.66	100000	PASS
n26(814-824)	15	5	163800	1@1	CP_256QAM	16.52	44.87	100000	PASS
n26(814-824)	15	5	163800	1@23	CP_256QAM	16.26	42.27	100000	PASS
n26(814-824)	15	5	164300	25@0	DFT_BPSK	22.21	166.34	100000	PASS
n26(814-824)	15	5	164300	12@6	DFT_BPSK	22.76	188.8	100000	PASS
n26(814-824)	15	5	164300	1@1	DFT_BPSK	22.69	185.78	100000	PASS
n26(814-824)	15	5	164300	1@23	DFT_BPSK	22.56	180.3	100000	PASS
n26(814-824)	15	5	164300	25@0	DFT_QPSK	21.75	149.62	100000	PASS
n26(814-824)	15	5	164300	12@6	DFT_QPSK	22.78	189.67	100000	PASS

n26(814-824)	15	5	164300	1@1	DFT_QPSK	22.61	182.39	100000	PASS
n26(814-824)	15	5	164300	1@23	DFT_QPSK	22.51	178.24	100000	PASS
n26(814-824)	15	5	164300	25@0	DFT_16QAM	20.78	119.67	100000	PASS
n26(814-824)	15	5	164300	12@6	DFT_16QAM	21.66	146.55	100000	PASS
n26(814-824)	15	5	164300	1@1	DFT_16QAM	21.81	151.71	100000	PASS
n26(814-824)	15	5	164300	1@23	DFT_16QAM	21.8	151.36	100000	PASS
n26(814-824)	15	5	164300	25@0	DFT_64QAM	20.36	108.64	100000	PASS
n26(814-824)	15	5	164300	12@6	DFT_64QAM	20.34	108.14	100000	PASS
n26(814-824)	15	5	164300	1@1	DFT_64QAM	20.44	110.66	100000	PASS
n26(814-824)	15	5	164300	1@23	DFT_64QAM	20.47	111.43	100000	PASS
n26(814-824)	15	5	164300	25@0	DFT_256QAM	18.28	67.3	100000	PASS
n26(814-824)	15	5	164300	12@6	DFT_256QAM	18.33	68.08	100000	PASS
n26(814-824)	15	5	164300	1@1	DFT_256QAM	18.7	74.13	100000	PASS
n26(814-824)	15	5	164300	1@23	DFT_256QAM	18.24	66.68	100000	PASS
n26(814-824)	15	5	164300	25@0	CP_QPSK	19.83	96.16	100000	PASS
n26(814-824)	15	5	164300	13@6	CP_QPSK	21.22	132.43	100000	PASS
n26(814-824)	15	5	164300	1@1	CP_QPSK	21.24	133.05	100000	PASS
n26(814-824)	15	5	164300	1@23	CP_QPSK	21.18	131.22	100000	PASS
n26(814-824)	15	5	164300	25@0	CP_16QAM	19.9	97.72	100000	PASS
n26(814-824)	15	5	164300	13@6	CP_16QAM	20.8	120.23	100000	PASS
n26(814-824)	15	5	164300	1@1	CP_16QAM	20.98	125.31	100000	PASS
n26(814-824)	15	5	164300	1@23	CP_16QAM	20.93	123.88	100000	PASS
n26(814-824)	15	5	164300	25@0	CP_64QAM	19.33	85.7	100000	PASS
n26(814-824)	15	5	164300	13@6	CP_64QAM	19.27	84.53	100000	PASS
n26(814-824)	15	5	164300	1@1	CP_64QAM	19.19	82.99	100000	PASS
n26(814-824)	15	5	164300	1@23	CP_64QAM	19.2	83.18	100000	PASS
n26(814-824)	15	5	164300	25@0	CP_256QAM	16.25	42.17	100000	PASS
n26(814-824)	15	5	164300	13@6	CP_256QAM	16.29	42.56	100000	PASS
n26(814-824)	15	5	164300	1@1	CP_256QAM	16.32	42.85	100000	PASS
n26(814-824)	15	5	164300	1@23	CP_256QAM	16.33	42.95	100000	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	22.27	168.66	100000	PASS
n26(814-824)	15	10	163800	25@12	DFT_BPSK	22.77	189.23	100000	PASS
n26(814-824)	15	10	163800	1@1	DFT_BPSK	23.05	201.84	100000	PASS
n26(814-824)	15	10	163800	1@50	DFT_BPSK	22.58	181.13	100000	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	21.79	151.01	100000	PASS
n26(814-824)	15	10	163800	25@12	DFT_QPSK	22.78	189.67	100000	PASS
n26(814-824)	15	10	163800	1@1	DFT_QPSK	22.93	196.34	100000	PASS
n26(814-824)	15	10	163800	1@50	DFT_QPSK	22.53	179.06	100000	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	20.82	120.78	100000	PASS
n26(814-824)	15	10	163800	25@12	DFT_16QAM	21.82	152.05	100000	PASS
n26(814-824)	15	10	163800	1@1	DFT_16QAM	22.3	169.82	100000	PASS
n26(814-824)	15	10	163800	1@50	DFT_16QAM	21.77	150.31	100000	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	20.25	105.93	100000	PASS

n26(814-824)	15	10	163800	25@12	DFT_64QAM	20.44	110.66	100000	PASS
n26(814-824)	15	10	163800	1@1	DFT_64QAM	20.78	119.67	100000	PASS
n26(814-824)	15	10	163800	1@50	DFT_64QAM	20.42	110.15	100000	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	18.27	67.14	100000	PASS
n26(814-824)	15	10	163800	25@12	DFT_256QAM	18.31	67.76	100000	PASS
n26(814-824)	15	10	163800	1@1	DFT_256QAM	18.6	72.44	100000	PASS
n26(814-824)	15	10	163800	1@50	DFT_256QAM	18.23	66.53	100000	PASS
n26(814-824)	15	10	163800	52@0	CP_QPSK	19.81	95.72	100000	PASS
n26(814-824)	15	10	163800	26@13	CP_QPSK	21.34	136.14	100000	PASS
n26(814-824)	15	10	163800	1@1	CP_QPSK	21.47	140.28	100000	PASS
n26(814-824)	15	10	163800	1@50	CP_QPSK	21.1	128.82	100000	PASS
n26(814-824)	15	10	163800	52@0	CP_16QAM	19.81	95.72	100000	PASS
n26(814-824)	15	10	163800	26@13	CP_16QAM	20.93	123.88	100000	PASS
n26(814-824)	15	10	163800	1@1	CP_16QAM	21.26	133.66	100000	PASS
n26(814-824)	15	10	163800	1@50	CP_16QAM	20.89	122.74	100000	PASS
n26(814-824)	15	10	163800	52@0	CP_64QAM	19.31	85.31	100000	PASS
n26(814-824)	15	10	163800	26@13	CP_64QAM	19.34	85.9	100000	PASS
n26(814-824)	15	10	163800	1@1	CP_64QAM	19.47	88.51	100000	PASS
n26(814-824)	15	10	163800	1@50	CP_64QAM	19.14	82.04	100000	PASS
n26(814-824)	15	10	163800	52@0	CP_256QAM	16.29	42.56	100000	PASS
n26(814-824)	15	10	163800	26@13	CP_256QAM	16.33	42.95	100000	PASS
n26(814-824)	15	10	163800	1@1	CP_256QAM	16.66	46.34	100000	PASS
n26(814-824)	15	10	163800	1@50	CP_256QAM	16.29	42.56	100000	PASS


2. Frequency Stability

Temperature (°C)	Voltage (V)	Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
20(Ref.)	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-3.3	-0.00403	-2.5	2.5	PASS
20	6	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-3.3	-0.00403	-2.5	2.5	PASS
20	8.9	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-2.8	-0.00342	-2.5	2.5	PASS
-30	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-3.7	-0.00452	-2.5	2.5	PASS
-20	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-2	-0.00244	-2.5	2.5	PASS
-10	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-2.9	-0.00354	-2.5	2.5	PASS
0	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-1.5	-0.00183	-2.5	2.5	PASS
10	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-3.5	-0.00427	-2.5	2.5	PASS
30	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-2.5	-0.00305	-2.5	2.5	PASS
40	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-3	-0.00366	-2.5	2.5	PASS
50	7.74	n26(814-824)	15	10	163800	50@0	DFT_BP SK	-4.2	-0.00513	-2.5	2.5	PASS


Note: The frequency fundamental emissions stay within the authorized frequency block.

3. Peak-to-average Ratio


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n26(814-824)	15	10	163800	50@0	DFT_BPSK	3.54	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	4.87	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	5.91	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	6.23	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	6.49	13	PASS




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
Channel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz
Channel=163800 RB=50@0



n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz
Channel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz
Channel=163800 RB=50@0



n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz
Channel=163800 RB=50@0


4. Occupied Bandwidth

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n26(814-824)	15	5	163800	819	25@0	DFT_BPSK	4.486	4.880	PASS
n26(814-824)	15	5	163800	819	25@0	CP_QPSK	4.476	4.870	PASS
n26(814-824)	15	5	163800	819	25@0	CP_16QAM	4.496	4.890	PASS
n26(814-824)	15	5	163800	819	25@0	CP_64QAM	4.486	4.970	PASS
n26(814-824)	15	5	163800	819	25@0	CP_256QAM	4.476	4.900	PASS
n26(814-824)	15	10	163800	819	50@0	DFT_BPSK	8.991	9.540	PASS
n26(814-824)	15	10	163800	819	52@0	CP_QPSK	9.291	9.880	PASS
n26(814-824)	15	10	163800	819	52@0	CP_16QAM	9.291	9.900	PASS
n26(814-824)	15	10	163800	819	52@0	CP_64QAM	9.291	9.880	PASS
n26(814-824)	15	10	163800	819	52@0	CP_256QAM	9.291	9.880	PASS




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz

Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_QPSK BW=5MHz

Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_16QAM BW=5MHz

Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_64QAM BW=5MHz

Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_256QAM BW=5MHz

Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz


Channel=163800 RB=50@0




n26(814-824) SCS=15kHz CP_QPSK BW=10MHz
Channel=163800 RB=52@0



n26(814-824) SCS=15kHz CP_16QAM BW=10MHz
Channel=163800 RB=52@0




n26(814-824) SCS=15kHz CP_64QAM BW=10MHz
Channel=163800 RB=52@0




n26(814-824) SCS=15kHz CP_256QAM BW=10MHz
Channel=163800 RB=52@0

5. Conducted Band Edge




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz

LowChannel=163300 RB=1@0




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz

LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz

LowChannel=163300 RB=1@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz

LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz

LowChannel=163300 RB=1@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz


LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz
LowChannel=163300 RB=1@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz
LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=163300 RB=1@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=163300 RB=25@0



n26(814-824) SCS=15kHz CP_QPSK BW=5MHz
LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz
HighChannel=164300 RB=1@24




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz

HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz

HighChannel=164300 RB=1@24




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz

HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz

HighChannel=164300 RB=1@24




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz

HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz


HighChannel=164300 RB=1@24




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz
HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=164300 RB=1@24




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz CP_QPSK BW=5MHz
HighChannel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
LowChannel=163800 RB=1@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
LowChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz
LowChannel=163800 RB=1@0




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz
LowChannel=163800 RB=50@0



n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=163800 RB=1@0




n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=163800 RB=1@0




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=163800 RB=1@0




n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=163800 RB=50@0




n26(814-824) SCS=15kHz CP_QPSK BW=10MHz
LowChannel=163800 RB=52@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
HighChannel=163800 RB=1@51



n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
HighChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz
HighChannel=163800 RB=1@51




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz

HighChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz

HighChannel=163800 RB=1@51




n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz

HighChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz

HighChannel=163800 RB=1@51




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz

HighChannel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz

HighChannel=163800 RB=1@51




n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz
HighChannel=163800 RB=50@0




n26(814-824) SCS=15kHz CP_QPSK BW=10MHz
HighChannel=163800 RB=52@0


6. Conducted Spurious Emissions



n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
Channel=163800 RB=1@0



n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
Channel=163800 RB=1@51



n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz
Channel=163800 RB=50@0

7. Radiated Spurious Emissions

n26 - DFT-s-OFDM - PI/2 BPSK - 5M - Low Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1624	-45.12	-13	-32.12	-51.56	-51.37	2.93	9.18	H	Pass
2440	-45.39	-13	-32.39	-53.36	-52.44	3.61	10.66	H	Pass
5744	-49.12	-13	-36.12	-61.9	-55.18	5.96	12.02	H	Pass
1624	-40.12	-13	-27.12	-48.97	-46.37	2.93	9.18	V	Pass
2440	-44.83	-13	-31.83	-54.15	-51.88	3.61	10.66	V	Pass
5744	-43.28	-13	-30.28	-60.89	-49.34	5.96	12.02	V	Pass

Note: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.