




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.47	-24.17	7.00	12.93	-30.10	-13.00	-17.10	H
5580.26	-27.21	8.40	17.11	-35.92	-13.00	-22.92	H
7439.97	-23.53	8.10	22.20	-37.63	-13.00	-24.63	H
3720.47	-26.21	7.00	12.93	-32.14	-13.00	-19.14	V
5580.26	-28.21	8.40	17.11	-36.92	-13.00	-23.92	V
7439.97	-27.29	8.10	22.20	-41.39	-13.00	-28.39	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.77	-26.38	7.00	12.93	-32.31	-13.00	-19.31	H
5640.03	-29.39	8.40	17.11	-38.10	-13.00	-25.10	H
7520.13	-23.08	8.10	22.20	-37.18	-13.00	-24.18	H
3759.77	-29.18	7.00	12.93	-35.11	-13.00	-22.11	V
5640.03	-28.12	8.40	17.11	-36.83	-13.00	-23.83	V
7520.13	-26.32	8.10	22.20	-40.42	-13.00	-27.42	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.11	-27.43	7.00	12.93	-33.36	-13.00	-20.36	H
5700.03	-27.96	8.40	17.11	-36.67	-13.00	-23.67	H
7600.14	-22.89	8.10	22.20	-36.99	-13.00	-23.99	H
3800.11	-27.80	7.00	12.93	-33.73	-13.00	-20.73	V
5700.03	-25.90	8.40	17.11	-34.61	-13.00	-21.61	V
7600.14	-24.24	8.10	22.20	-38.34	-13.00	-25.34	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.26	-27.76	7.20	12.56	-33.12	-13.00	-20.12	H
5159.97	-28.48	8.10	16.32	-36.70	-13.00	-23.70	H
6880.75	-22.74	8.30	21.13	-35.57	-13.00	-22.57	H
3440.26	-26.51	7.20	12.56	-31.87	-13.00	-18.87	V
5159.97	-26.97	8.10	16.32	-35.19	-13.00	-22.19	V
6880.75	-26.84	8.30	21.13	-39.67	-13.00	-26.67	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.61	-25.92	7.20	12.56	-31.28	-13.00	-18.28	H
5196.49	-27.70	8.10	16.32	-35.92	-13.00	-22.92	H
6929.51	-24.60	8.30	21.13	-37.43	-13.00	-24.43	H
3464.61	-27.64	7.20	12.56	-33.00	-13.00	-20.00	V
5196.49	-28.82	8.10	16.32	-37.04	-13.00	-24.04	V
6929.51	-27.21	8.30	21.13	-40.04	-13.00	-27.04	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.64	-28.08	7.20	12.56	-33.44	-13.00	-20.44	H
5234.86	-27.02	8.10	16.32	-35.24	-13.00	-22.24	H
6979.64	-26.34	8.30	21.13	-39.17	-13.00	-26.17	H
3490.64	-27.32	7.20	12.56	-32.68	-13.00	-19.68	V
5234.86	-24.90	8.10	16.32	-33.12	-13.00	-20.12	V
6979.64	-25.72	8.30	21.13	-38.55	-13.00	-25.55	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.53	-27.55	7.40	9.72	-29.87	-13.00	-16.87	H
2486.50	-30.37	8.30	10.86	-32.93	-13.00	-19.93	H
3315.44	-27.11	7.20	11.57	-31.48	-13.00	-18.48	H
1657.53	-29.77	7.40	9.72	-32.09	-13.00	-19.09	V
2486.50	-28.50	8.30	10.86	-31.06	-13.00	-18.06	V
3315.44	-28.91	7.20	11.57	-33.28	-13.00	-20.28	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.47	-27.65	7.40	9.72	-29.97	-13.00	-16.97	H
2508.97	-27.43	8.30	10.86	-29.99	-13.00	-16.99	H
3345.44	-25.40	7.20	11.57	-29.77	-13.00	-16.77	H
1672.47	-26.57	7.40	9.72	-28.89	-13.00	-15.89	V
2508.97	-29.38	8.30	10.86	-31.94	-13.00	-18.94	V
3345.44	-26.76	7.20	11.57	-31.13	-13.00	-18.13	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.75	-28.28	7.40	9.72	-30.60	-13.00	-17.60	H
2531.31	-25.83	8.30	10.86	-28.39	-13.00	-15.39	H
3375.76	-23.87	7.20	11.57	-28.24	-13.00	-15.24	H
1687.75	-27.44	7.40	9.72	-29.76	-13.00	-16.76	V
2531.31	-28.93	8.30	10.86	-31.49	-13.00	-18.49	V
3375.76	-26.33	7.20	11.57	-30.70	-13.00	-17.70	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.24	-30.75	8.00	15.86	-38.61	-25.00	-13.61	H
7530.97	-27.17	8.30	19.28	-38.15	-25.00	-13.15	H
10258.63	-24.38	8.10	23.19	-39.47	-25.00	-14.47	H
5021.24	-29.25	8.00	15.86	-37.11	-25.00	-12.11	V
7530.97	-25.41	8.30	19.28	-36.39	-25.00	-11.39	V
10258.63	-27.76	8.10	23.19	-42.85	-25.00	-17.85	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.70	-30.29	8.00	15.86	-38.15	-25.00	-13.15	H
7604.99	-27.78	8.30	19.28	-38.76	-25.00	-13.76	H
10139.72	-27.13	8.10	23.19	-42.22	-25.00	-17.22	H
5069.70	-28.38	8.00	15.86	-36.24	-25.00	-11.24	V
7604.99	-27.24	8.30	19.28	-38.22	-25.00	-13.22	V
10139.72	-25.14	8.10	23.19	-40.23	-25.00	-15.23	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.78	-25.95	8.00	15.86	-33.81	-25.00	-8.81	H
7678.26	-26.64	8.30	19.28	-37.62	-25.00	-12.62	H
10237.74	-23.90	8.10	23.19	-38.99	-25.00	-13.99	H
5118.78	-28.88	8.00	15.86	-36.74	-25.00	-11.74	V
7678.26	-27.34	8.30	19.28	-38.32	-25.00	-13.32	V
10237.74	-28.43	8.10	23.19	-43.52	-25.00	-18.52	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.66	-27.21	6.70	9.34	-29.85	-13.00	-16.85	H
2111.94	-28.40	7.80	10.42	-31.02	-13.00	-18.02	H
2815.60	-27.94	8.00	11.12	-31.06	-13.00	-18.06	H
1407.66	-29.19	6.70	9.34	-31.83	-13.00	-18.83	V
2111.94	-25.77	7.80	10.42	-28.39	-13.00	-15.39	V
2815.60	-27.12	8.00	11.12	-30.24	-13.00	-17.24	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.55	-29.56	6.70	9.34	-32.20	-13.00	-19.20	H
2122.20	-28.76	7.80	10.42	-31.38	-13.00	-18.38	H
2829.86	-26.31	8.00	11.12	-29.43	-13.00	-16.43	H
1414.55	-27.83	6.70	9.34	-30.47	-13.00	-17.47	V
2122.20	-29.90	7.80	10.42	-32.52	-13.00	-19.52	V
2829.86	-28.81	8.00	11.12	-31.93	-13.00	-18.93	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.77	-28.43	6.70	9.34	-31.07	-13.00	-18.07	H
2132.91	-27.79	7.80	10.42	-30.41	-13.00	-17.41	H
2843.88	-23.81	8.00	11.12	-26.93	-13.00	-13.93	H
1421.77	-27.04	6.70	9.34	-29.68	-13.00	-16.68	V
2132.91	-29.39	7.80	10.42	-32.01	-13.00	-19.01	V
2843.88	-28.03	8.00	11.12	-31.15	-13.00	-18.15	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.91	-48.52	7.40	9.72	-50.84	-40.00	-10.84	H
2345.80	-40.34	8.30	10.86	-42.90	-13.00	-29.90	H
3128.10	-37.75	7.70	11.57	-41.62	-13.00	-28.62	H
1563.91	-44.82	7.40	9.72	-47.14	-40.00	-7.14	V
2345.80	-38.60	8.30	10.86	-41.16	-13.00	-28.16	V
3128.10	-35.59	7.70	11.57	-39.46	-13.00	-26.46	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.26	-25.15	6.90	9.34	-27.59	-13.00	-14.59	H
2127.60	-26.17	8.00	10.42	-28.59	-13.00	-15.59	H
2836.67	-24.09	8.00	11.12	-27.21	-13.00	-14.21	H
1418.26	-26.09	6.90	9.34	-28.53	-13.00	-15.53	V
2127.60	-27.58	8.00	10.42	-30.00	-13.00	-17.00	V
2836.67	-27.79	8.00	11.12	-30.91	-13.00	-17.91	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.11	-29.53	6.90	9.34	-31.97	-13.00	-18.97	H
2130.29	-28.34	8.00	10.42	-30.76	-13.00	-17.76	H
2840.09	-25.88	8.00	11.12	-29.00	-13.00	-16.00	H
1420.11	-30.76	6.90	9.34	-33.20	-13.00	-20.20	V
2130.29	-26.10	8.00	10.42	-28.52	-13.00	-15.52	V
2840.09	-24.75	8.00	11.12	-27.87	-13.00	-14.87	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.23	-29.28	6.90	9.34	-31.72	-13.00	-18.72	H
2131.95	-28.45	8.00	10.42	-30.87	-13.00	-17.87	H
2842.64	-27.89	8.00	11.12	-31.01	-13.00	-18.01	H
1421.23	-26.67	6.90	9.34	-29.11	-13.00	-16.11	V
2131.95	-25.49	8.00	10.42	-27.91	-13.00	-14.91	V
2842.64	-26.40	8.00	11.12	-29.52	-13.00	-16.52	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.09	-27.46	7.00	12.93	-33.39	-13.00	-20.39	H
5580.53	-26.43	8.40	17.11	-35.14	-13.00	-22.14	H
7440.09	-26.12	8.10	22.20	-40.22	-13.00	-27.22	H
3720.09	-29.76	7.00	12.93	-35.69	-13.00	-22.69	V
5580.53	-27.59	8.40	17.11	-36.30	-13.00	-23.30	V
7440.09	-23.50	8.10	22.20	-37.60	-13.00	-24.60	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.87	-26.29	7.00	12.93	-32.22	-13.00	-19.22	H
5640.19	-26.22	8.40	17.11	-34.93	-13.00	-21.93	H
7520.00	-26.75	8.10	22.20	-40.85	-13.00	-27.85	H
3759.87	-25.98	7.00	12.93	-31.91	-13.00	-18.91	V
5640.19	-25.68	8.40	17.11	-34.39	-13.00	-21.39	V
7520.00	-25.14	8.10	22.20	-39.24	-13.00	-26.24	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.13	-24.71	7.00	12.93	-30.64	-13.00	-17.64	H
5700.12	-28.90	8.40	17.11	-37.61	-13.00	-24.61	H
7600.09	-26.84	8.10	22.20	-40.94	-13.00	-27.94	H
3800.13	-29.90	7.00	12.93	-35.83	-13.00	-22.83	V
5700.12	-25.91	8.40	17.11	-34.62	-13.00	-21.62	V
7600.09	-24.43	8.10	22.20	-38.53	-13.00	-25.53	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.17	-29.65	7.40	9.72	-31.97	-13.00	-18.97	H
2494.24	-30.01	8.30	10.86	-32.57	-13.00	-19.57	H
3325.86	-25.10	7.20	11.57	-29.47	-13.00	-16.47	H
1663.17	-27.98	7.40	9.72	-30.30	-13.00	-17.30	V
2494.24	-27.28	8.30	10.86	-29.84	-13.00	-16.84	V
3325.86	-26.01	7.20	11.57	-30.38	-13.00	-17.38	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.95	-26.72	7.40	9.72	-29.04	-13.00	-16.04	H
2509.02	-29.20	8.30	10.86	-31.76	-13.00	-18.76	H
3345.92	-24.75	7.20	11.57	-29.12	-13.00	-16.12	H
1672.95	-29.80	7.40	9.72	-32.12	-13.00	-19.12	V
2509.02	-29.18	8.30	10.86	-31.74	-13.00	-18.74	V
3345.92	-28.82	7.20	11.57	-33.19	-13.00	-20.19	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.65	-28.91	7.40	9.72	-31.23	-13.00	-18.23	H
2524.48	-28.43	8.30	10.86	-30.99	-13.00	-17.99	H
3366.43	-25.26	7.20	11.57	-29.63	-13.00	-16.63	H
1683.65	-28.36	7.40	9.72	-30.68	-13.00	-17.68	V
2524.48	-26.86	8.30	10.86	-29.42	-13.00	-16.42	V
3366.43	-28.66	7.20	11.57	-33.03	-13.00	-20.03	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.97	-33.47	8.10	15.86	-41.23	-25.00	-16.23	H
7694.82	-32.06	9.00	19.28	-42.34	-25.00	-17.34	H
10259.94	-31.03	8.70	23.19	-45.52	-25.00	-20.52	H
5129.97	-34.84	8.10	15.86	-42.60	-25.00	-17.60	V
7694.82	-34.21	9.00	19.28	-44.49	-25.00	-19.49	V
10259.94	-32.62	8.70	23.19	-47.11	-25.00	-22.11	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.00	-30.93	8.10	15.86	-38.69	-25.00	-13.69	H
7815.13	-34.89	9.00	19.28	-45.17	-25.00	-20.17	H
10420.02	-32.91	8.70	23.19	-47.40	-25.00	-22.40	H
5210.00	-34.02	8.10	15.86	-41.78	-25.00	-16.78	V
7815.13	-34.03	9.00	19.28	-44.31	-25.00	-19.31	V
10420.02	-30.31	8.70	23.19	-44.80	-25.00	-19.80	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.21	-31.98	8.10	15.86	-39.74	-25.00	-14.74	H
7935.19	-31.26	9.00	19.28	-41.54	-25.00	-16.54	H
10579.91	-31.65	8.70	23.19	-46.14	-25.00	-21.14	H
5290.21	-32.02	8.10	15.86	-39.78	-25.00	-14.78	V
7935.19	-35.07	9.00	19.28	-45.35	-25.00	-20.35	V
10579.91	-33.17	8.70	23.19	-47.66	-25.00	-22.66	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.79	-45.18	8.20	12.95	-49.93	-40.00	-9.93	H
6929.92	-42.26	8.10	17.02	-51.18	-40.00	-11.18	H
9239.81	-33.26	8.20	21.78	-46.84	-40.00	-6.84	H
4619.79	-44.39	8.20	12.95	-49.14	-40.00	-9.14	V
6929.92	-38.64	8.10	17.02	-47.56	-40.00	-7.56	V
9239.81	-32.58	8.20	21.78	-46.16	-40.00	-6.16	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4709.80	-42.00	8.20	12.95	-46.75	-40.00	-6.75	H
7064.95	-39.13	8.10	17.02	-48.05	-40.00	-8.05	H
9420.06	-34.85	8.20	21.78	-48.43	-40.00	-8.43	H
4709.80	-42.24	8.20	12.95	-46.99	-40.00	-6.99	V
7064.95	-39.71	8.10	17.02	-48.63	-40.00	-8.63	V
9420.06	-34.84	8.20	21.78	-48.42	-40.00	-8.42	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.91	-32.40	7.90	15.86	-40.36	-25.00	-15.36	H
7694.88	-33.42	9.00	19.28	-43.70	-25.00	-18.70	H
10259.94	-30.43	8.70	23.19	-44.92	-25.00	-19.92	H
5129.91	-31.11	7.90	15.86	-39.07	-25.00	-14.07	V
7694.88	-34.58	9.00	19.28	-44.86	-25.00	-19.86	V
10259.94	-33.10	8.70	23.19	-47.59	-25.00	-22.59	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.01	-33.47	7.90	15.86	-41.43	-25.00	-16.43	H
7814.92	-31.51	9.00	19.28	-41.79	-25.00	-16.79	H
10420.32	-31.40	8.70	23.19	-45.89	-25.00	-20.89	H
5210.01	-34.22	7.90	15.86	-42.18	-25.00	-17.18	V
7814.92	-31.91	9.00	19.28	-42.19	-25.00	-17.19	V
10420.32	-32.09	8.70	23.19	-46.58	-25.00	-21.58	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.27	-32.51	7.90	15.86	-40.47	-25.00	-15.47	H
7934.99	-31.15	9.00	19.28	-41.43	-25.00	-16.43	H
10580.13	-29.37	8.70	23.19	-43.86	-25.00	-18.86	H
5290.27	-33.96	7.90	15.86	-41.92	-25.00	-16.92	V
7934.99	-35.16	9.00	19.28	-45.44	-25.00	-20.44	V
10580.13	-30.35	8.70	23.19	-44.84	-25.00	-19.84	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.06	-25.07	7.20	12.56	-30.43	-13.00	-17.43	H
5160.19	-25.65	8.10	16.32	-33.87	-13.00	-20.87	H
6879.85	-23.33	8.30	21.13	-36.16	-13.00	-23.16	H
3440.06	-26.73	7.20	12.56	-32.09	-13.00	-19.09	V
5160.19	-27.09	8.10	16.32	-35.31	-13.00	-22.31	V
6879.85	-25.97	8.30	21.13	-38.80	-13.00	-25.80	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.26	-24.71	7.20	12.56	-30.07	-13.00	-17.07	H
5235.11	-28.18	8.10	16.32	-36.40	-13.00	-23.40	H
6979.91	-26.45	8.30	21.13	-39.28	-13.00	-26.28	H
3490.26	-29.40	7.20	12.56	-34.76	-13.00	-21.76	V
5235.11	-26.49	8.10	16.32	-34.71	-13.00	-21.71	V
6979.91	-27.01	8.30	21.13	-39.84	-13.00	-26.84	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.03	-26.45	7.20	12.56	-31.81	-13.00	-18.81	H
5310.19	-26.34	8.10	16.32	-34.56	-13.00	-21.56	H
7080.79	-25.80	8.30	21.13	-38.63	-13.00	-25.63	H
3540.03	-25.10	7.20	12.56	-30.46	-13.00	-17.46	V
5310.19	-24.80	8.10	16.32	-33.02	-13.00	-20.02	V
7080.79	-27.36	8.30	21.13	-40.19	-13.00	-27.19	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT25A017EM03_APPENDIX II.

※※※※※END OF THE REPORT※※※※※