



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	10.68	0	10.68	24	Pass
NVNT	a	5200	10.82	0	10.82	24	Pass
NVNT	a	5240	10.86	0	10.86	24	Pass
NVNT	a	5260	10.9	0	10.9	24	Pass
NVNT	a	5300	10.78	0	10.78	24	Pass
NVNT	a	5320	10.68	0	10.68	24	Pass
NVNT	a	5500	10.14	0	10.14	23.97	Pass
NVNT	a	5580	10.67	0	10.67	24	Pass
NVNT	a	5700	11.45	0	11.45	24	Pass
NVNT	a	5745	11.23	0	11.23	30	Pass
NVNT	a	5785	11.44	0	11.44	30	Pass
NVNT	a	5825	11.55	0	11.55	30	Pass
NVNT	n20	5180	8.43	0	8.43	24	Pass
NVNT	n20	5200	8.56	0	8.56	24	Pass
NVNT	n20	5240	8.54	0	8.54	24	Pass
NVNT	n20	5260	8.62	0	8.62	24	Pass
NVNT	n20	5300	8.28	0	8.28	24	Pass
NVNT	n20	5320	8.39	0	8.39	24	Pass
NVNT	n20	5500	8.33	0	8.33	24	Pass
NVNT	n20	5580	8.51	0	8.51	24	Pass
NVNT	n20	5700	9.15	0	9.15	24	Pass
NVNT	n20	5745	9.11	0	9.11	30	Pass
NVNT	n20	5785	9.17	0	9.17	30	Pass
NVNT	n20	5825	9.14	0	9.14	30	Pass
NVNT	n40	5190	8.6	0	8.6	24	Pass
NVNT	n40	5230	8.57	0	8.57	24	Pass
NVNT	n40	5270	8.47	0	8.47	24	Pass
NVNT	n40	5310	8.4	0	8.4	24	Pass
NVNT	n40	5510	8.13	0	8.13	24	Pass
NVNT	n40	5550	8.32	0	8.32	24	Pass
NVNT	n40	5670	8.9	0	8.9	24	Pass
NVNT	n40	5755	9.08	0	9.08	30	Pass
NVNT	n40	5795	9.17	0	9.17	30	Pass
NVNT	ac20	5180	8.26	0	8.26	24	Pass
NVNT	ac20	5200	8.5	0	8.5	24	Pass
NVNT	ac20	5240	8.48	0	8.48	24	Pass
NVNT	ac20	5260	8.64	0	8.64	24	Pass
NVNT	ac20	5300	8.55	0	8.55	24	Pass
NVNT	ac20	5320	8.47	0	8.47	24	Pass
NVNT	ac20	5500	8.59	0	8.59	24	Pass
NVNT	ac20	5580	8.68	0	8.68	24	Pass
NVNT	ac20	5700	9.02	0	9.02	24	Pass
NVNT	ac20	5745	9.03	0	9.03	30	Pass
NVNT	ac20	5785	9.2	0	9.2	30	Pass
NVNT	ac20	5825	9.21	0	9.21	30	Pass
NVNT	ac40	5190	8.51	0	8.51	24	Pass
NVNT	ac40	5230	8.49	0	8.49	24	Pass
NVNT	ac40	5270	8.58	0	8.58	24	Pass
NVNT	ac40	5310	8.37	0	8.37	24	Pass
NVNT	ac40	5510	8.1	0	8.1	24	Pass
NVNT	ac40	5550	8.13	0	8.13	24	Pass






NVNT	ac40	5670	8.87	0	8.87	24	Pass
NVNT	ac40	5755	9.12	0	9.12	30	Pass
NVNT	ac40	5795	9.23	0	9.23	30	Pass
NVNT	ac80	5210	8.44	0	8.44	24	Pass
NVNT	ac80	5290	8.44	0	8.44	24	Pass
NVNT	ac80	5530	8.08	0	8.08	24	Pass
NVNT	ac80	5610	8.47	0	8.47	24	Pass
NVNT	ac80	5775	9.09	0	9.09	30	Pass









-26dB Bandwidth




Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	20.034	Pass
NVNT	a	5200	19.994	Pass
NVNT	a	5240	19.968	Pass
NVNT	a	5260	19.907	Pass
NVNT	a	5300	19.884	Pass
NVNT	a	5320	20.021	Pass
NVNT	a	5500	19.931	Pass
NVNT	a	5580	20.094	Pass
NVNT	a	5700	20.045	Pass
NVNT	n20	5180	20.336	Pass
NVNT	n20	5200	20.168	Pass
NVNT	n20	5240	20.314	Pass
NVNT	n20	5260	20.254	Pass
NVNT	n20	5300	20.266	Pass
NVNT	n20	5320	20.137	Pass
NVNT	n20	5500	20.14	Pass
NVNT	n20	5580	20.186	Pass
NVNT	n20	5700	20.136	Pass
NVNT	n40	5190	39.674	Pass
NVNT	n40	5230	39.8	Pass
NVNT	n40	5270	40.171	Pass
NVNT	n40	5310	39.729	Pass
NVNT	n40	5510	39.689	Pass
NVNT	n40	5550	39.644	Pass
NVNT	n40	5670	39.838	Pass
NVNT	ac20	5180	20.362	Pass
NVNT	ac20	5200	20.178	Pass
NVNT	ac20	5240	20.323	Pass
NVNT	ac20	5260	20.094	Pass
NVNT	ac20	5300	20.223	Pass
NVNT	ac20	5320	20.503	Pass
NVNT	ac20	5500	20.316	Pass
NVNT	ac20	5580	20.276	Pass
NVNT	ac20	5700	20.556	Pass
NVNT	ac40	5190	39.722	Pass
NVNT	ac40	5230	39.602	Pass
NVNT	ac40	5270	39.743	Pass
NVNT	ac40	5310	39.817	Pass
NVNT	ac40	5510	39.9	Pass
NVNT	ac40	5550	40.124	Pass
NVNT	ac40	5670	39.91	Pass
NVNT	ac80	5210	79.079	Pass
NVNT	ac80	5290	79.338	Pass
NVNT	ac80	5530	79.369	Pass
NVNT	ac80	5610	78.966	Pass


























































Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.412
NVNT	a	5200	16.405
NVNT	a	5240	16.423
NVNT	a	5260	16.411
NVNT	a	5300	16.382
NVNT	a	5320	16.434
NVNT	a	5500	16.406
NVNT	a	5580	16.44
NVNT	a	5700	16.395
NVNT	a	5745	16.425
NVNT	a	5785	16.422
NVNT	a	5825	16.398
NVNT	n20	5180	17.547
NVNT	n20	5200	17.54
NVNT	n20	5240	17.558
NVNT	n20	5260	17.573
NVNT	n20	5300	17.557
NVNT	n20	5320	17.556
NVNT	n20	5500	17.568
NVNT	n20	5580	17.545
NVNT	n20	5700	17.545
NVNT	n20	5745	17.591
NVNT	n20	5785	17.578
NVNT	n20	5825	17.555
NVNT	n40	5190	35.931
NVNT	n40	5230	35.978
NVNT	n40	5270	35.965
NVNT	n40	5310	35.973
NVNT	n40	5510	35.978
NVNT	n40	5550	35.955
NVNT	n40	5670	35.989
NVNT	n40	5755	35.915
NVNT	n40	5795	35.921
NVNT	ac20	5180	17.54
NVNT	ac20	5200	17.557
NVNT	ac20	5240	17.548
NVNT	ac20	5260	17.582
NVNT	ac20	5300	17.548
NVNT	ac20	5320	17.576
NVNT	ac20	5500	17.554
NVNT	ac20	5580	17.549
NVNT	ac20	5700	17.534
NVNT	ac20	5745	17.559
NVNT	ac20	5785	17.551
NVNT	ac20	5825	17.563
NVNT	ac40	5190	36.036
NVNT	ac40	5230	35.941
NVNT	ac40	5270	35.918
NVNT	ac40	5310	35.911
NVNT	ac40	5510	35.982
NVNT	ac40	5550	35.949
NVNT	ac40	5670	35.958
NVNT	ac40	5755	35.951



NVNT	ac40	5795	35.938
NVNT	ac80	5210	75.142
NVNT	ac80	5290	75.283
NVNT	ac80	5530	75.179
NVNT	ac80	5610	75.011
NVNT	ac80	5775	75.188



