




Plot 37:

Test Date	2023-10-31
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-2 MIMO ANT 2
Signal	IEEE 802.11 n
Frequency	5270
SAR 10g (W/Kg)	0.065
SAR 1g (W/Kg)	0.164

Maximum location: X=-40.00, Y=-47.00 ; SAR Peak: 1.23 W/kg






Plot 38:

Test Date	2023-10-31
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-2 MIMO ANT 1
Signal	IEEE 802.11 n
Frequency	5270
SAR 10g (W/Kg)	0.055
SAR 1g (W/Kg)	0.112

Maximum location: X=17.00, Y=54.00 ; SAR Peak: 0.59 W/kg






Plot 39:

Test Date	2023-10-27
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-2 ANT 1
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.239
SAR 1g (W/Kg)	0.425

Maximum location: X=-24.00, Y=-32.00 ; SAR Peak: 3.60 W/kg






Plot 40:

Test Date	2023-10-27
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-2 ANT 1
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.256
SAR 1g (W/Kg)	0.449

Maximum location: X=10.00, Y=33.00 ; SAR Peak: 2.02 W/kg






Plot 41:

Test Date	2023-10-27
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-2 ANT 2
Signal	IEEE 802.11 n
Frequency	5500
SAR 10g (W/Kg)	0.210
SAR 1g (W/Kg)	0.384

Maximum location: X=-9.00, Y=-8.00 ; SAR Peak: 2.06 W/kg






Plot 42:

Test Date	2023-10-27
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-2 ANT 2
Signal	IEEE 802.11 n
Frequency	5500
SAR 10g (W/Kg)	0.280
SAR 1g (W/Kg)	0.421

Maximum location: X=16.00, Y=47.00 ; SAR Peak: 2.81 W/kg






Plot 43:

Test Date	2023-11-04
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-3 MIMO ANT 1
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.049
SAR 1g (W/Kg)	0.130

Maximum location: X=-8.00, Y=-30.00 ; SAR Peak: 1.05 W/kg






Plot 44:

Test Date	2023-11-04
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 MIMO ANT 1
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.058
SAR 1g (W/Kg)	0.116

Maximum location: X=8.00, Y=-18.00 ; SAR Peak: 1.08 W/kg






Plot 45:

Test Date	2023-11-04
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-3 MIMO ANT 2
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.082
SAR 1g (W/Kg)	0.206

Maximum location: X=0.00, Y=9.00 ; SAR Peak: 1.31 W/kg






Plot 46:

Test Date	2023-11-04
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 MIMO ANT 2
Signal	IEEE 802.11 n
Frequency	5580
SAR 10g (W/Kg)	0.064
SAR 1g (W/Kg)	0.153

Maximum location: X=-7.00, Y=-55.00 ; SAR Peak: 1.48 W/kg






Plot 47:

Test Date	2023-10-28
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-3 ANT 1
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.261
SAR 1g (W/Kg)	0.466

Maximum location: X=-64.00, Y=-24.00 ; SAR Peak: 1.93 W/kg






Plot 48:

Test Date	2023-10-28
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 ANT 1
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.275
SAR 1g (W/Kg)	0.454

Maximum location: X=-16.00, Y=9.00 ; SAR Peak: 2.21 W/kg






Plot 49:

Test Date	2023-10-28
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	U-NII-3 ANT 2
Signal	IEEE 802.11a
Frequency	5745
SAR 10g (W/Kg)	0.230
SAR 1g (W/Kg)	0.451

Maximum location: X=-64.00, Y=-32.00 ; SAR Peak: 2.42 W/kg






Plot 50:

Test Date	2023-10-28
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 ANT 2
Signal	IEEE 802.11a
Frequency	5745
SAR 10g (W/Kg)	0.299
SAR 1g (W/Kg)	0.449

Maximum location: X=-1.00, Y=-40.00 ; SAR Peak: 1.82 W/kg






Plot 51:

Test Date	2023-11-05
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-3 MIMO ANT 1
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.163
SAR 1g (W/Kg)	0.451

Maximum location: X=-22.00, Y=6.00 ; SAR Peak: 2.57 W/kg






Plot 52:

Test Date	2023-11-05
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 MIMO ANT 1
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.083
SAR 1g (W/Kg)	0.192

Maximum location: X=9.00, Y=32.00 ; SAR Peak: 1.51 W/kg






Plot 53:

Test Date	2023-11-05
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-3 MIMO ANT 2
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.096
SAR 1g (W/Kg)	0.350

Maximum location: X=-15.00, Y=6.00 ; SAR Peak: 1.97 W/kg






Plot 54:

Test Date	2023-11-05
Area Scan	surf_sam_plan.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-3 MIMO ANT 2
Signal	IEEE 802.11 n
Frequency	5745
SAR 10g (W/Kg)	0.091
SAR 1g (W/Kg)	0.217

Maximum location: X=6.00, Y=26.00 ; SAR Peak: 1.64 W/kg






Plot 55:

Test Date	2023-10-19
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.071
SAR 1g (W/Kg)	0.124

Maximum location: X=-40.00, Y=-40.00 ; SAR Peak: 0.28 W/kg






Plot 56:

Test Date	2023-10-19
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Left Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.073
SAR 1g (W/Kg)	0.139

Maximum location: X=24.00, Y=40.00 ; SAR Peak: 0.44 W/kg






Plot 57:

Test Date	2023-10-19
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.064
SAR 1g (W/Kg)	0.108

Maximum location: X=-56.00, Y=-48.00 ; SAR Peak: 0.21 W/kg






Plot 58:

Test Date	2023-10-19
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Left Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.078
SAR 1g (W/Kg)	0.132

Maximum location: X=8.00, Y=23.00 ; SAR Peak: 0.38 W/kg






Plot 59:

Test Date	2023-10-16
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1880
SAR 10g (W/Kg)	0.157
SAR 1g (W/Kg)	0.282

Maximum location: X=-66.00, Y=-47.00 ; SAR Peak: 0.52 W/kg






Plot 60:

Test Date	2023-10-16
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1880
SAR 10g (W/Kg)	0.323
SAR 1g (W/Kg)	0.563

Maximum location: X=5.00, Y=-9.00 ; SAR Peak: 0.91 W/kg






Plot 61:

Test Date	2023-10-14
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.202
SAR 1g (W/Kg)	0.384

Maximum location: X=-58.00, Y=-47.00 ; SAR Peak: 0.75 W/kg






Plot 62:

Test Date	2023-10-14
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom side
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.374
SAR 1g (W/Kg)	0.652

Maximum location: X=2.00, Y=-6.00 ; SAR Peak: 1.05 W/kg






Plot 63:

Test Date	2023-10-05
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.163
SAR 1g (W/Kg)	0.248

Maximum location: X=-48.00, Y=-39.00 ; SAR Peak: 0.42 W/kg






Plot 64:

Test Date	2023-10-05
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.199
SAR 1g (W/Kg)	0.325

Maximum location: X=8.00, Y=-3.00 ; SAR Peak: 0.51 W/kg






Plot 65:

Test Date	2023-10-21
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.152
SAR 1g (W/Kg)	0.277

Maximum location: X=-49.00, Y=-48.00 ; SAR Peak: 0.50 W/kg






Plot 66:

Test Date	2023-10-21
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.178
SAR 1g (W/Kg)	0.365

Maximum location: X=1.00, Y=16.00 ; SAR Peak: 0.70 W/kg






Plot 67:

Test Date	2023-09-29
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.119
SAR 1g (W/Kg)	0.176

Maximum location: X=-40.00, Y=-33.00 ; SAR Peak: 0.36 W/kg






Plot 68:

Test Date	2023-09-29
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.117
SAR 1g (W/Kg)	0.197

Maximum location: X=8.00, Y=1.00 ; SAR Peak: 0.32 W/kg






Plot 69:

Test Date	2023-10-01
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.170
SAR 1g (W/Kg)	0.271

Maximum location: X=-47.00, Y=-42.00 ; SAR Peak: 0.43 W/kg






Plot 70:

Test Date	2023-10-01
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.169
SAR 1g (W/Kg)	0.305

Maximum location: X=8.00, Y=-14.00 ; SAR Peak: 0.49 W/kg






Plot 71:

Test Date	2023-09-29
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.135
SAR 1g (W/Kg)	0.199

Maximum location: X=-55.00, Y=-25.00 ; SAR Peak: 0.34 W/kg






Plot 72:

Test Date	2023-09-29
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.124
SAR 1g (W/Kg)	0.206

Maximum location: X=9.00, Y=-8.00 ; SAR Peak: 0.34 W/kg






Plot 73:

Test Date	2023-10-18
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1882.5
SAR 10g (W/Kg)	0.243
SAR 1g (W/Kg)	0.418

Maximum location: X=-56.00, Y=-40.00 ; SAR Peak: 0.68 W/kg






Plot 74:

Test Date	2023-10-18
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1882.5
SAR 10g (W/Kg)	0.335
SAR 1g (W/Kg)	0.588

Maximum location: X=2.00, Y=-7.00 ; SAR Peak: 0.94 W/kg






Plot 75:

Test Date	2023-10-06
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	841.5
SAR 10g (W/Kg)	0.164
SAR 1g (W/Kg)	0.245

Maximum location: X=-47.00, Y=-48.00 ; SAR Peak: 0.43 W/kg






Plot 76:

Test Date	2023-10-06
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 26
Signal	LTE FDD
Frequency	841.5
SAR 10g (W/Kg)	0.181
SAR 1g (W/Kg)	0.304

Maximum location: X=8.00, Y=-8.00 ; SAR Peak: 0.47 W/kg






Plot 77:

Test Date	2023-10-23
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2595
SAR 10g (W/Kg)	0.100
SAR 1g (W/Kg)	0.206

Maximum location: X=-48.00, Y=-56.00 ; SAR Peak: 0.37 W/kg






Plot 78:

Test Date	2023-10-23
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 38
Signal	LTE TDD
Frequency	2595
SAR 10g (W/Kg)	0.098
SAR 1g (W/Kg)	0.159

Maximum location: X=9.00, Y=13.00 ; SAR Peak: 0.40 W/kg






Plot 79:

Test Date	2023-10-22
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.077
SAR 1g (W/Kg)	0.170

Maximum location: X=-48.00, Y=-24.00 ; SAR Peak: 0.36 W/kg






Plot 80:

Test Date	2023-10-22
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.115
SAR 1g (W/Kg)	0.244

Maximum location: X=16.00, Y=2.00 ; SAR Peak: 0.54 W/kg






Plot 81:

Test Date	2023-10-14
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.124
SAR 1g (W/Kg)	0.224

Maximum location: X=-74.00, Y=-48.00 ; SAR Peak: 0.44 W/kg






Plot 82:

Test Date	2023-10-14
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.419
SAR 1g (W/Kg)	0.740

Maximum location: X=6.00, Y=-7.00 ; SAR Peak: 1.20 W/kg






Plot 83:

Test Date	2023-10-17
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 2
Signal	NR FDD
Frequency	1880
SAR 10g (W/Kg)	0.129
SAR 1g (W/Kg)	0.206

Maximum location: X=-64.00, Y=-45.00 ; SAR Peak: 0.37 W/kg






Plot 84:

Test Date	2023-10-17
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 2
Signal	NR FDD
Frequency	1880
SAR 10g (W/Kg)	0.304
SAR 1g (W/Kg)	0.526

Maximum location: X=7.00, Y=-14.00 ; SAR Peak: 0.81 W/kg






Plot 85:

Test Date	2023-10-05
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 5
Signal	NR FDD
Frequency	836.5
SAR 10g (W/Kg)	0.121
SAR 1g (W/Kg)	0.169

Maximum location: X=-40.00, Y=-40.00 ; SAR Peak: 0.26 W/kg






Plot 86:

Test Date	2023-10-16
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 5
Signal	NR FDD
Frequency	836.5
SAR 10g (W/Kg)	0.158
SAR 1g (W/Kg)	0.276

Maximum location: X=8.00, Y=-1.00 ; SAR Peak: 0.50 W/kg






Plot 87:

Test Date	2023-10-21
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 7
Signal	NR FDD
Frequency	2510
SAR 10g (W/Kg)	0.103
SAR 1g (W/Kg)	0.210

Maximum location: X=-48.00, Y=-33.00 ; SAR Peak: 0.54 W/kg






Plot 88:

Test Date	2023-10-21
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 7
Signal	NR FDD
Frequency	2510
SAR 10g (W/Kg)	0.177
SAR 1g (W/Kg)	0.343

Maximum location: X=7.00, Y=7.00 ; SAR Peak: 0.68 W/kg






Plot 89:

Test Date	2023-10-16
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 25
Signal	NR FDD
Frequency	1860
SAR 10g (W/Kg)	0.123
SAR 1g (W/Kg)	0.202

Maximum location: X=-64.00, Y=-42.00 ; SAR Peak: 0.31 W/kg






Plot 90:

Test Date	2023-10-16
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 25
Signal	NR FDD
Frequency	1860
SAR 10g (W/Kg)	0.278
SAR 1g (W/Kg)	0.474

Maximum location: X=6.00, Y=-14.00 ; SAR Peak: 0.72 W/kg






Plot 91:

Test Date	2023-10-23
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 38
Signal	NR TDD
Frequency	2610
SAR 10g (W/Kg)	0.086
SAR 1g (W/Kg)	0.177

Maximum location: X=-56.00, Y=-32.00 ; SAR Peak: 0.40 W/kg






Plot 92:

Test Date	2023-10-23
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 38
Signal	NR TDD
Frequency	2610
SAR 10g (W/Kg)	0.121
SAR 1g (W/Kg)	0.235

Maximum location: X=7.00, Y=16.00 ; SAR Peak: 0.58 W/kg






Plot 93:

Test Date	2023-10-22
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.105
SAR 1g (W/Kg)	0.193

Maximum location: X=-42.00, Y=-37.00 ; SAR Peak: 0.41 W/kg






Plot 94:

Test Date	2023-10-22
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.110
SAR 1g (W/Kg)	0.170

Maximum location: X=8.00, Y=8.00 ; SAR Peak: 0.36 W/kg






Plot 95:

Test Date	2023-10-24
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	NR band 77
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.151
SAR 1g (W/Kg)	0.280

Maximum location: X=-48.00, Y=-53.00 ; SAR Peak: 0.51 W/kg






Plot 96:

Test Date	2023-10-24
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Right Side
Band	NR band 77
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.120
SAR 1g (W/Kg)	0.294

Maximum location: X=16.00, Y=-64.00 ; SAR Peak: 1.34 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※※END OF THE REPORT※※※※※