

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3421.21	-25.21	7.20	12.56	-30.57	-13.00	-17.57	H
5131.70	-28.42	8.10	16.32	-36.64	-13.00	-23.64	H
6842.71	-22.66	8.30	21.13	-35.49	-13.00	-22.49	H
3421.21	-25.64	7.20	12.56	-31.00	-13.00	-18.00	V
5131.70	-26.56	8.10	16.32	-34.78	-13.00	-21.78	V
6842.71	-24.06	8.30	21.13	-36.89	-13.00	-23.89	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3465.05	-24.28	7.20	12.56	-29.64	-13.00	-16.64	H
5196.59	-28.04	8.10	16.32	-36.26	-13.00	-23.26	H
6930.16	-23.34	8.30	21.13	-36.17	-13.00	-23.17	H
3465.05	-29.71	7.20	12.56	-35.07	-13.00	-22.07	V
5196.59	-27.74	8.10	16.32	-35.96	-13.00	-22.96	V
6930.16	-27.99	8.30	21.13	-40.82	-13.00	-27.82	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3508.07	-28.30	7.20	12.56	-33.66	-13.00	-20.66	H
5262.48	-27.84	8.10	16.32	-36.06	-13.00	-23.06	H
7015.73	-25.52	8.30	21.13	-38.35	-13.00	-25.35	H
3508.07	-26.64	7.20	12.56	-32.00	-13.00	-19.00	V
5262.48	-27.33	8.10	16.32	-35.55	-13.00	-22.55	V
7015.73	-24.96	8.30	21.13	-37.79	-13.00	-24.79	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3423.79	-26.69	7.20	12.56	-32.05	-13.00	-19.05	H
5135.81	-26.57	8.10	16.32	-34.79	-13.00	-21.79	H
6848.58	-26.26	8.30	21.13	-39.09	-13.00	-26.09	H
3423.79	-27.03	7.20	12.56	-32.39	-13.00	-19.39	V
5135.81	-26.82	8.10	16.32	-35.04	-13.00	-22.04	V
6848.58	-24.83	8.30	21.13	-37.66	-13.00	-24.66	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.78	-26.35	7.20	12.56	-31.71	-13.00	-18.71	H
5196.62	-28.41	8.10	16.32	-36.63	-13.00	-23.63	H
6929.72	-24.04	8.30	21.13	-36.87	-13.00	-23.87	H
3464.78	-26.56	7.20	12.56	-31.92	-13.00	-18.92	V
5196.62	-25.24	8.10	16.32	-33.46	-13.00	-20.46	V
6929.72	-26.65	8.30	21.13	-39.48	-13.00	-26.48	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3506.13	-28.68	7.20	12.56	-34.04	-13.00	-21.04	H
5261.58	-24.60	8.10	16.32	-32.82	-13.00	-19.82	H
7012.67	-25.40	8.30	21.13	-38.23	-13.00	-25.23	H
3506.13	-27.99	7.20	12.56	-33.35	-13.00	-20.35	V
5261.58	-28.38	8.10	16.32	-36.60	-13.00	-23.60	V
7012.67	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3425.06	-24.43	7.20	12.56	-29.79	-13.00	-16.79	H
5136.93	-24.49	8.10	16.32	-32.71	-13.00	-19.71	H
6849.90	-23.91	8.30	21.13	-36.74	-13.00	-23.74	H
3425.06	-25.29	7.20	12.56	-30.65	-13.00	-17.65	V
5136.93	-26.62	8.10	16.32	-34.84	-13.00	-21.84	V
6849.90	-26.97	8.30	21.13	-39.80	-13.00	-26.80	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.36	-28.74	7.20	12.56	-34.10	-13.00	-21.10	H
5196.76	-25.51	8.10	16.32	-33.73	-13.00	-20.73	H
6929.68	-26.71	8.30	21.13	-39.54	-13.00	-26.54	H
3464.36	-29.45	7.20	12.56	-34.81	-13.00	-21.81	V
5196.76	-25.23	8.10	16.32	-33.45	-13.00	-20.45	V
6929.68	-25.24	8.30	21.13	-38.07	-13.00	-25.07	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3505.10	-27.15	7.20	12.56	-32.51	-13.00	-19.51	H
5257.08	-24.66	8.10	16.32	-32.88	-13.00	-19.88	H
7009.98	-26.67	8.30	21.13	-39.50	-13.00	-26.50	H
3505.10	-29.85	7.20	12.56	-35.21	-13.00	-22.21	V
5257.08	-27.87	8.10	16.32	-36.09	-13.00	-23.09	V
7009.98	-25.53	8.30	21.13	-38.36	-13.00	-25.36	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3429.80	-28.83	7.20	12.56	-34.19	-13.00	-21.19	H
5145.28	-25.02	8.10	16.32	-33.24	-13.00	-20.24	H
6860.51	-22.77	8.30	21.13	-35.60	-13.00	-22.60	H
3429.80	-27.08	7.20	12.56	-32.44	-13.00	-19.44	V
5145.28	-25.10	8.10	16.32	-33.32	-13.00	-20.32	V
6860.51	-24.43	8.30	21.13	-37.26	-13.00	-24.26	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.68	-26.07	7.20	12.56	-31.43	-13.00	-18.43	H
5196.38	-26.16	8.10	16.32	-34.38	-13.00	-21.38	H
6929.77	-23.28	8.30	21.13	-36.11	-13.00	-23.11	H
3464.68	-27.51	7.20	12.56	-32.87	-13.00	-19.87	V
5196.38	-27.05	8.10	16.32	-35.27	-13.00	-22.27	V
6929.77	-26.81	8.30	21.13	-39.64	-13.00	-26.64	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3500.35	-25.44	7.20	12.56	-30.80	-13.00	-17.80	H
5250.45	-24.58	8.10	16.32	-32.80	-13.00	-19.80	H
7000.10	-22.98	8.30	21.13	-35.81	-13.00	-22.81	H
3500.35	-28.82	7.20	12.56	-34.18	-13.00	-21.18	V
5250.45	-28.32	8.10	16.32	-36.54	-13.00	-23.54	V
7000.10	-23.61	8.30	21.13	-36.44	-13.00	-23.44	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3434.72	-28.48	7.20	12.56	-33.84	-13.00	-20.84	H
5152.29	-27.12	8.10	16.32	-35.34	-13.00	-22.34	H
6870.59	-26.00	8.30	21.13	-38.83	-13.00	-25.83	H
3434.72	-27.43	7.20	12.56	-32.79	-13.00	-19.79	V
5152.29	-27.84	8.10	16.32	-36.06	-13.00	-23.06	V
6870.59	-23.54	8.30	21.13	-36.37	-13.00	-23.37	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.96	-26.44	7.20	12.56	-31.80	-13.00	-18.80	H
5196.49	-28.49	8.10	16.32	-36.71	-13.00	-23.71	H
6930.05	-25.39	8.30	21.13	-38.22	-13.00	-25.22	H
3464.96	-29.32	7.20	12.56	-34.68	-13.00	-21.68	V
5196.49	-26.32	8.10	16.32	-34.54	-13.00	-21.54	V
6930.05	-28.06	8.30	21.13	-40.89	-13.00	-27.89	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3495.42	-24.51	7.20	12.56	-29.87	-13.00	-16.87	H
5242.00	-27.37	8.10	16.32	-35.59	-13.00	-22.59	H
6990.18	-27.07	8.30	21.13	-39.90	-13.00	-26.90	H
3495.42	-29.20	7.20	12.56	-34.56	-13.00	-21.56	V
5242.00	-25.90	8.10	16.32	-34.12	-13.00	-21.12	V
6990.18	-23.55	8.30	21.13	-36.38	-13.00	-23.38	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3440.03	-25.43	7.20	12.56	-30.79	-13.00	-17.79	H
5160.11	-27.95	8.10	16.32	-36.17	-13.00	-23.17	H
6880.85	-26.64	8.30	21.13	-39.47	-13.00	-26.47	H
3440.03	-26.46	7.20	12.56	-31.82	-13.00	-18.82	V
5160.11	-26.39	8.10	16.32	-34.61	-13.00	-21.61	V
6880.85	-25.31	8.30	21.13	-38.14	-13.00	-25.14	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.94	-24.87	7.20	12.56	-30.23	-13.00	-17.23	H
5196.69	-25.36	8.10	16.32	-33.58	-13.00	-20.58	H
6929.71	-25.03	8.30	21.13	-37.86	-13.00	-24.86	H
3464.94	-27.98	7.20	12.56	-33.34	-13.00	-20.34	V
5196.69	-26.99	8.10	16.32	-35.21	-13.00	-22.21	V
6929.71	-24.03	8.30	21.13	-36.86	-13.00	-23.86	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.58	-27.11	7.20	12.56	-32.47	-13.00	-19.47	H
5235.22	-27.80	8.10	16.32	-36.02	-13.00	-23.02	H
6979.40	-25.48	8.30	21.13	-38.31	-13.00	-25.31	H
3490.58	-27.13	7.20	12.56	-32.49	-13.00	-19.49	V
5235.22	-25.54	8.10	16.32	-33.76	-13.00	-20.76	V
6979.40	-26.02	8.30	21.13	-38.85	-13.00	-25.85	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1648.76	-29.32	7.40	9.72	-31.64	-13.00	-18.64	H
2473.46	-26.99	8.30	10.86	-29.55	-13.00	-16.55	H
3298.47	-27.68	7.20	11.57	-32.05	-13.00	-19.05	H
1648.76	-29.51	7.40	9.72	-31.83	-13.00	-18.83	V
2473.46	-27.82	8.30	10.86	-30.38	-13.00	-17.38	V
3298.47	-26.05	7.20	11.57	-30.42	-13.00	-17.42	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.93	-29.82	7.40	9.72	-32.14	-13.00	-19.14	H
2508.92	-30.26	8.30	10.86	-32.82	-13.00	-19.82	H
3345.42	-26.30	7.20	11.57	-30.67	-13.00	-17.67	H
1672.93	-29.86	7.40	9.72	-32.18	-13.00	-19.18	V
2508.92	-28.77	8.30	10.86	-31.33	-13.00	-18.33	V
3345.42	-24.35	7.20	11.57	-28.72	-13.00	-15.72	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.07	-29.58	7.40	9.72	-31.90	-13.00	-18.90	H
2544.44	-30.14	8.30	10.86	-32.70	-13.00	-19.70	H
3393.00	-26.48	7.20	11.57	-30.85	-13.00	-17.85	H
1696.07	-28.12	7.40	9.72	-30.44	-13.00	-17.44	V
2544.44	-25.32	8.30	10.86	-27.88	-13.00	-14.88	V
3393.00	-26.42	7.20	11.57	-30.79	-13.00	-17.79	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1650.33	-26.60	7.40	9.72	-28.92	-13.00	-15.92	H
2475.76	-29.16	8.30	10.86	-31.72	-13.00	-18.72	H
3301.56	-28.41	7.20	11.57	-32.78	-13.00	-19.78	H
1650.33	-26.90	7.40	9.72	-29.22	-13.00	-16.22	V
2475.76	-28.31	8.30	10.86	-30.87	-13.00	-17.87	V
3301.56	-26.20	7.20	11.57	-30.57	-13.00	-17.57	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1672.12	-26.57	7.40	9.72	-28.89	-13.00	-15.89	H
2508.89	-30.25	8.30	10.86	-32.81	-13.00	-19.81	H
3345.83	-26.35	7.20	11.57	-30.72	-13.00	-17.72	H
1672.12	-28.99	7.40	9.72	-31.31	-13.00	-18.31	V
2508.89	-29.07	8.30	10.86	-31.63	-13.00	-18.63	V
3345.83	-24.45	7.20	11.57	-28.82	-13.00	-15.82	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1694.25	-27.98	7.40	9.72	-30.30	-13.00	-17.30	H
2541.73	-26.90	8.30	10.86	-29.46	-13.00	-16.46	H
3389.54	-25.02	7.20	11.57	-29.39	-13.00	-16.39	H
1694.25	-28.26	7.40	9.72	-30.58	-13.00	-17.58	V
2541.73	-27.71	8.30	10.86	-30.27	-13.00	-17.27	V
3389.54	-28.44	7.20	11.57	-32.81	-13.00	-19.81	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.37	-27.28	7.40	9.72	-29.60	-13.00	-16.60	H
2478.81	-28.69	8.30	10.86	-31.25	-13.00	-18.25	H
3305.30	-26.28	7.20	11.57	-30.65	-13.00	-17.65	H
1652.37	-27.38	7.40	9.72	-29.70	-13.00	-16.70	V
2478.81	-27.64	8.30	10.86	-30.20	-13.00	-17.20	V
3305.30	-28.85	7.20	11.57	-33.22	-13.00	-20.22	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.30	-28.25	7.40	9.72	-30.57	-13.00	-17.57	H
2508.60	-27.15	8.30	10.86	-29.71	-13.00	-16.71	H
3345.20	-24.60	7.20	11.57	-28.97	-13.00	-15.97	H
1672.30	-28.86	7.40	9.72	-31.18	-13.00	-18.18	V
2508.60	-27.83	8.30	10.86	-30.39	-13.00	-17.39	V
3345.20	-26.72	7.20	11.57	-31.09	-13.00	-18.09	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.30	-28.21	7.40	9.72	-30.53	-13.00	-17.53	H
2538.64	-27.26	8.30	10.86	-29.82	-13.00	-16.82	H
3385.55	-27.14	7.20	11.57	-31.51	-13.00	-18.51	H
1692.30	-26.93	7.40	9.72	-29.25	-13.00	-16.25	V
2538.64	-25.26	8.30	10.86	-27.82	-13.00	-14.82	V
3385.55	-25.87	7.20	11.57	-30.24	-13.00	-17.24	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.58	-29.87	7.40	9.72	-32.19	-13.00	-19.19	H
2486.55	-28.39	8.30	10.86	-30.95	-13.00	-17.95	H
3315.18	-28.54	7.20	11.57	-32.91	-13.00	-19.91	H
1657.58	-26.20	7.40	9.72	-28.52	-13.00	-15.52	V
2486.55	-26.07	8.30	10.86	-28.63	-13.00	-15.63	V
3315.18	-28.71	7.20	11.57	-33.08	-13.00	-20.08	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.45	-27.46	7.40	9.72	-29.78	-13.00	-16.78	H
2508.77	-25.66	8.30	10.86	-28.22	-13.00	-15.22	H
3345.03	-24.89	7.20	11.57	-29.26	-13.00	-16.26	H
1672.45	-27.30	7.40	9.72	-29.62	-13.00	-16.62	V
2508.77	-28.60	8.30	10.86	-31.16	-13.00	-18.16	V
3345.03	-27.94	7.20	11.57	-32.31	-13.00	-19.31	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1687.54	-28.35	7.40	9.72	-30.67	-13.00	-17.67	H
2531.57	-26.27	8.30	10.86	-28.83	-13.00	-15.83	H
3375.67	-23.82	7.20	11.57	-28.19	-13.00	-15.19	H
1687.54	-28.80	7.40	9.72	-31.12	-13.00	-18.12	V
2531.57	-25.67	8.30	10.86	-28.23	-13.00	-15.23	V
3375.67	-25.90	7.20	11.57	-30.27	-13.00	-17.27	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5004.91	-29.24	8.00	15.86	-37.10	-25.00	-12.10	H
7507.80	-28.35	8.30	19.28	-39.33	-25.00	-14.33	H
10010.44	-26.68	8.10	23.19	-41.77	-25.00	-16.77	H
5004.91	-27.70	8.00	15.86	-35.56	-25.00	-10.56	V
7507.80	-27.34	8.30	19.28	-38.32	-25.00	-13.32	V
10010.44	-27.46	8.10	23.19	-42.55	-25.00	-17.55	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.63	-26.29	8.00	15.86	-34.15	-25.00	-9.15	H
7604.73	-27.13	8.30	19.28	-38.11	-25.00	-13.11	H
10139.68	-25.92	8.10	23.19	-41.01	-25.00	-16.01	H
5069.63	-31.08	8.00	15.86	-38.94	-25.00	-13.94	V
7604.73	-26.07	8.30	19.28	-37.05	-25.00	-12.05	V
10139.68	-24.21	8.10	23.19	-39.30	-25.00	-14.30	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5133.87	-27.52	8.00	15.86	-35.38	-25.00	-10.38	H
7701.41	-25.50	8.30	19.28	-36.48	-25.00	-11.48	H
10268.51	-26.60	8.10	23.19	-41.69	-25.00	-16.69	H
5133.87	-27.83	8.00	15.86	-35.69	-25.00	-10.69	V
7701.41	-26.39	8.30	19.28	-37.37	-25.00	-12.37	V
10268.51	-28.95	8.10	23.19	-44.04	-25.00	-19.04	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.43	-29.14	8.00	15.86	-37.00	-25.00	-12.00	H
7515.76	-29.54	8.30	19.28	-40.52	-25.00	-15.52	H
10020.66	-26.46	8.10	23.19	-41.55	-25.00	-16.55	H
5010.43	-27.84	8.00	15.86	-35.70	-25.00	-10.70	V
7515.76	-25.39	8.30	19.28	-36.37	-25.00	-11.37	V
10020.66	-24.35	8.10	23.19	-39.44	-25.00	-14.44	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.00	-30.67	8.00	15.86	-38.53	-25.00	-13.53	H
7604.88	-28.15	8.30	19.28	-39.13	-25.00	-14.13	H
10139.89	-26.15	8.10	23.19	-41.24	-25.00	-16.24	H
5070.00	-31.68	8.00	15.86	-39.54	-25.00	-14.54	V
7604.88	-30.05	8.30	19.28	-41.03	-25.00	-16.03	V
10139.89	-26.49	8.10	23.19	-41.58	-25.00	-16.58	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.13	-27.63	8.00	15.86	-35.49	-25.00	-10.49	H
7693.84	-27.91	8.30	19.28	-38.89	-25.00	-13.89	H
10258.93	-26.71	8.10	23.19	-41.80	-25.00	-16.80	H
5129.13	-27.26	8.00	15.86	-35.12	-25.00	-10.12	V
7693.84	-28.60	8.30	19.28	-39.58	-25.00	-14.58	V
10258.93	-26.87	8.10	23.19	-41.96	-25.00	-16.96	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
5015.56	-28.91	8.00	15.86	-36.77	-25.00	-11.77	H
7524.04	-30.32	8.30	19.28	-41.30	-25.00	-16.30	H
10031.95	-25.42	8.10	23.19	-40.51	-25.00	-15.51	H
5015.56	-31.89	8.00	15.86	-39.75	-25.00	-14.75	V
7524.04	-26.28	8.30	19.28	-37.26	-25.00	-12.26	V
10031.95	-28.90	8.10	23.19	-43.99	-25.00	-18.99	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
5069.97	-29.58	8.00	15.86	-37.44	-25.00	-12.44	H
7604.81	-29.32	8.30	19.28	-40.30	-25.00	-15.30	H
10139.56	-24.20	8.10	23.19	-39.29	-25.00	-14.29	H
5069.97	-27.65	8.00	15.86	-35.51	-25.00	-10.51	V
7604.81	-25.87	8.30	19.28	-36.85	-25.00	-11.85	V
10139.56	-28.33	8.10	23.19	-43.42	-25.00	-18.42	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
5123.29	-29.16	8.00	15.86	-37.02	-25.00	-12.02	H
7523.95	-29.61	8.30	19.28	-40.59	-25.00	-15.59	H
10031.98	-27.45	8.10	23.19	-42.54	-25.00	-17.54	H
5123.29	-29.58	8.00	15.86	-37.44	-25.00	-12.44	V
7523.95	-25.32	8.30	19.28	-36.30	-25.00	-11.30	V
10031.98	-27.74	8.10	23.19	-42.83	-25.00	-17.83	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5020.89	-26.44	8.00	15.86	-34.30	-25.00	-9.30	H
7531.11	-25.63	8.30	19.28	-36.61	-25.00	-11.61	H
10258.99	-26.49	8.10	23.19	-41.58	-25.00	-16.58	H
5020.89	-29.26	8.00	15.86	-37.12	-25.00	-12.12	V
7531.11	-26.96	8.30	19.28	-37.94	-25.00	-12.94	V
10258.99	-25.99	8.10	23.19	-41.08	-25.00	-16.08	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.80	-29.79	8.00	15.86	-37.65	-25.00	-12.65	H
7604.78	-29.32	8.30	19.28	-40.30	-25.00	-15.30	H
10139.82	-27.92	8.10	23.19	-43.01	-25.00	-18.01	H
5069.80	-29.89	8.00	15.86	-37.75	-25.00	-12.75	V
7604.78	-27.13	8.30	19.28	-38.11	-25.00	-13.11	V
10139.82	-24.42	8.10	23.19	-39.51	-25.00	-14.51	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5118.74	-27.23	8.00	15.86	-35.09	-25.00	-10.09	H
7678.28	-28.53	8.30	19.28	-39.51	-25.00	-14.51	H
10237.67	-26.83	8.10	23.19	-41.92	-25.00	-16.92	H
5118.74	-30.22	8.00	15.86	-38.08	-25.00	-13.08	V
7678.28	-29.17	8.30	19.28	-40.15	-25.00	-15.15	V
10237.67	-25.33	8.10	23.19	-40.42	-25.00	-15.42	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1398.94	-28.12	6.70	9.34	-30.76	-13.00	-17.76	H
2098.65	-27.62	7.80	10.42	-30.24	-13.00	-17.24	H
2798.36	-24.83	8.00	11.12	-27.95	-13.00	-14.95	H
1398.94	-30.42	6.70	9.34	-33.06	-13.00	-20.06	V
2098.65	-28.83	7.80	10.42	-31.45	-13.00	-18.45	V
2798.36	-24.71	8.00	11.12	-27.83	-13.00	-14.83	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1414.75	-27.60	6.70	9.34	-30.24	-13.00	-17.24	H
2122.26	-26.88	7.80	10.42	-29.50	-13.00	-16.50	H
2829.76	-25.63	8.00	11.12	-28.75	-13.00	-15.75	H
1414.75	-28.51	6.70	9.34	-31.15	-13.00	-18.15	V
2122.26	-30.20	7.80	10.42	-32.82	-13.00	-19.82	V
2829.76	-25.11	8.00	11.12	-28.23	-13.00	-15.23	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1430.37	-25.01	6.70	9.34	-27.65	-13.00	-14.65	H
2145.53	-30.49	7.80	10.42	-33.11	-13.00	-20.11	H
2860.98	-27.20	8.00	11.12	-30.32	-13.00	-17.32	H
1430.37	-31.02	6.70	9.34	-33.66	-13.00	-20.66	V
2145.53	-26.75	7.80	10.42	-29.37	-13.00	-16.37	V
2860.98	-25.11	8.00	11.12	-28.23	-13.00	-15.23	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1400.63	-28.95	6.70	9.34	-31.59	-13.00	-18.59	H
2101.32	-29.39	7.80	10.42	-32.01	-13.00	-19.01	H
2801.87	-26.54	8.00	11.12	-29.66	-13.00	-16.66	H
1400.63	-27.19	6.70	9.34	-29.83	-13.00	-16.83	V
2101.32	-26.97	7.80	10.42	-29.59	-13.00	-16.59	V
2801.87	-25.00	8.00	11.12	-28.12	-13.00	-15.12	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.59	-27.92	6.70	9.34	-30.56	-13.00	-17.56	H
2122.24	-25.56	7.80	10.42	-28.18	-13.00	-15.18	H
2829.51	-24.29	8.00	11.12	-27.41	-13.00	-14.41	H
1414.59	-27.11	6.70	9.34	-29.75	-13.00	-16.75	V
2122.24	-28.60	7.80	10.42	-31.22	-13.00	-18.22	V
2829.51	-28.48	8.00	11.12	-31.60	-13.00	-18.60	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1428.99	-25.00	6.70	9.34	-27.64	-13.00	-14.64	H
2143.05	-29.72	7.80	10.42	-32.34	-13.00	-19.34	H
2857.97	-25.25	8.00	11.12	-28.37	-13.00	-15.37	H
1428.99	-26.68	6.70	9.34	-29.32	-13.00	-16.32	V
2143.05	-29.38	7.80	10.42	-32.00	-13.00	-19.00	V
2857.97	-28.25	8.00	11.12	-31.37	-13.00	-18.37	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1402.78	-27.85	6.70	9.34	-30.49	-13.00	-17.49	H
2104.34	-30.13	7.80	10.42	-32.75	-13.00	-19.75	H
2805.67	-23.95	8.00	11.12	-27.07	-13.00	-14.07	H
1402.78	-30.71	6.70	9.34	-33.35	-13.00	-20.35	V
2104.34	-29.64	7.80	10.42	-32.26	-13.00	-19.26	V
2805.67	-26.26	8.00	11.12	-29.38	-13.00	-16.38	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1414.96	-26.55	6.70	9.34	-29.19	-13.00	-16.19	H
2122.49	-27.57	7.80	10.42	-30.19	-13.00	-17.19	H
2829.68	-27.68	8.00	11.12	-30.80	-13.00	-17.80	H
1414.96	-26.74	6.70	9.34	-29.38	-13.00	-16.38	V
2122.49	-29.35	7.80	10.42	-31.97	-13.00	-18.97	V
2829.68	-25.42	8.00	11.12	-28.54	-13.00	-15.54	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1426.84	-28.32	6.70	9.34	-30.96	-13.00	-17.96	H
2140.31	-29.98	7.80	10.42	-32.60	-13.00	-19.60	H
2853.87	-24.53	8.00	11.12	-27.65	-13.00	-14.65	H
1426.84	-29.64	6.70	9.34	-32.28	-13.00	-19.28	V
2140.31	-30.18	7.80	10.42	-32.80	-13.00	-19.80	V
2853.87	-27.90	8.00	11.12	-31.02	-13.00	-18.02	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.81	-26.23	6.70	9.34	-28.87	-13.00	-15.87	H
2111.91	-29.78	7.80	10.42	-32.40	-13.00	-19.40	H
2815.66	-28.38	8.00	11.12	-31.50	-13.00	-18.50	H
1407.81	-28.11	6.70	9.34	-30.75	-13.00	-17.75	V
2111.91	-28.65	7.80	10.42	-31.27	-13.00	-18.27	V
2815.66	-27.89	8.00	11.12	-31.01	-13.00	-18.01	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.90	-25.52	6.70	9.34	-28.16	-13.00	-15.16	H
2122.02	-28.06	7.80	10.42	-30.68	-13.00	-17.68	H
2829.94	-27.16	8.00	11.12	-30.28	-13.00	-17.28	H
1414.90	-30.43	6.70	9.34	-33.07	-13.00	-20.07	V
2122.02	-25.28	7.80	10.42	-27.90	-13.00	-14.90	V
2829.94	-27.65	8.00	11.12	-30.77	-13.00	-17.77	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.80	-25.40	6.70	9.34	-28.04	-13.00	-15.04	H
2132.59	-30.17	7.80	10.42	-32.79	-13.00	-19.79	H
2843.60	-23.90	8.00	11.12	-27.02	-13.00	-14.02	H
1421.80	-29.16	6.70	9.34	-31.80	-13.00	-18.80	V
2132.59	-29.48	7.80	10.42	-32.10	-13.00	-19.10	V
2843.60	-28.13	8.00	11.12	-31.25	-13.00	-18.25	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1559.37	-45.01	7.40	9.72	-47.33	-40.00	-7.33	H
2338.18	-36.83	8.30	10.86	-39.39	-13.00	-26.39	H
3117.98	-37.69	7.70	11.57	-41.56	-13.00	-28.56	H
1559.37	-48.40	7.40	9.72	-50.72	-40.00	-10.72	V
2338.18	-37.17	8.30	10.86	-39.73	-13.00	-26.73	V
3117.98	-38.48	7.70	11.57	-42.35	-13.00	-29.35	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1564.32	-45.80	7.40	9.72	-48.12	-40.00	-8.12	H
2346.07	-38.77	8.30	10.86	-41.33	-13.00	-28.33	H
3127.99	-37.12	7.70	11.57	-40.99	-13.00	-27.99	H
1564.32	-45.43	7.40	9.72	-47.75	-40.00	-7.75	V
2346.07	-40.06	8.30	10.86	-42.62	-13.00	-29.62	V
3127.99	-38.96	7.70	11.57	-42.83	-13.00	-29.83	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1568.98	-43.97	7.40	9.72	-46.29	-40.00	-6.29	H
2353.39	-40.01	8.30	10.86	-42.57	-13.00	-29.57	H
3138.27	-36.78	7.70	11.57	-40.65	-13.00	-27.65	H
1568.98	-45.39	7.40	9.72	-47.71	-40.00	-7.71	V
2353.39	-37.01	8.30	10.86	-39.57	-13.00	-26.57	V
3138.27	-37.99	7.70	11.57	-41.86	-13.00	-28.86	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1564.04	-45.67	7.40	9.72	-47.99	-40.00	-7.99	H
2346.05	-36.82	8.30	10.86	-39.38	-13.00	-26.38	H
3127.98	-37.50	7.70	11.57	-41.37	-13.00	-28.37	H
1564.04	-48.40	7.40	9.72	-50.72	-40.00	-10.72	V
2346.05	-37.98	8.30	10.86	-40.54	-13.00	-27.54	V
3127.98	-37.33	7.70	11.57	-41.20	-13.00	-28.20	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1413.10	-25.17	6.90	9.34	-27.61	-13.00	-14.61	H
2120.67	-28.27	8.00	10.42	-30.69	-13.00	-17.69	H
2826.68	-25.82	8.00	11.12	-28.94	-13.00	-15.94	H
1413.10	-30.83	6.90	9.34	-33.27	-13.00	-20.27	V
2120.67	-27.63	8.00	10.42	-30.05	-13.00	-17.05	V
2826.68	-28.47	8.00	11.12	-31.59	-13.00	-18.59	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1420.01	-29.00	6.90	9.34	-31.44	-13.00	-18.44	H
2129.87	-26.70	8.00	10.42	-29.12	-13.00	-16.12	H
2840.02	-27.45	8.00	11.12	-30.57	-13.00	-17.57	H
1420.01	-27.78	6.90	9.34	-30.22	-13.00	-17.22	V
2129.87	-26.15	8.00	10.42	-28.57	-13.00	-15.57	V
2840.02	-27.95	8.00	11.12	-31.07	-13.00	-18.07	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1426.34	-28.16	6.90	9.34	-30.60	-13.00	-17.60	H
2139.53	-29.66	8.00	10.42	-32.08	-13.00	-19.08	H
2852.80	-25.14	8.00	11.12	-28.26	-13.00	-15.26	H
1426.34	-30.59	6.90	9.34	-33.03	-13.00	-20.03	V
2139.53	-26.90	8.00	10.42	-29.32	-13.00	-16.32	V
2852.80	-28.35	8.00	11.12	-31.47	-13.00	-18.47	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.44	-26.33	6.90	9.34	-28.77	-13.00	-15.77	H
2127.18	-30.38	8.00	10.42	-32.80	-13.00	-19.80	H
2836.60	-26.99	8.00	11.12	-30.11	-13.00	-17.11	H
1418.44	-30.71	6.90	9.34	-33.15	-13.00	-20.15	V
2127.18	-25.77	8.00	10.42	-28.19	-13.00	-15.19	V
2836.60	-26.19	8.00	11.12	-29.31	-13.00	-16.31	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.26	-25.96	6.90	9.34	-28.40	-13.00	-15.40	H
2130.12	-25.51	8.00	10.42	-27.93	-13.00	-14.93	H
2840.14	-25.72	8.00	11.12	-28.84	-13.00	-15.84	H
1420.26	-28.18	6.90	9.34	-30.62	-13.00	-17.62	V
2130.12	-27.65	8.00	10.42	-30.07	-13.00	-17.07	V
2840.14	-25.68	8.00	11.12	-28.80	-13.00	-15.80	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.31	-27.28	6.90	9.34	-29.72	-13.00	-16.72	H
2131.89	-28.28	8.00	10.42	-30.70	-13.00	-17.70	H
2842.62	-28.54	8.00	11.12	-31.66	-13.00	-18.66	H
1421.31	-29.17	6.90	9.34	-31.61	-13.00	-18.61	V
2131.89	-28.70	8.00	10.42	-31.12	-13.00	-18.12	V
2842.62	-25.88	8.00	11.12	-29.00	-13.00	-16.00	V

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3701.04	-25.33	7.00	12.93	-31.26	-13.00	-18.26	H
5551.93	-24.96	8.40	17.11	-33.67	-13.00	-20.67	H
7402.65	-26.89	8.10	22.20	-40.99	-13.00	-27.99	H
3701.04	-29.44	7.00	12.93	-35.37	-13.00	-22.37	V
5551.93	-24.63	8.40	17.11	-33.34	-13.00	-20.34	V
7402.65	-23.25	8.10	22.20	-37.35	-13.00	-24.35	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.03	-28.41	7.00	12.93	-34.34	-13.00	-21.34	H
5640.22	-28.43	8.40	17.11	-37.14	-13.00	-24.14	H
7519.92	-26.70	8.10	22.20	-40.80	-13.00	-27.80	H
3760.03	-26.28	7.00	12.93	-32.21	-13.00	-19.21	V
5640.22	-28.17	8.40	17.11	-36.88	-13.00	-23.88	V
7519.92	-23.73	8.10	22.20	-37.83	-13.00	-24.83	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3818.45	-27.71	7.00	12.93	-33.64	-13.00	-20.64	H
5727.51	-25.62	8.40	17.11	-34.33	-13.00	-21.33	H
7637.13	-26.02	8.10	22.20	-40.12	-13.00	-27.12	H
3818.45	-28.95	7.00	12.93	-34.88	-13.00	-21.88	V
5727.51	-28.29	8.40	17.11	-37.00	-13.00	-24.00	V
7637.13	-27.52	8.10	22.20	-41.62	-13.00	-28.62	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3703.12	-24.12	7.00	12.93	-30.05	-13.00	-17.05	H
5554.56	-24.75	8.40	17.11	-33.46	-13.00	-20.46	H
7405.88	-25.54	8.10	22.20	-39.64	-13.00	-26.64	H
3703.12	-26.69	7.00	12.93	-32.62	-13.00	-19.62	V
5554.56	-29.20	8.40	17.11	-37.91	-13.00	-24.91	V
7405.88	-27.82	8.10	22.20	-41.92	-13.00	-28.92	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.95	-24.62	7.00	12.93	-30.55	-13.00	-17.55	H
5640.15	-26.66	8.40	17.11	-35.37	-13.00	-22.37	H
7520.11	-24.09	8.10	22.20	-38.19	-13.00	-25.19	H
3759.95	-26.43	7.00	12.93	-32.36	-13.00	-19.36	V
5640.15	-25.70	8.40	17.11	-34.41	-13.00	-21.41	V
7520.11	-27.09	8.10	22.20	-41.19	-13.00	-28.19	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3817.14	-26.20	7.00	12.93	-32.13	-13.00	-19.13	H
5725.59	-26.92	8.40	17.11	-35.63	-13.00	-22.63	H
7633.85	-24.29	8.10	22.20	-38.39	-13.00	-25.39	H
3817.14	-26.12	7.00	12.93	-32.05	-13.00	-19.05	V
5725.59	-28.85	8.40	17.11	-37.56	-13.00	-24.56	V
7633.85	-26.12	8.10	22.20	-40.22	-13.00	-27.22	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3705.12	-26.08	7.00	12.93	-32.01	-13.00	-19.01	H
5557.41	-29.10	8.40	17.11	-37.81	-13.00	-24.81	H
7409.91	-26.45	8.10	22.20	-40.55	-13.00	-27.55	H
3705.12	-29.04	7.00	12.93	-34.97	-13.00	-21.97	V
5557.41	-29.07	8.40	17.11	-37.78	-13.00	-24.78	V
7409.91	-23.92	8.10	22.20	-38.02	-13.00	-25.02	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.20	-26.49	7.00	12.93	-32.42	-13.00	-19.42	H
5639.82	-27.15	8.40	17.11	-35.86	-13.00	-22.86	H
7519.92	-26.74	8.10	22.20	-40.84	-13.00	-27.84	H
3760.20	-27.21	7.00	12.93	-33.14	-13.00	-20.14	V
5639.82	-24.48	8.40	17.11	-33.19	-13.00	-20.19	V
7519.92	-23.45	8.10	22.20	-37.55	-13.00	-24.55	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3815.36	-28.55	7.00	12.93	-34.48	-13.00	-21.48	H
5722.29	-28.92	8.40	17.11	-37.63	-13.00	-24.63	H
7630.30	-25.40	8.10	22.20	-39.50	-13.00	-26.50	H
3815.36	-26.89	7.00	12.93	-32.82	-13.00	-19.82	V
5722.29	-25.43	8.40	17.11	-34.14	-13.00	-21.14	V
7630.30	-26.60	8.10	22.20	-40.70	-13.00	-27.70	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.20	-27.19	7.00	12.93	-33.12	-13.00	-20.12	H
5565.13	-29.05	8.40	17.11	-37.76	-13.00	-24.76	H
7420.25	-24.14	8.10	22.20	-38.24	-13.00	-25.24	H
3710.20	-29.37	7.00	12.93	-35.30	-13.00	-22.30	V
5565.13	-25.10	8.40	17.11	-33.81	-13.00	-20.81	V
7420.25	-25.43	8.10	22.20	-39.53	-13.00	-26.53	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-25.45	7.00	12.93	-31.38	-13.00	-18.38	H
5639.81	-26.29	8.40	17.11	-35.00	-13.00	-22.00	H
7519.98	-26.91	8.10	22.20	-41.01	-13.00	-28.01	H
3760.00	-26.91	7.00	12.93	-32.84	-13.00	-19.84	V
5639.81	-24.80	8.40	17.11	-33.51	-13.00	-20.51	V
7519.98	-23.57	8.10	22.20	-37.67	-13.00	-24.67	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.33	-24.76	7.00	12.93	-30.69	-13.00	-17.69	H
5714.98	-24.82	8.40	17.11	-33.53	-13.00	-20.53	H
7620.24	-25.31	8.10	22.20	-39.41	-13.00	-26.41	H
3810.33	-27.20	7.00	12.93	-33.13	-13.00	-20.13	V
5714.98	-26.09	8.40	17.11	-34.80	-13.00	-21.80	V
7620.24	-24.30	8.10	22.20	-38.40	-13.00	-25.40	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3714.85	-27.70	7.00	12.93	-33.63	-13.00	-20.63	H
5572.12	-28.03	8.40	17.11	-36.74	-13.00	-23.74	H
7430.40	-24.65	8.10	22.20	-38.75	-13.00	-25.75	H
3714.85	-26.88	7.00	12.93	-32.81	-13.00	-19.81	V
5572.12	-27.27	8.40	17.11	-35.98	-13.00	-22.98	V
7430.40	-25.35	8.10	22.20	-39.45	-13.00	-26.45	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.95	-25.61	7.00	12.93	-31.54	-13.00	-18.54	H
5640.09	-26.20	8.40	17.11	-34.91	-13.00	-21.91	H
7520.15	-27.43	8.10	22.20	-41.53	-13.00	-28.53	H
3759.95	-30.01	7.00	12.93	-35.94	-13.00	-22.94	V
5640.09	-27.38	8.40	17.11	-36.09	-13.00	-23.09	V
7520.15	-26.71	8.10	22.20	-40.81	-13.00	-27.81	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3804.93	-23.95	7.00	12.93	-29.88	-13.00	-16.88	H
5707.53	-27.54	8.40	17.11	-36.25	-13.00	-23.25	H
7610.01	-25.29	8.10	22.20	-39.39	-13.00	-26.39	H
3804.93	-26.00	7.00	12.93	-31.93	-13.00	-18.93	V
5707.53	-27.74	8.40	17.11	-36.45	-13.00	-23.45	V
7610.01	-24.31	8.10	22.20	-38.41	-13.00	-25.41	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3720.49	-27.84	7.00	12.93	-33.77	-13.00	-20.77	H
5580.42	-25.28	8.40	17.11	-33.99	-13.00	-20.99	H
7439.86	-26.09	8.10	22.20	-40.19	-13.00	-27.19	H
3720.49	-27.71	7.00	12.93	-33.64	-13.00	-20.64	V
5580.42	-28.52	8.40	17.11	-37.23	-13.00	-24.23	V
7439.86	-23.95	8.10	22.20	-38.05	-13.00	-25.05	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.84	-28.85	7.00	12.93	-34.78	-13.00	-21.78	H
5640.23	-24.68	8.40	17.11	-33.39	-13.00	-20.39	H
7520.12	-26.85	8.10	22.20	-40.95	-13.00	-27.95	H
3759.84	-25.65	7.00	12.93	-31.58	-13.00	-18.58	V
5640.23	-28.38	8.40	17.11	-37.09	-13.00	-24.09	V
7520.12	-27.23	8.10	22.20	-41.33	-13.00	-28.33	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3800.21	-27.01	7.00	12.93	-32.94	-13.00	-19.94	H
5700.13	-26.59	8.40	17.11	-35.30	-13.00	-22.30	H
7600.04	-26.02	8.10	22.20	-40.12	-13.00	-27.12	H
3800.21	-26.01	7.00	12.93	-31.94	-13.00	-18.94	V
5700.13	-29.08	8.40	17.11	-37.79	-13.00	-24.79	V
7600.04	-25.19	8.10	22.20	-39.29	-13.00	-26.29	V

LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1649.19	-30.53	7.40	9.72	-32.85	-13.00	-19.85	H
2473.22	-28.82	8.30	10.86	-31.38	-13.00	-18.38	H
3298.84	-27.02	7.20	11.57	-31.39	-13.00	-18.39	H
1649.19	-28.57	7.40	9.72	-30.89	-13.00	-17.89	V
2473.22	-30.48	8.30	10.86	-33.04	-13.00	-20.04	V
3298.84	-28.00	7.20	11.57	-32.37	-13.00	-19.37	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.94	-27.35	7.40	9.72	-29.67	-13.00	-16.67	H
2508.97	-26.52	8.30	10.86	-29.08	-13.00	-16.08	H
3346.26	-25.51	7.20	11.57	-29.88	-13.00	-16.88	H
1672.94	-27.94	7.40	9.72	-30.26	-13.00	-17.26	V
2508.97	-29.41	8.30	10.86	-31.97	-13.00	-18.97	V
3346.26	-25.68	7.20	11.57	-30.05	-13.00	-17.05	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.29	-27.58	7.40	9.72	-29.90	-13.00	-16.90	H
2544.56	-30.93	8.30	10.86	-33.49	-13.00	-20.49	H
3392.93	-25.16	7.20	11.57	-29.53	-13.00	-16.53	H
1696.29	-29.89	7.40	9.72	-32.21	-13.00	-19.21	V
2544.56	-28.14	8.30	10.86	-30.70	-13.00	-17.70	V
3392.93	-30.19	7.20	11.57	-34.56	-13.00	-21.56	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1651.12	-29.67	7.40	9.72	-31.99	-13.00	-18.99	H
2476.50	-27.39	8.30	10.86	-29.95	-13.00	-16.95	H
3301.93	-24.73	7.20	11.57	-29.10	-13.00	-16.10	H
1651.12	-28.01	7.40	9.72	-30.33	-13.00	-17.33	V
2476.50	-28.00	8.30	10.86	-30.56	-13.00	-17.56	V
3301.93	-28.11	7.20	11.57	-32.48	-13.00	-19.48	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.07	-30.85	7.40	9.72	-33.17	-13.00	-20.17	H
2508.85	-28.75	8.30	10.86	-31.31	-13.00	-18.31	H
3345.94	-28.32	7.20	11.57	-32.69	-13.00	-19.69	H
1673.07	-29.74	7.40	9.72	-32.06	-13.00	-19.06	V
2508.85	-27.91	8.30	10.86	-30.47	-13.00	-17.47	V
3345.94	-25.61	7.20	11.57	-29.98	-13.00	-16.98	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1695.60	-30.61	7.40	9.72	-32.93	-13.00	-19.93	H
2542.26	-28.66	8.30	10.86	-31.22	-13.00	-18.22	H
3390.14	-27.33	7.20	11.57	-31.70	-13.00	-18.70	H
1695.60	-31.23	7.40	9.72	-33.55	-13.00	-20.55	V
2542.26	-26.81	8.30	10.86	-29.37	-13.00	-16.37	V
3390.14	-28.07	7.20	11.57	-32.44	-13.00	-19.44	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.82	-30.24	7.40	9.72	-32.56	-13.00	-19.56	H
2479.21	-27.94	8.30	10.86	-30.50	-13.00	-17.50	H
3306.47	-27.90	7.20	11.57	-32.27	-13.00	-19.27	H
1652.82	-31.04	7.40	9.72	-33.36	-13.00	-20.36	V
2479.21	-29.50	8.30	10.86	-32.06	-13.00	-19.06	V
3306.47	-26.12	7.20	11.57	-30.49	-13.00	-17.49	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.93	-30.74	7.40	9.72	-33.06	-13.00	-20.06	H
2509.27	-27.32	8.30	10.86	-29.88	-13.00	-16.88	H
3345.93	-27.15	7.20	11.57	-31.52	-13.00	-18.52	H
1672.93	-28.08	7.40	9.72	-30.40	-13.00	-17.40	V
2509.27	-30.77	8.30	10.86	-33.33	-13.00	-20.33	V
3345.93	-27.80	7.20	11.57	-32.17	-13.00	-19.17	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.83	-28.47	7.40	9.72	-30.79	-13.00	-17.79	H
2539.47	-27.15	8.30	10.86	-29.71	-13.00	-16.71	H
3386.02	-28.72	7.20	11.57	-33.09	-13.00	-20.09	H
1693.83	-29.16	7.40	9.72	-31.48	-13.00	-18.48	V
2539.47	-27.04	8.30	10.86	-29.60	-13.00	-16.60	V
3386.02	-29.20	7.20	11.57	-33.57	-13.00	-20.57	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.98	-27.24	7.40	9.72	-29.56	-13.00	-16.56	H
2486.62	-30.15	8.30	10.86	-32.71	-13.00	-19.71	H
3315.79	-27.39	7.20	11.57	-31.76	-13.00	-18.76	H
1657.98	-28.43	7.40	9.72	-30.75	-13.00	-17.75	V
2486.62	-28.92	8.30	10.86	-31.48	-13.00	-18.48	V
3315.79	-26.98	7.20	11.57	-31.35	-13.00	-18.35	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.16	-27.77	7.40	9.72	-30.09	-13.00	-17.09	H
2509.16	-30.99	8.30	10.86	-33.55	-13.00	-20.55	H
3345.98	-24.74	7.20	11.57	-29.11	-13.00	-16.11	H
1673.16	-29.82	7.40	9.72	-32.14	-13.00	-19.14	V
2509.16	-30.20	8.30	10.86	-32.76	-13.00	-19.76	V
3345.98	-29.06	7.20	11.57	-33.43	-13.00	-20.43	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1688.40	-30.44	7.40	9.72	-32.76	-13.00	-19.76	H
2532.17	-30.82	8.30	10.86	-33.38	-13.00	-20.38	H
3376.21	-28.99	7.20	11.57	-33.36	-13.00	-20.36	H
1688.40	-30.77	7.40	9.72	-33.09	-13.00	-20.09	V
2532.17	-30.61	8.30	10.86	-33.17	-13.00	-20.17	V
3376.21	-25.91	7.20	11.57	-30.28	-13.00	-17.28	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1663.31	-30.58	7.40	9.72	-32.90	-13.00	-19.90	H
2494.26	-31.11	8.30	10.86	-33.67	-13.00	-20.67	H
3325.64	-25.16	7.20	11.57	-29.53	-13.00	-16.53	H
1663.31	-30.85	7.40	9.72	-33.17	-13.00	-20.17	V
2494.26	-26.65	8.30	10.86	-29.21	-13.00	-16.21	V
3325.64	-28.67	7.20	11.57	-33.04	-13.00	-20.04	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.84	-30.92	7.40	9.72	-33.24	-13.00	-20.24	H
2509.02	-27.00	8.30	10.86	-29.56	-13.00	-16.56	H
3346.09	-27.46	7.20	11.57	-31.83	-13.00	-18.83	H
1672.84	-30.11	7.40	9.72	-32.43	-13.00	-19.43	V
2509.02	-29.89	8.30	10.86	-32.45	-13.00	-19.45	V
3346.09	-28.49	7.20	11.57	-32.86	-13.00	-19.86	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1683.70	-29.10	7.40	9.72	-31.42	-13.00	-18.42	H
2524.38	-28.37	8.30	10.86	-30.93	-13.00	-17.93	H
3366.32	-26.56	7.20	11.57	-30.93	-13.00	-17.93	H
1683.70	-29.74	7.40	9.72	-32.06	-13.00	-19.06	V
2524.38	-28.79	8.30	10.86	-31.35	-13.00	-18.35	V
3366.32	-26.55	7.20	11.57	-30.92	-13.00	-17.92	V

LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1649.14	-30.52	7.40	9.72	-32.84	-13.00	-19.84	H
2473.25	-26.61	8.30	10.86	-29.17	-13.00	-16.17	H
3298.75	-26.38	7.20	11.57	-30.75	-13.00	-17.75	H
1649.14	-27.63	7.40	9.72	-29.95	-13.00	-16.95	V
2473.25	-27.20	8.30	10.86	-29.76	-13.00	-16.76	V
3298.75	-28.93	7.20	11.57	-33.30	-13.00	-20.30	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.84	-28.59	7.40	9.72	-30.91	-13.00	-17.91	H
2509.27	-29.44	8.30	10.86	-32.00	-13.00	-19.00	H
3346.00	-25.79	7.20	11.57	-30.16	-13.00	-17.16	H
1672.84	-27.07	7.40	9.72	-29.39	-13.00	-16.39	V
2509.27	-30.29	8.30	10.86	-32.85	-13.00	-19.85	V
3346.00	-27.05	7.20	11.57	-31.42	-13.00	-18.42	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.36	-28.47	7.40	9.72	-30.79	-13.00	-17.79	H
2544.78	-26.87	8.30	10.86	-29.43	-13.00	-16.43	H
3393.14	-27.74	7.20	11.57	-32.11	-13.00	-19.11	H
1696.36	-31.89	7.40	9.72	-34.21	-13.00	-21.21	V
2544.78	-26.95	8.30	10.86	-29.51	-13.00	-16.51	V
3393.14	-27.06	7.20	11.57	-31.43	-13.00	-18.43	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1651.05	-27.20	7.40	9.72	-29.52	-13.00	-16.52	H
2476.23	-26.73	8.30	10.86	-29.29	-13.00	-16.29	H
3301.93	-25.09	7.20	11.57	-29.46	-13.00	-16.46	H
1651.05	-30.94	7.40	9.72	-33.26	-13.00	-20.26	V
2476.23	-26.62	8.30	10.86	-29.18	-13.00	-16.18	V
3301.93	-26.07	7.20	11.57	-30.44	-13.00	-17.44	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.00	-27.73	7.40	9.72	-30.05	-13.00	-17.05	H
2508.90	-29.65	8.30	10.86	-32.21	-13.00	-19.21	H
3346.03	-29.39	7.20	11.57	-33.76	-13.00	-20.76	H
1673.00	-31.72	7.40	9.72	-34.04	-13.00	-21.04	V
2508.90	-30.72	8.30	10.86	-33.28	-13.00	-20.28	V
3346.03	-26.26	7.20	11.57	-30.63	-13.00	-17.63	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1695.76	-28.81	7.40	9.72	-31.13	-13.00	-18.13	H
2542.28	-29.63	8.30	10.86	-32.19	-13.00	-19.19	H
3390.14	-28.67	7.20	11.57	-33.04	-13.00	-20.04	H
1695.76	-29.62	7.40	9.72	-31.94	-13.00	-18.94	V
2542.28	-27.87	8.30	10.86	-30.43	-13.00	-17.43	V
3390.14	-27.15	7.20	11.57	-31.52	-13.00	-18.52	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.62	-26.44	7.40	9.72	-28.76	-13.00	-15.76	H
2479.66	-27.54	8.30	10.86	-30.10	-13.00	-17.10	H
3306.48	-28.94	7.20	11.57	-33.31	-13.00	-20.31	H
1652.62	-27.51	7.40	9.72	-29.83	-13.00	-16.83	V
2479.66	-30.60	8.30	10.86	-33.16	-13.00	-20.16	V
3306.48	-29.62	7.20	11.57	-33.99	-13.00	-20.99	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.96	-29.66	7.40	9.72	-31.98	-13.00	-18.98	H
2508.89	-26.63	8.30	10.86	-29.19	-13.00	-16.19	H
3346.25	-25.04	7.20	11.57	-29.41	-13.00	-16.41	H
1672.96	-27.41	7.40	9.72	-29.73	-13.00	-16.73	V
2508.89	-26.77	8.30	10.86	-29.33	-13.00	-16.33	V
3346.25	-29.45	7.20	11.57	-33.82	-13.00	-20.82	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.65	-28.77	7.40	9.72	-31.09	-13.00	-18.09	H
2539.32	-30.55	8.30	10.86	-33.11	-13.00	-20.11	H
3386.26	-25.14	7.20	11.57	-29.51	-13.00	-16.51	H
1693.65	-31.06	7.40	9.72	-33.38	-13.00	-20.38	V
2539.32	-28.42	8.30	10.86	-30.98	-13.00	-17.98	V
3386.26	-29.55	7.20	11.57	-33.92	-13.00	-20.92	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.79	-28.38	7.40	9.72	-30.70	-13.00	-17.70	H
2509.18	-28.23	8.30	10.86	-30.79	-13.00	-17.79	H
3346.06	-29.55	7.20	11.57	-33.92	-13.00	-20.92	H
1672.79	-30.33	7.40	9.72	-32.65	-13.00	-19.65	V
2509.18	-27.65	8.30	10.86	-30.21	-13.00	-17.21	V
3346.06	-29.73	7.20	11.57	-34.10	-13.00	-21.10	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5115.00	-34.68	8.10	15.86	-42.44	-25.00	-17.44	H
7672.44	-33.62	9.00	19.28	-43.90	-25.00	-18.90	H
10229.97	-29.27	8.70	23.19	-43.76	-25.00	-18.76	H
4996.88	-32.66	8.10	15.86	-40.42	-25.00	-15.42	V
7495.93	-30.48	9.00	19.28	-40.76	-25.00	-15.76	V
9994.29	-31.41	8.70	23.19	-45.90	-25.00	-20.90	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5209.84	-32.30	8.10	15.86	-40.06	-25.00	-15.06	H
7814.96	-34.78	9.00	19.28	-45.06	-25.00	-20.06	H
10420.01	-31.38	8.70	23.19	-45.87	-25.00	-20.87	H
5209.84	-31.59	8.10	15.86	-39.35	-25.00	-14.35	V
7814.96	-32.68	9.00	19.28	-42.96	-25.00	-17.96	V
10420.01	-30.81	8.70	23.19	-45.30	-25.00	-20.30	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5304.76	-32.27	8.10	15.86	-40.03	-25.00	-15.03	H
7957.32	-30.66	9.00	19.28	-40.94	-25.00	-15.94	H
10610.28	-32.15	8.70	23.19	-46.64	-25.00	-21.64	H
5304.76	-34.59	8.10	15.86	-42.35	-25.00	-17.35	V
7957.32	-34.26	9.00	19.28	-44.54	-25.00	-19.54	V
10610.28	-28.78	8.70	23.19	-43.27	-25.00	-18.27	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5119.75	-34.53	8.10	15.86	-42.29	-25.00	-17.29	H
7680.05	-30.91	9.00	19.28	-41.19	-25.00	-16.19	H
10239.86	-32.49	8.70	23.19	-46.98	-25.00	-21.98	H
5119.75	-32.02	8.10	15.86	-39.78	-25.00	-14.78	V
7680.05	-30.78	9.00	19.28	-41.06	-25.00	-16.06	V
10239.86	-29.07	8.70	23.19	-43.56	-25.00	-18.56	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.26	-30.04	8.10	15.86	-37.80	-25.00	-12.80	H
7815.22	-33.27	9.00	19.28	-43.55	-25.00	-18.55	H
10420.23	-30.46	8.70	23.19	-44.95	-25.00	-19.95	H
5210.26	-33.48	8.10	15.86	-41.24	-25.00	-16.24	V
7815.22	-33.27	9.00	19.28	-43.55	-25.00	-18.55	V
10420.23	-32.28	8.70	23.19	-46.77	-25.00	-21.77	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5300.07	-32.81	8.10	15.86	-40.57	-25.00	-15.57	H
7950.23	-32.54	9.00	19.28	-42.82	-25.00	-17.82	H
10600.07	-32.48	8.70	23.19	-46.97	-25.00	-21.97	H
5300.07	-31.02	8.10	15.86	-38.78	-25.00	-13.78	V
7950.23	-33.12	9.00	19.28	-43.40	-25.00	-18.40	V
10600.07	-28.52	8.70	23.19	-43.01	-25.00	-18.01	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5124.79	-33.23	8.10	15.86	-40.99	-25.00	-15.99	H
7687.65	-30.92	9.00	19.28	-41.20	-25.00	-16.20	H
10250.37	-29.78	8.70	23.19	-44.27	-25.00	-19.27	H
5124.79	-31.60	8.10	15.86	-39.36	-25.00	-14.36	V
7687.65	-32.31	9.00	19.28	-42.59	-25.00	-17.59	V
10250.37	-28.29	8.70	23.19	-42.78	-25.00	-17.78	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5210.05	-30.01	8.10	15.86	-37.77	-25.00	-12.77	H
7814.89	-34.96	9.00	19.28	-45.24	-25.00	-20.24	H
10420.31	-31.73	8.70	23.19	-46.22	-25.00	-21.22	H
5210.05	-34.89	8.10	15.86	-42.65	-25.00	-17.65	V
7814.89	-31.21	9.00	19.28	-41.49	-25.00	-16.49	V
10420.31	-33.03	8.70	23.19	-47.52	-25.00	-22.52	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5297.98	-30.28	8.10	15.86	-38.04	-25.00	-13.04	H
7942.33	-34.73	9.00	19.28	-45.01	-25.00	-20.01	H
10589.99	-31.65	8.70	23.19	-46.14	-25.00	-21.14	H
5297.98	-32.17	8.10	15.86	-39.93	-25.00	-14.93	V
7942.33	-34.17	9.00	19.28	-44.45	-25.00	-19.45	V
10589.99	-29.42	8.70	23.19	-43.91	-25.00	-18.91	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.89	-32.06	8.10	15.86	-39.82	-25.00	-14.82	H
7694.82	-32.82	9.00	19.28	-43.10	-25.00	-18.10	H
10260.14	-29.75	8.70	23.19	-44.24	-25.00	-19.24	H
5129.89	-35.99	8.10	15.86	-43.75	-25.00	-18.75	V
7694.82	-32.28	9.00	19.28	-42.56	-25.00	-17.56	V
10260.14	-32.98	8.70	23.19	-47.47	-25.00	-22.47	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.21	-33.88	8.10	15.86	-41.64	-25.00	-16.64	H
7815.27	-34.99	9.00	19.28	-45.27	-25.00	-20.27	H
10419.88	-31.30	8.70	23.19	-45.79	-25.00	-20.79	H
5210.21	-34.69	8.10	15.86	-42.45	-25.00	-17.45	V
7815.27	-30.75	9.00	19.28	-41.03	-25.00	-16.03	V
10419.88	-31.19	8.70	23.19	-45.68	-25.00	-20.68	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.08	-30.64	8.10	15.86	-38.40	-25.00	-13.40	H
7935.10	-34.80	9.00	19.28	-45.08	-25.00	-20.08	H
10580.26	-33.09	8.70	23.19	-47.58	-25.00	-22.58	H
5290.08	-35.53	8.10	15.86	-43.29	-25.00	-18.29	V
7935.10	-31.02	9.00	19.28	-41.30	-25.00	-16.30	V
10580.26	-28.94	8.70	23.19	-43.43	-25.00	-18.43	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4997.17	-32.72	7.90	15.86	-40.68	-25.00	-15.68	H
7495.48	-34.23	9.00	19.28	-44.51	-25.00	-19.51	H
9994.10	-30.12	8.70	23.19	-44.61	-25.00	-19.61	H
4997.17	-34.49	7.90	15.86	-42.45	-25.00	-17.45	V
7495.48	-34.21	9.00	19.28	-44.49	-25.00	-19.49	V
9994.10	-29.58	8.70	23.19	-44.07	-25.00	-19.07	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5185.96	-30.27	7.90	15.86	-38.23	-25.00	-13.23	H
7779.01	-32.77	9.00	19.28	-43.05	-25.00	-18.05	H
10372.08	-33.10	8.70	23.19	-47.59	-25.00	-22.59	H
5185.96	-32.50	7.90	15.86	-40.46	-25.00	-15.46	V
7779.01	-34.62	9.00	19.28	-44.90	-25.00	-19.90	V
10372.08	-32.27	8.70	23.19	-46.76	-25.00	-21.76	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5374.80	-33.30	7.90	15.86	-41.26	-25.00	-16.26	H
8062.44	-34.34	9.00	19.28	-44.62	-25.00	-19.62	H
10750.27	-33.01	8.70	23.19	-47.50	-25.00	-22.50	H
5374.80	-31.84	7.90	15.86	-39.80	-25.00	-14.80	V
8062.44	-32.91	9.00	19.28	-43.19	-25.00	-18.19	V
10750.27	-30.36	8.70	23.19	-44.85	-25.00	-19.85	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5002.11	-30.43	7.90	15.86	-38.39	-25.00	-13.39	H
7503.08	-33.05	9.00	19.28	-43.33	-25.00	-18.33	H
10004.22	-30.66	8.70	23.19	-45.15	-25.00	-20.15	H
5002.11	-34.72	7.90	15.86	-42.68	-25.00	-17.68	V
7503.08	-31.43	9.00	19.28	-41.71	-25.00	-16.71	V
10004.22	-32.83	8.70	23.19	-47.32	-25.00	-22.32	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.86	-31.79	7.90	15.86	-39.75	-25.00	-14.75	H
7778.98	-33.69	9.00	19.28	-43.97	-25.00	-18.97	H
10371.97	-32.57	8.70	23.19	-47.06	-25.00	-22.06	H
5185.86	-35.96	7.90	15.86	-43.92	-25.00	-18.92	V
7778.98	-35.23	9.00	19.28	-45.51	-25.00	-20.51	V
10371.97	-28.56	8.70	23.19	-43.05	-25.00	-18.05	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.31	-32.28	7.90	15.86	-40.24	-25.00	-15.24	H
8055.15	-33.87	9.00	19.28	-44.15	-25.00	-19.15	H
10740.12	-31.57	8.70	23.19	-46.06	-25.00	-21.06	H
5370.31	-31.51	7.90	15.86	-39.47	-25.00	-14.47	V
8055.15	-31.66	9.00	19.28	-41.94	-25.00	-16.94	V
10740.12	-31.88	8.70	23.19	-46.37	-25.00	-21.37	V

LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5006.97	-33.72	7.90	15.86	-41.68	-25.00	-16.68	H
7510.72	-30.57	9.00	19.28	-40.85	-25.00	-15.85	H
10014.37	-29.61	8.70	23.19	-44.10	-25.00	-19.10	H
5006.97	-34.18	7.90	15.86	-42.14	-25.00	-17.14	V
7510.72	-34.08	9.00	19.28	-44.36	-25.00	-19.36	V
10014.37	-32.39	8.70	23.19	-46.88	-25.00	-21.88	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5185.98	-32.58	7.90	15.86	-40.54	-25.00	-15.54	H
7779.01	-35.04	9.00	19.28	-45.32	-25.00	-20.32	H
10372.29	-33.61	8.70	23.19	-48.10	-25.00	-23.10	H
5185.98	-31.58	7.90	15.86	-39.54	-25.00	-14.54	V
7779.01	-35.08	9.00	19.28	-45.36	-25.00	-20.36	V
10372.29	-29.09	8.70	23.19	-43.58	-25.00	-18.58	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5365.12	-31.27	7.90	15.86	-39.23	-25.00	-14.23	H
8047.50	-34.44	9.00	19.28	-44.72	-25.00	-19.72	H
10729.90	-29.97	8.70	23.19	-44.46	-25.00	-19.46	H
5365.12	-34.42	7.90	15.86	-42.38	-25.00	-17.38	V
8047.50	-33.41	9.00	19.28	-43.69	-25.00	-18.69	V
10729.90	-32.69	8.70	23.19	-47.18	-25.00	-22.18	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.15	-34.43	7.90	15.86	-42.39	-25.00	-17.39	H
7518.11	-34.33	9.00	19.28	-44.61	-25.00	-19.61	H
10024.10	-31.08	8.70	23.19	-45.57	-25.00	-20.57	H
5012.15	-34.41	7.90	15.86	-42.37	-25.00	-17.37	V
7518.11	-30.30	9.00	19.28	-40.58	-25.00	-15.58	V
10024.10	-28.99	8.70	23.19	-43.48	-25.00	-18.48	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.27	-32.39	7.90	15.86	-40.35	-25.00	-15.35	H
7779.13	-34.63	9.00	19.28	-44.91	-25.00	-19.91	H
10372.11	-33.58	8.70	23.19	-48.07	-25.00	-23.07	H
5186.27	-31.41	7.90	15.86	-39.37	-25.00	-14.37	V
7779.13	-31.32	9.00	19.28	-41.60	-25.00	-16.60	V
10372.11	-28.32	8.70	23.19	-42.81	-25.00	-17.81	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.27	-33.53	7.90	15.86	-41.49	-25.00	-16.49	H
8040.27	-35.16	9.00	19.28	-45.44	-25.00	-20.44	H
10720.25	-32.87	8.70	23.19	-47.36	-25.00	-22.36	H
5360.27	-32.05	7.90	15.86	-40.01	-25.00	-15.01	V
8040.27	-30.63	9.00	19.28	-40.91	-25.00	-15.91	V
10720.25	-29.94	8.70	23.19	-44.43	-25.00	-19.43	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.04	-25.29	7.20	12.56	-30.65	-13.00	-17.65	H
5131.93	-25.79	8.10	16.32	-34.01	-13.00	-21.01	H
6842.58	-27.52	8.30	21.13	-40.35	-13.00	-27.35	H
3421.04	-26.82	7.20	12.56	-32.18	-13.00	-19.18	V
5131.93	-27.55	8.10	16.32	-35.77	-13.00	-22.77	V
6842.58	-26.24	8.30	21.13	-39.07	-13.00	-26.07	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.12	-28.28	7.20	12.56	-33.64	-13.00	-20.64	H
5235.08	-27.98	8.10	16.32	-36.20	-13.00	-23.20	H
6980.21	-23.05	8.30	21.13	-35.88	-13.00	-22.88	H
3490.12	-27.71	7.20	12.56	-33.07	-13.00	-20.07	V
5235.08	-24.79	8.10	16.32	-33.01	-13.00	-20.01	V
6980.21	-26.07	8.30	21.13	-38.90	-13.00	-25.90	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.00	-25.88	7.20	12.56	-31.24	-13.00	-18.24	H
5336.74	-26.36	8.10	16.32	-34.58	-13.00	-21.58	H
7117.04	-22.79	8.30	21.13	-35.62	-13.00	-22.62	H
3558.00	-27.32	7.20	12.56	-32.68	-13.00	-19.68	V
5336.74	-25.14	8.10	16.32	-33.36	-13.00	-20.36	V
7117.04	-24.79	8.30	21.13	-37.62	-13.00	-24.62	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3422.95	-27.42	7.20	12.56	-32.78	-13.00	-19.78	H
5134.27	-28.81	8.10	16.32	-37.03	-13.00	-24.03	H
6845.92	-27.09	8.30	21.13	-39.92	-13.00	-26.92	H
3422.95	-25.82	7.20	12.56	-31.18	-13.00	-18.18	V
5134.27	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
6845.92	-27.05	8.30	21.13	-39.88	-13.00	-26.88	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.04	-27.45	7.20	12.56	-32.81	-13.00	-19.81	H
5234.81	-29.24	8.10	16.32	-37.46	-13.00	-24.46	H
6980.03	-23.98	8.30	21.13	-36.81	-13.00	-23.81	H
3490.04	-28.97	7.20	12.56	-34.33	-13.00	-21.33	V
5234.81	-29.19	8.10	16.32	-37.41	-13.00	-24.41	V
6980.03	-26.74	8.30	21.13	-39.57	-13.00	-26.57	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3556.98	-24.17	7.20	12.56	-29.53	-13.00	-16.53	H
5262.33	-26.93	8.10	16.32	-35.15	-13.00	-22.15	H
7113.86	-25.66	8.30	21.13	-38.49	-13.00	-25.49	H
3556.98	-29.17	7.20	12.56	-34.53	-13.00	-21.53	V
5262.33	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
7113.86	-25.49	8.30	21.13	-38.32	-13.00	-25.32	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.06	-24.62	7.20	12.56	-29.98	-13.00	-16.98	H
5137.57	-28.64	8.10	16.32	-36.86	-13.00	-23.86	H
6850.22	-27.55	8.30	21.13	-40.38	-13.00	-27.38	H
3425.06	-29.18	7.20	12.56	-34.54	-13.00	-21.54	V
5137.57	-25.27	8.10	16.32	-33.49	-13.00	-20.49	V
6850.22	-23.58	8.30	21.13	-36.41	-13.00	-23.41	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.05	-24.50	7.20	12.56	-29.86	-13.00	-16.86	H
5235.15	-29.18	8.10	16.32	-37.40	-13.00	-24.40	H
6980.02	-25.19	8.30	21.13	-38.02	-13.00	-25.02	H
3490.05	-28.03	7.20	12.56	-33.39	-13.00	-20.39	V
5235.15	-29.12	8.10	16.32	-37.34	-13.00	-24.34	V
6980.02	-25.53	8.30	21.13	-38.36	-13.00	-25.36	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.97	-26.37	7.20	12.56	-31.73	-13.00	-18.73	H
5234.97	-28.61	8.10	16.32	-36.83	-13.00	-23.83	H
7109.79	-24.47	8.30	21.13	-37.30	-13.00	-24.30	H
3557.97	-27.95	7.20	12.56	-33.31	-13.00	-20.31	V
5234.97	-28.58	8.10	16.32	-36.80	-13.00	-23.80	V
7109.79	-24.30	8.30	21.13	-37.13	-13.00	-24.13	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3430.27	-28.61	7.20	12.56	-33.97	-13.00	-20.97	H
5144.99	-29.18	8.10	16.32	-37.40	-13.00	-24.40	H
6879.98	-25.52	8.30	21.13	-38.35	-13.00	-25.35	H
3430.27	-26.37	7.20	12.56	-31.73	-13.00	-18.73	V
5144.99	-28.84	8.10	16.32	-37.06	-13.00	-24.06	V
6879.98	-23.30	8.30	21.13	-36.13	-13.00	-23.13	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.82	-24.60	7.20	12.56	-29.96	-13.00	-16.96	H
5235.03	-26.02	8.10	16.32	-34.24	-13.00	-21.24	H
6980.11	-23.32	8.30	21.13	-36.15	-13.00	-23.15	H
3489.82	-26.95	7.20	12.56	-32.31	-13.00	-19.31	V
5235.03	-27.42	8.10	16.32	-35.64	-13.00	-22.64	V
6980.11	-25.91	8.30	21.13	-38.74	-13.00	-25.74	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3550.62	-25.69	7.20	12.56	-31.05	-13.00	-18.05	H
5235.49	-26.38	8.10	16.32	-34.60	-13.00	-21.60	H
7099.91	-26.43	8.30	21.13	-39.26	-13.00	-26.26	H
3550.62	-27.92	7.20	12.56	-33.28	-13.00	-20.28	V
5235.49	-27.62	8.10	16.32	-35.84	-13.00	-22.84	V
7099.91	-26.76	8.30	21.13	-39.59	-13.00	-26.59	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.01	-25.61	7.20	12.56	-30.97	-13.00	-17.97	H
5152.21	-25.54	8.10	16.32	-33.76	-13.00	-20.76	H
6869.77	-23.01	8.30	21.13	-35.84	-13.00	-22.84	H
3435.01	-29.82	7.20	12.56	-35.18	-13.00	-22.18	V
5152.21	-27.17	8.10	16.32	-35.39	-13.00	-22.39	V
6869.77	-26.58	8.30	21.13	-39.41	-13.00	-26.41	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.22	-26.66	7.20	12.56	-32.02	-13.00	-19.02	H
5235.14	-29.06	8.10	16.32	-37.28	-13.00	-24.28	H
6980.10	-25.66	8.30	21.13	-38.49	-13.00	-25.49	H
3490.22	-29.98	7.20	12.56	-35.34	-13.00	-22.34	V
5235.14	-27.71	8.10	16.32	-35.93	-13.00	-22.93	V
6980.10	-26.69	8.30	21.13	-39.52	-13.00	-26.52	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3545.15	-27.68	7.20	12.56	-33.04	-13.00	-20.04	H
5332.68	-26.78	8.10	16.32	-35.00	-13.00	-22.00	H
7089.97	-25.19	8.30	21.13	-38.02	-13.00	-25.02	H
3545.15	-26.76	7.20	12.56	-32.12	-13.00	-19.12	V
5332.68	-29.20	8.10	16.32	-37.42	-13.00	-24.42	V
7089.97	-24.85	8.30	21.13	-37.68	-13.00	-24.68	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3440.22	-26.88	7.20	12.56	-32.24	-13.00	-19.24	H
5160.12	-24.97	8.10	16.32	-33.19	-13.00	-20.19	H
6880.05	-23.91	8.30	21.13	-36.74	-13.00	-23.74	H
3440.22	-29.22	7.20	12.56	-34.58	-13.00	-21.58	V
5160.12	-25.65	8.10	16.32	-33.87	-13.00	-20.87	V
6880.05	-23.79	8.30	21.13	-36.62	-13.00	-23.62	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3489.95	-24.50	7.20	12.56	-29.86	-13.00	-16.86	H
5235.18	-27.11	8.10	16.32	-35.33	-13.00	-22.33	H
6980.19	-25.20	8.30	21.13	-38.03	-13.00	-25.03	H
3489.95	-26.01	7.20	12.56	-31.37	-13.00	-18.37	V
5235.18	-28.34	8.10	16.32	-36.56	-13.00	-23.56	V
6980.19	-25.88	8.30	21.13	-38.71	-13.00	-25.71	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3539.92	-28.17	7.20	12.56	-33.53	-13.00	-20.53	H
5310.26	-26.17	8.10	16.32	-34.39	-13.00	-21.39	H
7080.51	-25.47	8.30	21.13	-38.30	-13.00	-25.30	H
3539.92	-25.66	7.20	12.56	-31.02	-13.00	-18.02	V
5310.26	-26.70	8.10	16.32	-34.92	-13.00	-21.92	V
7080.51	-28.15	8.30	21.13	-40.98	-13.00	-27.98	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1330.91	-27.15	6.50	9.34	-29.99	-13.00	-16.99	H
1966.36	-26.62	7.70	10.42	-29.34	-13.00	-16.34	H
2661.82	-25.27	7.90	11.12	-28.49	-13.00	-15.49	H
1330.91	-30.78	6.50	9.34	-33.62	-13.00	-20.62	V
1966.36	-30.98	7.70	10.42	-33.70	-13.00	-20.70	V
2661.82	-29.20	7.90	11.12	-32.42	-13.00	-19.42	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1361.11	-29.87	6.50	9.34	-32.71	-13.00	-19.71	H
2041.33	-29.59	7.70	10.42	-32.31	-13.00	-19.31	H
2722.08	-29.61	7.90	11.12	-32.83	-13.00	-19.83	H
1361.11	-29.19	6.50	9.34	-32.03	-13.00	-19.03	V
2041.33	-29.14	7.70	10.42	-31.86	-13.00	-18.86	V
2722.08	-25.33	7.90	11.12	-28.55	-13.00	-15.55	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1390.88	-30.32	6.50	9.34	-33.16	-13.00	-20.16	H
2085.78	-28.71	7.70	10.42	-31.43	-13.00	-18.43	H
2782.09	-29.46	7.90	11.12	-32.68	-13.00	-19.68	H
1390.88	-30.72	6.50	9.34	-33.56	-13.00	-20.56	V
2085.78	-30.46	7.70	10.42	-33.18	-13.00	-20.18	V
2782.09	-28.04	7.90	11.12	-31.26	-13.00	-18.26	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1336.10	-30.52	6.50	9.34	-33.36	-13.00	-20.36	H
2004.00	-30.72	7.70	10.42	-33.44	-13.00	-20.44	H
2671.99	-26.37	7.90	11.12	-29.59	-13.00	-16.59	H
1336.10	-29.61	6.50	9.34	-32.45	-13.00	-19.45	V
2004.00	-28.08	7.70	10.42	-30.80	-13.00	-17.80	V
2671.99	-28.83	7.90	11.12	-32.05	-13.00	-19.05	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1361.16	-27.35	6.50	9.34	-30.19	-13.00	-17.19	H
2041.35	-26.64	7.70	10.42	-29.36	-13.00	-16.36	H
2721.71	-25.57	7.90	11.12	-28.79	-13.00	-15.79	H
1361.16	-27.29	6.50	9.34	-30.13	-13.00	-17.13	V
2041.35	-27.91	7.70	10.42	-30.63	-13.00	-17.63	V
2721.71	-29.01	7.90	11.12	-32.23	-13.00	-19.23	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1385.89	-26.57	6.50	9.34	-29.41	-13.00	-16.41	H
2078.82	-30.20	7.70	10.42	-32.92	-13.00	-19.92	H
2721.72	-25.45	7.90	11.12	-28.67	-13.00	-15.67	H
1385.89	-31.74	6.50	9.34	-34.58	-13.00	-21.58	V
2078.82	-26.44	7.70	10.42	-29.16	-13.00	-16.16	V
2721.72	-29.17	7.90	11.12	-32.39	-13.00	-19.39	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1340.77	-27.50	6.50	9.34	-30.34	-13.00	-17.34	H
2010.79	-29.22	7.70	10.42	-31.94	-13.00	-18.94	H
2681.90	-29.09	7.90	11.12	-32.31	-13.00	-19.31	H
1340.77	-28.20	6.50	9.34	-31.04	-13.00	-18.04	V
2010.79	-26.37	7.70	10.42	-29.09	-13.00	-16.09	V
2681.90	-25.90	7.90	11.12	-29.12	-13.00	-16.12	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.10	-30.60	6.50	9.34	-33.44	-13.00	-20.44	H
2041.43	-28.95	7.70	10.42	-31.67	-13.00	-18.67	H
2722.04	-26.12	7.90	11.12	-29.34	-13.00	-16.34	H
1361.10	-30.05	6.50	9.34	-32.89	-13.00	-19.89	V
2041.43	-30.15	7.70	10.42	-32.87	-13.00	-19.87	V
2722.04	-28.25	7.90	11.12	-31.47	-13.00	-18.47	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.88	-30.14	6.50	9.34	-32.98	-13.00	-19.98	H
2070.94	-27.60	7.70	10.42	-30.32	-13.00	-17.32	H
2761.93	-28.12	7.90	11.12	-31.34	-13.00	-18.34	H
1380.88	-28.18	6.50	9.34	-31.02	-13.00	-18.02	V
2070.94	-30.33	7.70	10.42	-33.05	-13.00	-20.05	V
2761.93	-29.32	7.90	11.12	-32.54	-13.00	-19.54	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1345.94	-26.64	6.50	9.34	-29.48	-13.00	-16.48	H
2019.17	-31.45	7.70	10.42	-34.17	-13.00	-21.17	H
2692.09	-27.74	7.90	11.12	-30.96	-13.00	-17.96	H
1345.94	-29.16	6.50	9.34	-32.00	-13.00	-19.00	V
2019.17	-28.82	7.70	10.42	-31.54	-13.00	-18.54	V
2692.09	-28.84	7.90	11.12	-32.06	-13.00	-19.06	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1361.24	-26.79	6.50	9.34	-29.63	-13.00	-16.63	H
2041.38	-28.96	7.70	10.42	-31.68	-13.00	-18.68	H
2721.74	-27.49	7.90	11.12	-30.71	-13.00	-17.71	H
1361.24	-27.04	6.50	9.34	-29.88	-13.00	-16.88	V
2041.38	-28.25	7.70	10.42	-30.97	-13.00	-17.97	V
2721.74	-26.69	7.90	11.12	-29.91	-13.00	-16.91	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1375.91	-28.18	6.50	9.34	-31.02	-13.00	-18.02	H
2063.76	-31.33	7.70	10.42	-34.05	-13.00	-21.05	H
2752.10	-28.22	7.90	11.12	-31.44	-13.00	-18.44	H
1375.91	-28.01	6.50	9.34	-30.85	-13.00	-17.85	V
2063.76	-26.77	7.70	10.42	-29.49	-13.00	-16.49	V
2752.10	-27.38	7.90	11.12	-30.60	-13.00	-17.60	V

※※※※※END OF THE REPORT※※※※※