




6 Conducted Spurious Emissions




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=1@0





n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=1@272



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598
RB=1@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=1@272




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=270@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=1@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=1@272

n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=270@0

7 Radiated Spurious Emissions

DC_5A_n41A - DFT-s-OFDM PI/2 BPSK - 100M - High Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5175	-27.25	-25	-2.25	-38.74	-34.81	5.52	13.08	H	Pass
7770	-30.34	-25	-5.34	-51.33	-35.24	6.75	11.65	H	Pass
11085	-40.67	-25	-15.67	-69.22	-39.41	12.54	11.28	H	Pass
13530	-39.23	-25	-14.23	-69.87	-36.68	15.86	13.31	H	Pass
15000	-35.68	-25	-10.68	-67.48	-33.69	15.69	13.70	H	Pass
17865	-29.35	-25	-4.35	-69.57	-26.71	16.53	13.89	H	Pass
5175	-35.21	-25	-10.21	-46.21	-42.77	5.52	13.08	V	Pass
7770	-40.32	-25	-15.32	-61.50	-45.22	6.75	11.65	V	Pass
10365	-40.39	-25	-15.39	-65.65	-39.92	11.59	11.12	V	Pass
13515	-39.13	-25	-14.13	-69.67	-36.59	15.83	13.29	V	Pass
14970	-36.27	-25	-11.27	-68.53	-34.33	15.62	13.68	V	Pass
17940	-29.15	-25	-4.15	-69.86	-26.25	16.87	13.97	V	Pass

Note: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.