




6 Conducted Spurious Emissions




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=650000 RB=270@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=650000 RB=1@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=650000 RB=1@272



n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=656000 RB=270@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=650000 RB=1@272




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=656000 RB=270@0


n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=656000 RB=1@0



n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=656000 RB=1@272



n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=662000 RB=270@0



n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=662000 RB=1@0

n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz
Channel=662000 RB=1@272

7 Radiated Spurious Emissions

n77(3.7G) - DFT-s-OFDM PI/2 BPSK - 100M - Low Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
2411	-31.84	-13	-18.84	-40.18	-38.17	3.54	9.87	H	Pass
7545	-14.25	-13	-1.25	-35.25	-19.35	6.52	11.62	H	Pass
11149	-32.82	-13	-19.82	-61.13	-36.84	7.69	11.71	H	Pass
11336	-31.76	-13	-18.76	-59.84	-35.82	7.88	11.94	H	Pass
15008	-31.81	-13	-18.81	-63.51	-35.34	10.19	13.72	H	Pass
17898	-24.26	-13	-11.26	-64.68	-27.26	10.78	13.78	H	Pass
2411	-34.72	-13	-21.72	-43.20	-41.05	3.54	9.87	V	Pass
5794	-42.35	-13	-29.35	-55.37	-49.53	5.64	12.82	V	Pass
7545	-17.56	-13	-4.56	-39.21	-22.66	6.52	11.62	V	Pass
11183	-35.87	-13	-22.87	-63.97	-40.00	7.74	11.87	V	Pass
15042	-32.08	-13	-19.08	-64.10	-35.30	10.35	13.57	V	Pass
17966	-23.69	-13	-10.69	-64.75	-26.71	10.84	13.86	V	Pass

Note: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.