




Plot 41:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.034
SAR 1g (W/Kg)	0.082
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=-40.00, Y=-34.00 ; SAR Peak: 0.22 W/kg






Plot 42:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.301
SAR 1g (W/Kg)	0.581
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=14.00, Y=9.00 ; SAR Peak: 1.11 W/kg






Plot 43:

Test Date	2024-03-19
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 40
Signal	LTE TDD
Frequency	2310
SAR 10g (W/Kg)	0.024
SAR 1g (W/Kg)	0.045
ConvF	2.31
Relative permittivity	40.45
Conductivity (S/m)	1.69

Maximum location: X=-31.00, Y=-24.00 ; SAR Peak: 0.16 W/kg






Plot 44:

Test Date	2024-03-19
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	LTE band 40
Signal	LTE TDD
Frequency	2310
SAR 10g (W/Kg)	0.243
SAR 1g (W/Kg)	0.457
ConvF	2.31
Relative permittivity	40.45
Conductivity (S/m)	1.69

Maximum location: X=16.00, Y=15.00 ; SAR Peak: 0.90 W/kg






Plot 45:

Test Date	2024-03-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.042
SAR 1g (W/Kg)	0.080
ConvF	2.35
Relative permittivity	39.78
Conductivity (S/m)	1.93

Maximum location: X=-9.00, Y=9.00 ; SAR Peak: 0.22 W/kg






Plot 46:

Test Date	2024-03-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.254
SAR 1g (W/Kg)	0.453
ConvF	2.35
Relative permittivity	39.78
Conductivity (S/m)	1.93

Maximum location: X=18.00, Y=10.00 ; SAR Peak: 0.86 W/kg






Plot 47:

Test Date	2024-02-25
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.034
SAR 1g (W/Kg)	0.059
ConvF	1.91
Relative permittivity	40.98
Conductivity (S/m)	1.38

Maximum location: X=-72.00, Y=-57.00 ; SAR Peak: 0.27 W/kg






Plot 48:

Test Date	2024-02-25
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.191
SAR 1g (W/Kg)	0.359
ConvF	1.91
Relative permittivity	40.98
Conductivity (S/m)	1.38

Maximum location: X=3.00, Y=-6.00 ; SAR Peak: 0.67 W/kg






Plot 49:

Test Date	2024-02-23
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 2
Signal	NR FDD
Frequency	1900
SAR 10g (W/Kg)	0.058
SAR 1g (W/Kg)	0.108
ConvF	2.24
Relative permittivity	40.36
Conductivity (S/m)	1.38

Maximum location: X=-65.00, Y=-43.00 ; SAR Peak: 0.23 W/kg






Plot 50:

Test Date	2024-02-23
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 2
Signal	NR FDD
Frequency	1900
SAR 10g (W/Kg)	0.395
SAR 1g (W/Kg)	0.680
ConvF	2.24
Relative permittivity	40.36
Conductivity (S/m)	1.38

Maximum location: X=3.00, Y=-6.00 ; SAR Peak: 1.07 W/kg






Plot 51:

Test Date	2024-03-16
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	NR band 5
Signal	NR FDD
Frequency	839
SAR 10g (W/Kg)	0.103
SAR 1g (W/Kg)	0.164
ConvF	1.83
Relative permittivity	41.83
Conductivity (S/m)	0.92

Maximum location: X=-40.00, Y=-17.00 ; SAR Peak: 0.30 W/kg






Plot 52:

Test Date	2024-03-16
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 5
Signal	NR FDD
Frequency	839
SAR 10g (W/Kg)	0.155
SAR 1g (W/Kg)	0.303
ConvF	1.83
Relative permittivity	41.83
Conductivity (S/m)	0.92

Maximum location: X=8.00, Y=1.00 ; SAR Peak: 0.65 W/kg






Plot 53:

Test Date	2024-02-28
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 7
Signal	NR FDD
Frequency	2560
SAR 10g (W/Kg)	0.100
SAR 1g (W/Kg)	0.179
ConvF	1.83
Relative permittivity	39.39
Conductivity (S/m)	1.95

Maximum location: X=-7.00, Y=8.00 ; SAR Peak: 0.33 W/kg






Plot 54:

Test Date	2024-02-28
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 7
Signal	NR FDD
Frequency	2560
SAR 10g (W/Kg)	0.289
SAR 1g (W/Kg)	0.523
ConvF	1.83
Relative permittivity	39.39
Conductivity (S/m)	1.95

Maximum location: X=16.00, Y=13.00 ; SAR Peak: 0.94 W/kg






Plot 55:

Test Date	2024-02-23
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.035
SAR 1g (W/Kg)	0.072
ConvF	2.24
Relative permittivity	40.36
Conductivity (S/m)	1.38

Maximum location: X=-40.00, Y=0.00 ; SAR Peak: 0.17 W/kg






Plot 56:

Test Date	2024-02-23
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.416
SAR 1g (W/Kg)	0.689
ConvF	2.24
Relative permittivity	40.36
Conductivity (S/m)	1.38

Maximum location: X=0.00, Y=-7.00 ; SAR Peak: 1.04 W/kg






Plot 57:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 38
Signal	NR TDD
Frequency	2600
SAR 10g (W/Kg)	0.179
SAR 1g (W/Kg)	0.323
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=0.00, Y=1.00 ; SAR Peak: 0.64 W/kg






Plot 58:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 38
Signal	NR TDD
Frequency	2600
SAR 10g (W/Kg)	0.492
SAR 1g (W/Kg)	0.916
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=7.00, Y=-8.00 ; SAR Peak: 1.09 W/kg






Plot 59:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.149
SAR 1g (W/Kg)	0.278
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=-8.00, Y=0.00 ; SAR Peak: 0.56 W/kg






Plot 60:

Test Date	2024-03-18
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.299
SAR 1g (W/Kg)	0.603
ConvF	2.35
Relative permittivity	39.77
Conductivity (S/m)	1.98

Maximum location: X=17.00, Y=13.00 ; SAR Peak: 1.09 W/kg






Plot 61:

Test Date	2024-03-17
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Cheek
Band	NR band 77
Signal	NR TDD
Frequency	3500
SAR 10g (W/Kg)	0.115
SAR 1g (W/Kg)	0.219
ConvF	1.83
Relative permittivity	38.46
Conductivity (S/m)	2.92

Maximum location: X=-47.00, Y=-17.00 ; SAR Peak: 0.81 W/kg






Plot 62:

Test Date	2024-03-17
Area Scan	dx=4mm dy=4mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 77
Signal	NR TDD
Frequency	3500
SAR 10g (W/Kg)	0.122
SAR 1g (W/Kg)	0.218
ConvF	1.83
Relative permittivity	38.46
Conductivity (S/m)	2.92

Maximum location: X=24.00, Y=-8.00 ; SAR Peak: 0.95 W/kg






Plot 63:

Test Date	2024-03-02
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-1
Signal	IEEE 802.11 ac
Frequency	5210
SAR 10g (W/Kg)	0.071
SAR 1g (W/Kg)	0.171
ConvF	1.98
Relative permittivity	36.38
Conductivity (S/m)	4.65

Maximum location: X=-39.00, Y=-47.00 ; SAR Peak: 1.62 W/kg






Plot 64:

Test Date	2024-03-02
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Left Side
Band	U-NII-1
Signal	IEEE 802.11 ac
Frequency	5210
SAR 10g (W/Kg)	0.077
SAR 1g (W/Kg)	0.150
ConvF	1.98
Relative permittivity	36.38
Conductivity (S/m)	4.65

Maximum location: X=-8.00, Y=32.00 ; SAR Peak: 1.33 W/kg





Plot 65:

Test Date	2024-03-02
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-1
Signal	IEEE 802.11 ax
Frequency	5240
SAR 10g (W/Kg)	0.223
SAR 1g (W/Kg)	0.638
ConvF	1.98
Relative permittivity	36.38
Conductivity (S/m)	4.65

Maximum location: X=-31.00, Y=2.00 ; SAR Peak: 3.26 W/kg

