




Test Graphs







DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441



Appendix J: Emissions in Restricted Bands

Test Result

Mode:	DH5-2480
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.07	74.00	22.93	48.13	54.00	5.87	150	11	Horizontal	PASS
2	2485.5295	6.55	52.81	74.00	21.19	47.97	54.00	6.03	150	312	Horizontal	PASS
3	2489.8195	6.56	51.70	74.00	22.30	50.01	54.00	3.99	150	72	Horizontal	PASS
4	2495.2315	6.57	52.85	74.00	21.15	50.69	54.00	3.31	150	316	Horizontal	PASS
5	2497.723	6.57	52.55	74.00	21.45	50.01	54.00	3.99	150	117	Horizontal	PASS
6	2500	6.58	51.26	74.00	22.74	49.40	54.00	4.60	150	254	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	50.64	74.00	23.36	48.32	54.00	5.68	150	182	Vertical	PASS
2	2486.2555	6.56	52.45	74.00	21.55	49.13	54.00	4.87	150	30	Vertical	PASS
3	2490.529	6.56	52.59	74.00	21.41	49.01	54.00	4.99	150	241	Vertical	PASS
4	2491.7995	6.57	52.71	74.00	21.29	49.85	54.00	4.15	150	115	Vertical	PASS
5	2494.39	6.57	52.42	74.00	21.58	50.29	54.00	3.71	150	309	Vertical	PASS
6	2500	6.58	50.78	74.00	23.22	48.95	54.00	5.05	150	231	Vertical	PASS

Mode:	DH5-2402
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.05	74.00	29.95	40.95	54.00	13.05	150	184	Horizontal	PASS
2	2326.32	6.86	45.29	74.00	28.71	40.47	54.00	13.53	150	268	Horizontal	PASS
3	2355.28	6.98	45.95	74.00	28.05	43.35	54.00	10.65	150	105	Horizontal	PASS
4	2376.88	7.29	45.26	74.00	28.74	42.72	54.00	11.28	150	268	Horizontal	PASS
5	2378.32	7.30	45.89	74.00	28.11	43.55	54.00	10.45	150	240	Horizontal	PASS
6	2390	7.73	46.37	74.00	27.63	42.90	54.00	11.10	150	341	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.92	74.00	30.08	40.88	54.00	13.12	150	263	Vertical	PASS
2	2333.6	6.88	45.50	74.00	28.50	43.02	54.00	10.98	150	17	Vertical	PASS
3	2342.8	6.90	45.84	74.00	28.16	41.89	54.00	12.11	150	87	Vertical	PASS
4	2363.52	7.10	45.81	74.00	28.19	42.68	54.00	11.32	150	11	Vertical	PASS
5	2380.56	7.34	46.11	74.00	27.89	41.35	54.00	12.65	150	301	Vertical	PASS
6	2390	7.73	45.04	74.00	28.96	42.14	54.00	11.86	150	28	Vertical	PASS

Mode:	2DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.43	74.00	30.57	40.87	54.00	13.13	150	119	Horizontal	PASS
2	2329.28	6.87	45.40	74.00	28.60	43.39	54.00	10.61	150	310	Horizontal	PASS
3	2346.08	6.90	45.60	74.00	28.40	43.34	54.00	10.66	150	231	Horizontal	PASS
4	2357.52	7.02	45.77	74.00	28.23	42.24	54.00	11.76	150	298	Horizontal	PASS
5	2376.72	7.29	46.76	74.00	27.24	41.86	54.00	12.14	150	125	Horizontal	PASS
6	2390	7.73	45.02	74.00	28.98	41.90	54.00	12.10	150	231	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.71	74.00	29.29	41.17	54.00	12.83	150	315	Vertical	PASS
2	2336.16	6.88	45.18	74.00	28.82	41.69	54.00	12.31	150	104	Vertical	PASS
3	2355.84	6.99	46.04	74.00	27.96	42.74	54.00	11.26	150	195	Vertical	PASS
4	2364.72	7.12	45.81	74.00	28.19	44.00	54.00	10.00	150	321	Vertical	PASS
5	2373.68	7.24	45.02	74.00	28.98	42.65	54.00	11.35	150	289	Vertical	PASS
6	2390	7.73	45.75	74.00	28.25	42.38	54.00	11.62	150	30	Vertical	PASS

Mode:	2DH5-2480
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.07	74.00	22.93	48.16	54.00	5.84	150	65	Horizontal	PASS
2	2486.5855	6.56	52.06	74.00	21.94	49.32	54.00	4.68	150	259	Horizontal	PASS
3	2488.8295	6.56	52.97	74.00	21.03	48.30	54.00	5.70	150	154	Horizontal	PASS
4	2494.9015	6.57	52.65	74.00	21.35	48.58	54.00	5.42	150	55	Horizontal	PASS
5	2497.129	6.58	52.55	74.00	21.45	49.34	54.00	4.66	150	252	Horizontal	PASS
6	2500	6.58	50.90	74.00	23.10	48.38	54.00	5.62	150	324	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.20	74.00	22.80	47.61	54.00	6.39	150	205	Vertical	PASS
2	2488.7305	6.55	52.41	74.00	21.59	48.66	54.00	5.34	150	165	Vertical	PASS
3	2490.892	6.56	52.22	74.00	21.78	48.95	54.00	5.05	150	65	Vertical	PASS
4	2494.357	6.57	53.05	74.00	20.95	50.15	54.00	3.85	150	148	Vertical	PASS
5	2496.6505	6.58	53.27	74.00	20.73	48.48	54.00	5.52	150	58	Vertical	PASS
6	2500	6.58	50.84	74.00	23.16	48.04	54.00	5.96	150	146	Vertical	PASS

Mode:	3DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.27	74.00	30.73	41.23	54.00	12.77	150	135	Horizontal	PASS
2	2340.16	6.89	45.97	74.00	28.03	41.23	54.00	12.77	150	76	Horizontal	PASS
3	2350.16	6.91	45.61	74.00	28.39	41.04	54.00	12.96	150	326	Horizontal	PASS
4	2363.92	7.11	45.23	74.00	28.77	42.45	54.00	11.55	150	174	Horizontal	PASS
5	2367.52	7.16	45.93	74.00	28.07	42.84	54.00	11.16	150	252	Horizontal	PASS
6	2390	7.73	44.99	74.00	29.01	41.44	54.00	12.56	150	323	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	45.71	74.00	28.29	40.60	54.00	13.40	150	206	Vertical	PASS
2	2326.24	6.86	44.86	74.00	29.14	41.81	54.00	12.19	150	203	Vertical	PASS
3	2346.48	6.90	46.60	74.00	27.40	41.66	54.00	12.34	150	356	Vertical	PASS
4	2349.28	6.91	45.93	74.00	28.07	41.75	54.00	12.25	150	77	Vertical	PASS
5	2377.84	7.30	46.77	74.00	27.23	44.09	54.00	9.91	150	62	Vertical	PASS
6	2390	7.73	44.49	74.00	29.51	42.10	54.00	11.90	150	230	Vertical	PASS

Mode:	3DH5-2480
-------	-----------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	50.74	74.00	23.26	48.23	54.00	5.77	150	46	Horizontal	PASS
2	2485.216	6.55	52.81	74.00	21.19	48.28	54.00	5.72	150	269	Horizontal	PASS
3	2488.1695	6.55	52.57	74.00	21.43	49.66	54.00	4.34	150	39	Horizontal	PASS
4	2491.453	6.57	53.12	74.00	20.88	49.55	54.00	4.45	150	315	Horizontal	PASS
5	2493.4165	6.56	53.38	74.00	20.62	49.67	54.00	4.33	150	353	Horizontal	PASS
6	2500	6.58	50.65	74.00	23.35	48.77	54.00	5.23	150	206	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	50.88	74.00	23.12	48.53	54.00	5.47	150	326	Vertical	PASS
2	2488.0375	6.56	52.73	74.00	21.27	47.82	54.00	6.18	150	80	Vertical	PASS
3	2489.3905	6.56	52.97	74.00	21.03	48.15	54.00	5.85	150	347	Vertical	PASS
4	2494.1095	6.57	51.86	74.00	22.14	49.49	54.00	4.51	150	123	Vertical	PASS
5	2496.04	6.57	52.64	74.00	21.36	50.33	54.00	3.67	150	169	Vertical	PASS
6	2500	6.58	50.63	74.00	23.37	48.70	54.00	5.30	150	316	Vertical	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix L: Radiated emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	46.6857	12.56	-16.22	40.00	27.44	100	30	Vertical	PASS
2	139.135	15.89	-16.76	43.50	27.61	100	110	Vertical	PASS
3	215.967	15.72	-19.42	43.50	27.78	100	300	Vertical	PASS
4	494.288	25.89	-11.93	46.00	20.11	100	180	Vertical	PASS
5	591.977	28.83	-9.10	46.00	17.17	100	290	Vertical	PASS
6	942.376	28.95	-1.87	46.00	17.05	100	360	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	45.7156	12.36	-16.18	40.00	27.64	100	230	Horizontal	PASS
2	83.1613	9.88	-20.36	40.00	30.12	100	330	Horizontal	PASS
3	168.044	13.90	-16.52	43.50	29.60	100	350	Horizontal	PASS
4	263.987	18.04	-17.35	46.00	27.96	100	320	Horizontal	PASS
5	547.740	21.10	-10.45	46.00	24.90	100	350	Horizontal	PASS
6	966.143	27.94	-1.76	54.00	26.06	100	100	Horizontal	PASS

Mode:	DH5-2402
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1258	40.01	0.16	74.00	33.99	150	170	Horizontal
2	1900	45.86	6.40	74.00	28.14	150	145	Horizontal
3	4884	44.37	-13.45	74.00	29.63	150	91	Horizontal
4	7170	45.57	-10.08	74.00	28.43	150	157	Horizontal
5	9603	47.96	-6.57	74.00	26.04	150	32	Horizontal
6	14628	50.84	0.38	74.00	23.16	150	201	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1336	40.68	0.12	74.00	33.32	150	121	Vertical
2	2106	46.81	7.59	74.00	27.19	150	197	Vertical
3	3948	46.60	-16.04	74.00	27.40	150	254	Vertical
4	5913	45.66	-11.65	74.00	28.34	150	246	Vertical
5	7575	45.81	-9.76	74.00	28.19	150	299	Vertical
6	11892	48.53	-2.38	74.00	25.47	150	28	Vertical

Mode:	DH5-2441
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1288	40.83	0.07	74.00	33.17	150	302	Horizontal
2	1890	45.72	6.18	74.00	28.28	150	176	Horizontal
3	4227	43.45	-15.61	74.00	30.55	150	0	Horizontal
4	5772	44.46	-12.02	74.00	29.54	150	261	Horizontal
5	7053	45.29	-10.24	74.00	28.71	150	266	Horizontal
6	9030	46.35	-7.71	74.00	27.65	150	58	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1236	40.13	0.24	74.00	33.87	150	302	Vertical
2	1922	46.40	6.32	74.00	27.60	150	169	Vertical
3	4170	42.44	-15.75	74.00	31.56	150	347	Vertical
4	5256	47.09	-12.50	74.00	26.91	150	243	Vertical
5	7773	45.07	-9.65	74.00	28.93	150	9	Vertical
6	11196	48.89	-3.42	74.00	25.11	150	326	Vertical

Mode:	DH5-2480
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1258	40.47	0.16	74.00	33.53	150	121	Horizontal
2	1824	43.56	4.52	74.00	30.44	150	137	Horizontal
3	4956	45.38	-13.67	74.00	28.62	150	8	Horizontal
4	7260	46.28	-9.82	74.00	27.72	150	250	Horizontal
5	10329	46.75	-5.61	74.00	27.25	150	299	Horizontal
6	11148	48.51	-3.55	74.00	25.49	150	289	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	40.88	0.06	74.00	33.12	150	238	Vertical
2	2104	46.96	7.62	74.00	27.04	150	339	Vertical
3	3948	46.03	-16.04	74.00	27.97	150	292	Vertical
4	5256	44.97	-12.50	74.00	29.03	150	268	Vertical
5	8178	45.61	-9.06	74.00	28.39	150	28	Vertical
6	12981	49.66	-1.13	74.00	24.34	150	292	Vertical

Mode:	2DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	40.59	0.06	74.00	33.41	150	63	Horizontal
2	1838	44.21	4.94	74.00	29.79	150	63	Horizontal
3	4593	42.75	-14.30	74.00	31.25	150	98	Horizontal
4	6222	45.08	-11.12	74.00	28.92	150	161	Horizontal
5	7479	45.45	-9.92	74.00	28.55	150	245	Horizontal
6	9603	48.04	-6.57	74.00	25.96	150	12	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	41.06	0.08	74.00	32.94	150	234	Vertical
2	1912	45.71	6.36	74.00	28.29	150	202	Vertical
3	4740	45.38	-13.44	74.00	28.62	150	272	Vertical
4	6576	48.96	-10.67	74.00	25.04	150	207	Vertical
5	9045	46.45	-7.70	74.00	27.55	150	38	Vertical
6	11793	48.79	-2.61	74.00	25.21	150	127	Vertical

Mode:	2DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1292	40.88	0.05	74.00	33.12	150	190	Horizontal
2	1914	47.56	6.35	74.00	26.44	150	207	Horizontal
3	4929	44.31	-13.59	74.00	29.69	150	9	Horizontal
4	7275	45.33	-9.78	74.00	28.67	150	271	Horizontal
5	8328	45.84	-9.18	74.00	28.16	150	271	Horizontal
6	9759	47.48	-6.33	74.00	26.52	150	268	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1460	40.47	0.61	74.00	33.53	150	360	Vertical
2	1890	45.78	6.18	74.00	28.22	150	269	Vertical
3	3945	46.75	-16.04	74.00	27.25	150	295	Vertical
4	5253	46.33	-12.50	74.00	27.67	150	263	Vertical
5	6561	45.57	-10.66	74.00	28.43	150	137	Vertical
6	8886	46.19	-7.85	74.00	27.81	150	8	Vertical

Mode:	2DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1450	40.76	0.57	74.00	33.24	150	347	Horizontal
2	1866	44.85	5.65	74.00	29.15	150	173	Horizontal
3	4782	43.03	-13.29	74.00	30.97	150	0	Horizontal
4	5922	45.12	-11.64	74.00	28.88	150	62	Horizontal
5	8226	45.69	-9.06	74.00	28.31	150	290	Horizontal
6	9483	47.34	-6.89	74.00	26.66	150	320	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	40.98	0.07	74.00	33.02	150	256	Vertical
2	2082	46.57	7.40	74.00	27.43	150	334	Vertical
3	4749	43.71	-13.39	74.00	30.29	150	155	Vertical
4	6081	44.56	-10.97	74.00	29.44	150	87	Vertical
5	7062	45.42	-10.26	74.00	28.58	150	6	Vertical
6	8616	46.00	-8.53	74.00	28.00	150	167	Vertical

Mode:	3DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1478	40.94	0.68	74.00	33.06	150	11	Horizontal
2	2106	46.42	7.59	74.00	27.58	150	220	Horizontal
3	4278	42.72	-15.39	74.00	31.28	150	43	Horizontal
4	6279	44.75	-11.02	74.00	29.25	150	229	Horizontal
5	7998	45.94	-9.14	74.00	28.06	150	272	Horizontal
6	9603	48.95	-6.57	74.00	25.05	150	35	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	41.28	0.06	74.00	32.72	150	255	Vertical
2	1868	44.35	5.69	74.00	29.65	150	255	Vertical
3	3948	47.42	-16.04	74.00	26.58	150	218	Vertical
4	4941	44.32	-13.62	74.00	29.68	150	140	Vertical
5	7689	45.39	-9.48	74.00	28.61	150	272	Vertical
6	10227	47.29	-5.69	74.00	26.71	150	96	Vertical

Mode:	3DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1210	40.65	0.36	74.00	33.35	150	324	Horizontal
2	1892	46.03	6.23	74.00	27.97	150	172	Horizontal
3	4251	42.94	-15.51	74.00	31.06	150	218	Horizontal
4	5922	45.32	-11.64	74.00	28.68	150	175	Horizontal
5	7938	45.79	-9.30	74.00	28.21	150	140	Horizontal
6	9759	48.06	-6.33	74.00	25.94	150	19	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1246	40.80	0.20	74.00	33.20	150	243	Vertical
2	1820	44.09	4.40	74.00	29.91	150	99	Vertical
3	3954	46.51	-16.05	74.00	27.49	150	247	Vertical
4	6159	45.76	-11.03	74.00	28.24	150	44	Vertical
5	8088	45.16	-9.24	74.00	28.84	150	21	Vertical
6	9753	46.50	-6.33	74.00	27.50	150	0	Vertical

Mode:	3DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1336	41.58	0.12	74.00	32.42	150	357	Horizontal
2	2038	46.54	6.70	74.00	27.46	150	333	Horizontal
3	4233	42.40	-15.58	74.00	31.60	150	78	Horizontal
4	6357	45.08	-10.74	74.00	28.92	150	162	Horizontal
5	7854	45.06	-9.55	74.00	28.94	150	31	Horizontal
6	9486	47.34	-6.89	74.00	26.66	150	140	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1482	40.23	0.69	74.00	33.77	150	85	Vertical
2	1810	43.62	4.10	74.00	30.38	150	307	Vertical
3	3939	43.24	-16.04	74.00	30.76	150	22	Vertical
4	6048	44.63	-11.21	74.00	29.37	150	86	Vertical
5	8313	45.97	-9.17	74.00	28.03	150	22	Vertical
6	10293	47.58	-5.61	74.00	26.42	150	22	Vertical

Appendix K: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1613	10.35	47.06	65.40	18.34	32.36	55.40	23.04	N	PASS
2	0.4837	10.26	38.19	56.28	18.09	30.57	46.28	15.71	N	PASS
3	1.4608	10.32	21.49	56.00	34.51	17.29	46.00	28.71	N	PASS
4	2.4478	10.38	27.61	56.00	28.39	18.64	46.00	27.36	N	PASS
5	4.4055	10.40	21.54	56.00	34.46	17.67	46.00	28.33	N	PASS
6	16.6735	10.67	34.14	60.00	25.86	24.65	50.00	25.35	N	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2183	10.34	38.93	62.89	23.96	27.03	52.89	25.86	L1	PASS
2	0.4912	10.25	38.41	56.15	17.74	30.03	46.15	16.12	L1	PASS
3	1.0147	10.36	29.82	56.00	26.18	21.83	46.00	24.17	L1	PASS
4	2.3756	10.28	31.46	56.00	24.54	22.45	46.00	23.55	L1	PASS
5	5.7049	10.37	27.15	60.00	32.85	22.56	50.00	27.44	L1	PASS
6	16.9093	10.61	31.67	60.00	28.33	22.14	50.00	27.86	L1	PASS