






2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500



3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500



3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500



3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000




Appendix I: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time[ms]	Period[ms]	Duty Cycle[%]
DH5	Ant1	2402	2.88	3.75	76.80
		2441	2.88	3.75	76.80
		2480	2.89	3.76	76.86
2DH5	Ant1	2402	2.89	3.75	77.07
		2441	2.89	3.75	77.07
		2480	2.89	3.75	77.07
3DH5	Ant1	2402	2.89	3.75	77.07
		2441	2.89	3.75	77.07
		2480	2.88	3.74	77.01


Test Graphs




DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441



Appendix J: Emissions in Restricted Bands

Test Result

Mode:	DH5-2402
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.83	74.00	30.17	41.37	54.00	12.63	150	58	Horizontal	PASS
2	2320.88	6.84	46.18	74.00	27.82	43.22	54.00	10.78	150	241	Horizontal	PASS
3	2337.92	6.89	45.33	74.00	28.67	41.59	54.00	12.41	150	215	Horizontal	PASS
4	2356.8	7.01	45.39	74.00	28.61	43.00	54.00	11.00	150	237	Horizontal	PASS
5	2382.16	7.36	47.30	74.00	26.70	42.60	54.00	11.40	150	280	Horizontal	PASS
6	2390	7.73	45.19	74.00	28.81	41.89	54.00	12.11	150	158	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.05	74.00	30.95	40.21	54.00	13.79	150	176	Vertical	PASS
2	2330.8	6.87	45.19	74.00	28.81	42.89	54.00	11.11	150	306	Vertical	PASS
3	2354.48	6.97	46.12	74.00	27.88	42.99	54.00	11.01	150	348	Vertical	PASS
4	2370.32	7.19	46.40	74.00	27.60	41.17	54.00	12.83	150	295	Vertical	PASS
5	2377.52	7.30	46.04	74.00	27.96	44.20	54.00	9.80	150	194	Vertical	PASS
6	2390	7.73	44.69	74.00	29.31	42.65	54.00	11.35	150	316	Vertical	PASS

Mode:	DH5-2480
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.58	74.00	22.42	49.29	54.00	4.71	150	238	Horizontal	PASS
2	2487.7405	6.56	52.03	74.00	21.97	48.73	54.00	5.27	150	7	Horizontal	PASS
3	2490.595	6.56	52.93	74.00	21.07	50.34	54.00	3.66	150	162	Horizontal	PASS
4	2494.6045	6.57	52.60	74.00	21.40	49.66	54.00	4.34	150	265	Horizontal	PASS
5	2497.525	6.58	52.39	74.00	21.61	50.06	54.00	3.94	150	296	Horizontal	PASS
6	2500	6.58	50.33	74.00	23.67	48.01	54.00	5.99	150	296	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.17	74.00	22.83	48.90	54.00	5.10	150	67	Vertical	PASS
2	2486.8825	6.56	52.12	74.00	21.88	50.76	54.00	3.24	150	17	Vertical	PASS
3	2488.747	6.55	54.51	74.00	19.49	50.77	54.00	3.23	150	239	Vertical	PASS
4	2492.3935	6.57	51.99	74.00	22.01	49.35	54.00	4.65	150	142	Vertical	PASS
5	2494.3405	6.57	52.58	74.00	21.42	48.67	54.00	5.33	150	120	Vertical	PASS
6	2500	6.58	51.93	74.00	22.07	48.85	54.00	5.15	150	244	Vertical	PASS

Mode:	2DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	45.01	74.00	28.99	42.73	54.00	11.27	150	354	Horizontal	PASS
2	2326.8	6.86	46.08	74.00	27.92	41.74	54.00	12.26	150	258	Horizontal	PASS
3	2335.6	6.88	46.39	74.00	27.61	42.35	54.00	11.65	150	242	Horizontal	PASS
4	2355.92	6.99	46.27	74.00	27.73	43.80	54.00	10.20	150	350	Horizontal	PASS
5	2375.52	7.27	45.31	74.00	28.69	42.64	54.00	11.36	150	137	Horizontal	PASS
6	2390	7.73	44.82	74.00	29.18	42.26	54.00	11.74	150	312	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.05	74.00	29.95	42.11	54.00	11.89	150	147	Vertical	PASS
2	2327.76	6.87	45.55	74.00	28.45	42.88	54.00	11.12	150	218	Vertical	PASS
3	2340.72	6.89	45.34	74.00	28.66	41.76	54.00	12.24	150	221	Vertical	PASS
4	2367.44	7.15	45.88	74.00	28.12	42.05	54.00	11.95	150	68	Vertical	PASS
5	2381.44	7.35	46.60	74.00	27.40	42.05	54.00	11.95	150	104	Vertical	PASS
6	2390	7.73	45.11	74.00	28.89	42.94	54.00	11.06	150	288	Vertical	PASS

Mode:	2DH5-2480
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	50.01	74.00	23.99	47.45	54.00	6.55	150	55	Horizontal	PASS
2	2487.658	6.56	52.01	74.00	21.99	48.30	54.00	5.70	150	139	Horizontal	PASS
3	2490.2155	6.56	53.18	74.00	20.82	50.44	54.00	3.56	150	262	Horizontal	PASS
4	2492.575	6.57	52.95	74.00	21.05	50.45	54.00	3.55	150	170	Horizontal	PASS
5	2495.05	6.57	52.54	74.00	21.46	50.14	54.00	3.86	150	302	Horizontal	PASS
6	2500	6.58	51.55	74.00	22.45	49.68	54.00	4.32	150	355	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	50.98	74.00	23.02	47.91	54.00	6.09	150	219	Vertical	PASS
2	2485.843	6.55	52.91	74.00	21.09	50.12	54.00	3.88	150	242	Vertical	PASS
3	2487.5755	6.56	51.84	74.00	22.16	48.77	54.00	5.23	150	112	Vertical	PASS
4	2490.5455	6.56	52.24	74.00	21.76	49.52	54.00	4.48	150	92	Vertical	PASS
5	2493.697	6.56	52.38	74.00	21.62	50.55	54.00	3.45	150	308	Vertical	PASS
6	2500	6.58	51.03	74.00	22.97	49.11	54.00	4.89	150	24	Vertical	PASS

Mode:	3DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.49	74.00	29.51	40.55	54.00	13.45	150	324	Horizontal	PASS
2	2323.2	6.85	44.75	74.00	29.25	41.55	54.00	12.45	150	233	Horizontal	PASS
3	2333.36	6.88	46.26	74.00	27.74	41.59	54.00	12.41	150	12	Horizontal	PASS
4	2346.4	6.90	45.47	74.00	28.53	40.59	54.00	13.41	150	226	Horizontal	PASS
5	2365.36	7.12	45.99	74.00	28.01	42.06	54.00	11.94	150	349	Horizontal	PASS
6	2390	7.73	46.37	74.00	27.63	42.53	54.00	11.47	150	352	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.77	74.00	30.23	40.81	54.00	13.19	150	252	Vertical	PASS
2	2336.32	6.88	44.79	74.00	29.21	41.45	54.00	12.55	150	2	Vertical	PASS
3	2347.2	6.90	45.27	74.00	28.73	43.03	54.00	10.97	150	348	Vertical	PASS
4	2356	6.99	45.32	74.00	28.68	43.35	54.00	10.65	150	316	Vertical	PASS
5	2374.48	7.25	46.83	74.00	27.17	42.50	54.00	11.50	150	223	Vertical	PASS
6	2390	7.73	45.21	74.00	28.79	42.47	54.00	11.53	150	29	Vertical	PASS