

EUT Internal Photograph


(1) EUT Photo




(2) EUT Photo




(3) EUT Photo




(4) EUT Photo




(5) EUT Photo




(6) EUT Photo




(7) EUT Photo




(8) EUT Photo




(9) EUT Photo




(10) EUT Photo




(11) EUT Photo




(12) EUT Photo




(13) EUT Photo




(14) EUT Photo




(15) EUT Photo




(16) EUT Photo




(17) EUT Photo




(18) EUT Photo




(19) EUT Photo




(20) EUT Photo




(21) EUT Photo



(22) EUT Photo



(23) EUT Photo



(24) EUT Photo(Navimow Access+)



Technical drawing of the NAVIMOW ACCESS+ label with dimensions and content.

Dimensions:

- Overall width: 72mm
- Overall height: 55mm
- Top-left corner radius: R2mm
- Bottom-left corner radius: R4mm
- Bottom-right corner radius: R4mm
- Top-right corner radius: R4mm
- Left margin: 20.5mm
- Top margin: 27mm
- Right margin: 2mm
- Bottom margin: 2mm

Label Content:

NAVIMOW ACCESS⁺

Model: i1101N (For US and Canada)
 Nominal Input: 5V $\Rightarrow$ 2A
 Navimow B.V.
 Dynamostraat 7, 1014 BN Amsterdam,
 The Netherlands
 Contains FCC ID: XMR201909EC25AFX
 IC: 10224A-2019EC25AFX


This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3 (B)/NMB-3(B)

QR Code
 SN: XXXXXXXXXXXXXXXX


Barcode
 IMEI: XXXXXXXXXXXXXXXX

Recycling Symbol

(27) EUT Photo (Navimow Access+)




(28) EUT Photo (Navimow Access+)




(29) EUT Photo (Navimow Access+)



(30) EUT Photo (Navimow Access+)



(31) EUT Photo (Navimow Access+)



(32) EUT Photo (Navimow Access+)

