



Appendix B

RF Test Data for BT LE (Conducted Measurement)

Product Name: Mini PC  
Test Model: Catseye NUC24CEN1

Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8° C    |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Summer Wu  |





## B.1 -6dB Bandwidth

| Condition | Mode   | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | 0.655                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 1M | 2440            | Ant0    | 0.657                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 0.657                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 1.159                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2440            | Ant0    | 1.167                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 1.142                 | $\geq 0.5$                  | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant0



-6dB Bandwidth NVNT BLE 1M 2440MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT BLE 1M 2480MHz Ant0



## -6dB Bandwidth NVNT BLE 2M 2402MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT BLE 2M 2440MHz Ant0



## -6dB Bandwidth NVNT BLE 2M 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.2 Maximum Conducted Output Power

| Condition | Mode   | Frequency (MHz) | Antenna | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|--------|-----------------|---------|-------------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | -0.91             | 30          | Pass    |
| NVNT      | BLE 1M | 2440            | Ant0    | -0.99             | 30          | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 0.06              | 30          | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 0.53              | 30          | Pass    |
| NVNT      | BLE 2M | 2440            | Ant0    | 0.52              | 30          | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | -0.52             | 30          | Pass    |









## Test Graphs

Power NVNT BLE 1M 2402MHz Ant0



Power NVNT BLE 1M 2440MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Power NVNT BLE 1M 2480MHz Ant0



Power NVNT BLE 2M 2402MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Power NVNT BLE 2M 2440MHz Ant0



Power NVNT BLE 2M 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### B.3 Maximum Power Spectral Density Level

| Condition | Mode   | Frequency (MHz) | Antenna | Total PSD (dBm/3kHz) | Limit (dBm/3kHz) | Verdict |
|-----------|--------|-----------------|---------|----------------------|------------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | -17.2                | 8                | Pass    |
| NVNT      | BLE 1M | 2440            | Ant0    | -17.48               | 8                | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | -16.83               | 8                | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | -19.57               | 8                | Pass    |
| NVNT      | BLE 2M | 2440            | Ant0    | -19.27               | 8                | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | -20.45               | 8                | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity




## Test Graphs

PSD NVNT BLE 1M 2402MHz Ant0



PSD NVNT BLE 1M 2440MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT BLE 1M 2480MHz Ant0



PSD NVNT BLE 2M 2402MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT BLE 2M 2440MHz Ant0



PSD NVNT BLE 2M 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.4 Band Edge

| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | -54.18          | -20         | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | -54.95          | -20         | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | -44.71          | -20         | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | -55.02          | -20         | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)


Scan code to check authenticity






## Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant0 Ref



Band Edge NVNT BLE 1M 2402MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT BLE 1M 2480MHz Ant0 Ref



## Band Edge NVNT BLE 1M 2480MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT BLE 2M 2402MHz Ant0 Ref



## Band Edge NVNT BLE 2M 2402MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT BLE 2M 2480MHz Ant0 Ref



## Band Edge NVNT BLE 2M 2480MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.5 Conducted RF Spurious Emission

| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | -53.96          | -20         | Pass    |
| NVNT      | BLE 1M | 2440            | Ant0    | -53.84          | -20         | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | -54.09          | -20         | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | -54.6           | -20         | Pass    |
| NVNT      | BLE 2M | 2440            | Ant0    | -55.3           | -20         | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | -54.25          | -20         | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)


Scan code to check authenticity






## Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant0 Ref



Tx. Spurious NVNT BLE 1M 2402MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Tx. Spurious NVNT BLE 1M 2440MHz Ant0 Ref



## Tx. Spurious NVNT BLE 1M 2440MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT BLE 1M 2480MHz Ant0 Ref



## Tx. Spurious NVNT BLE 1M 2480MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT BLE 2M 2402MHz Ant0 Ref



## Tx. Spurious NVNT BLE 2M 2402MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT BLE 2M 2440MHz Ant0 Ref



## Tx. Spurious NVNT BLE 2M 2440MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT BLE 2M 2480MHz Ant0 Ref



## Tx. Spurious NVNT BLE 2M 2480MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





## B.6 Duty Cycle

| Condition | Mode   | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|--------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | BLE 1M | 2402            | Ant0    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 1M | 2440            | Ant0    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 1M | 2480            | Ant0    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 2M | 2402            | Ant0    | 65.92          | 1.81                   | 1.21      |
| NVNT      | BLE 2M | 2440            | Ant0    | 65.89          | 1.81                   | 1.21      |
| NVNT      | BLE 2M | 2480            | Ant0    | 65.96          | 1.81                   | 1.21      |









## Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant0



Duty Cycle NVNT BLE 1M 2440MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT BLE 1M 2480MHz Ant0



## Duty Cycle NVNT BLE 2M 2402MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT BLE 2M 2440MHz Ant0



## Duty Cycle NVNT BLE 2M 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.7 Restrict Band

| Condition | Mode   | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | BLE 1M | 2402            | Ant0    | 2310            | -52.17      | 3.44       | -                | 46.53      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant0    | 2310            | -58.25      | 3.44       | 0.59             | 41.04      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant0    | 2385.072        | -46.61      | 3.44       | -                | 52.09      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant0    | 2326.128        | -57.56      | 3.44       | 0.59             | 41.73      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant0    | 2390            | -48         | 3.44       | -                | 50.70      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant0    | 2390            | -58.38      | 3.44       | 0.59             | 40.91      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2483.5          | -49.25      | 3.44       | -                | 49.45      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2483.5          | -57.51      | 3.44       | 0.59             | 41.78      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2485.888        | -44.32      | 3.44       | -                | 54.38      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2491.768        | -56.87      | 3.44       | 0.59             | 42.42      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2500            | -50.12      | 3.44       | -                | 48.58      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant0    | 2500            | -57.57      | 3.44       | 0.59             | 41.72      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2310            | -50.46      | 3.44       | -                | 48.24      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2310            | -58.91      | 3.44       | 1.81             | 41.60      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2377.2          | -47.48      | 3.44       | -                | 51.22      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2388.912        | -57.47      | 3.44       | 1.81             | 43.04      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2390            | -50.39      | 3.44       | -                | 48.31      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant0    | 2390            | -58.13      | 3.44       | 1.81             | 42.38      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2483.5          | -49.71      | 3.44       | -                | 48.99      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2483.5          | -57.84      | 3.44       | 1.81             | 42.67      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2485.216        | -42.53      | 3.44       | -                | 56.17      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2484.184        | -57.05      | 3.44       | 1.81             | 43.46      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2500            | -48.92      | 3.44       | -                | 49.78      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant0    | 2500            | -58.04      | 3.44       | 1.81             | 42.47      | Average  | 54             | Pass    |









## Test Graphs

## Restrict Band NVNT BLE 1M 2402MHz Ant0 Peak



## Restrict Band NVNT BLE 1M 2402MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT BLE 1M 2480MHz Ant0 Peak



## Restrict Band NVNT BLE 1M 2480MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Restrict Band NVNT BLE 2M 2402MHz Ant0 Peak



## Restrict Band NVNT BLE 2M 2402MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT BLE 2M 2480MHz Ant0 Peak



## Restrict Band NVNT BLE 2M 2480MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity