


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	1.13	1.03	0.52	-1.22	-1.05	0.25
MAX. Gain	1.13dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	19.10mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	1.13276	-29.2853	-6.54882
2450	1.03655	-33.5385	-6.85735
2500	0.52253	-21.1324	-6.22576

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.2257	-21.3753	-11.5382
2450	-1.0525	-23.4286	-10.0243
2500	0.25542	-28.4572	-8.2845

ANT Test Labs: Attestation of Global Compliance Co., Ltd.