



802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant2_NTNV



802.11ax(HEW40)_HCH_5795MHz_RU484_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant2_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW80)_MCH_5775MHz_RU996_Left_MIMO_NTNV



5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	10.2	5179.940	5150 to 5250	Pass
						12	5179.900	5150 to 5250	Pass
						13.8	5179.880	5150 to 5250	Pass
					-30	12	5179.880	5150 to 5250	Pass
					-20	12	5179.900	5150 to 5250	Pass
					-10	12	5179.860	5150 to 5250	Pass
					0	12	5179.880	5150 to 5250	Pass
					10	12	5179.900	5150 to 5250	Pass
					30	12	5179.940	5150 to 5250	Pass
					40	12	5179.860	5150 to 5250	Pass
					50	12	5179.920	5150 to 5250	Pass
		5200	/	/	20	10.2	5199.880	5150 to 5250	Pass
						12	5199.880	5150 to 5250	Pass
						13.8	5199.860	5150 to 5250	Pass
					-30	12	5199.880	5150 to 5250	Pass
					-20	12	5199.940	5150 to 5250	Pass
					-10	12	5199.900	5150 to 5250	Pass
					0	12	5199.900	5150 to 5250	Pass
					10	12	5199.880	5150 to 5250	Pass
					30	12	5199.900	5150 to 5250	Pass
					40	12	5199.940	5150 to 5250	Pass
					50	12	5199.940	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.880	5150 to 5250	Pass
						12	5239.880	5150 to 5250	Pass
						13.8	5239.920	5150 to 5250	Pass
					-30	12	5239.880	5150 to 5250	Pass
					-20	12	5239.880	5150 to 5250	Pass
					-10	12	5239.940	5150 to 5250	Pass
					0	12	5239.900	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 560 of 588

					10	12	5239.880	5150 to 5250	Pass
					30	12	5239.880	5150 to 5250	Pass
					40	12	5239.880	5150 to 5250	Pass
					50	12	5239.900	5150 to 5250	Pass
		5260	/	/	20	10.2	5259.940	5250 to 5350	Pass
						12	5259.920	5250 to 5350	Pass
						13.8	5259.880	5250 to 5350	Pass
					-30	12	5259.920	5250 to 5350	Pass
					-20	12	5259.960	5250 to 5350	Pass
					-10	12	5259.900	5250 to 5350	Pass
					0	12	5259.920	5250 to 5350	Pass
					10	12	5259.920	5250 to 5350	Pass
					30	12	5259.960	5250 to 5350	Pass
					40	12	5259.940	5250 to 5350	Pass
					50	12	5259.920	5250 to 5350	Pass
		5300	/	/	20	10.2	5299.940	5250 to 5350	Pass
						12	5299.920	5250 to 5350	Pass
						13.8	5299.980	5250 to 5350	Pass
					-30	12	5299.920	5250 to 5350	Pass
					-20	12	5299.900	5250 to 5350	Pass
					-10	12	5299.880	5250 to 5350	Pass
					0	12	5299.900	5250 to 5350	Pass
					10	12	5299.940	5250 to 5350	Pass
					30	12	5299.860	5250 to 5350	Pass
					40	12	5299.960	5250 to 5350	Pass
					50	12	5299.880	5250 to 5350	Pass
		5320	/	/	20	10.2	5319.880	5250 to 5350	Pass
						12	5319.920	5250 to 5350	Pass
						13.8	5319.900	5250 to 5350	Pass
					-30	12	5319.920	5250 to 5350	Pass
					-20	12	5319.900	5250 to 5350	Pass
					-10	12	5319.860	5250 to 5350	Pass
					0	12	5319.920	5250 to 5350	Pass
					10	12	5319.880	5250 to 5350	Pass
					30	12	5319.940	5250 to 5350	Pass
					40	12	5319.900	5250 to 5350	Pass
					50	12	5319.900	5250 to 5350	Pass
		5500	/	/	20	10.2	5499.880	5470 to 5725	Pass
						12	5499.900	5470 to 5725	Pass
						13.8	5499.860	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 561 of 588

					-30	12	5499.900	5470 to 5725	Pass
					-20	12	5499.960	5470 to 5725	Pass
					-10	12	5499.880	5470 to 5725	Pass
					0	12	5499.840	5470 to 5725	Pass
					10	12	5499.880	5470 to 5725	Pass
					30	12	5499.920	5470 to 5725	Pass
					40	12	5499.900	5470 to 5725	Pass
					50	12	5499.940	5470 to 5725	Pass
		5580	/	/	20	10.2	5579.920	5470 to 5725	Pass
						12	5579.860	5470 to 5725	Pass
						13.8	5579.860	5470 to 5725	Pass
					-30	12	5579.940	5470 to 5725	Pass
					-20	12	5579.940	5470 to 5725	Pass
					-10	12	5579.900	5470 to 5725	Pass
					0	12	5579.840	5470 to 5725	Pass
					10	12	5579.880	5470 to 5725	Pass
					30	12	5579.920	5470 to 5725	Pass
					40	12	5579.880	5470 to 5725	Pass
					50	12	5579.880	5470 to 5725	Pass
		5700	/	/	20	10.2	5699.860	5470 to 5725	Pass
						12	5699.860	5470 to 5725	Pass
						13.8	5699.960	5470 to 5725	Pass
					-30	12	5699.960	5470 to 5725	Pass
					-20	12	5699.900	5470 to 5725	Pass
					-10	12	5699.860	5470 to 5725	Pass
					0	12	5699.880	5470 to 5725	Pass
					10	12	5699.900	5470 to 5725	Pass
					30	12	5699.860	5470 to 5725	Pass
					40	12	5699.880	5470 to 5725	Pass
					50	12	5699.880	5470 to 5725	Pass
		5745	/	/	20	10.2	5744.860	5725 to 5850	Pass
						12	5744.940	5725 to 5850	Pass
						13.8	5744.880	5725 to 5850	Pass
					-30	12	5744.920	5725 to 5850	Pass
					-20	12	5744.900	5725 to 5850	Pass
					-10	12	5744.860	5725 to 5850	Pass
					0	12	5744.920	5725 to 5850	Pass
					10	12	5744.960	5725 to 5850	Pass
					30	12	5744.860	5725 to 5850	Pass
					40	12	5744.920	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 562 of 588

802.11n (HT20)	MIMO	5785	/	/	50	12	5744.900	5725 to 5850	Pass
					20	10.2	5784.900	5725 to 5850	Pass
						12	5784.880	5725 to 5850	Pass
						13.8	5784.900	5725 to 5850	Pass
					-30	12	5784.920	5725 to 5850	Pass
					-20	12	5784.860	5725 to 5850	Pass
					-10	12	5784.900	5725 to 5850	Pass
					0	12	5784.880	5725 to 5850	Pass
					10	12	5784.880	5725 to 5850	Pass
					30	12	5784.920	5725 to 5850	Pass
					40	12	5784.900	5725 to 5850	Pass
					50	12	5784.960	5725 to 5850	Pass
		5825	/	/	20	10.2	5824.900	5725 to 5850	Pass
						12	5824.900	5725 to 5850	Pass
						13.8	5824.880	5725 to 5850	Pass
					-30	12	5824.880	5725 to 5850	Pass
					-20	12	5824.860	5725 to 5850	Pass
					-10	12	5824.900	5725 to 5850	Pass
					0	12	5824.860	5725 to 5850	Pass
					10	12	5824.920	5725 to 5850	Pass
					30	12	5824.880	5725 to 5850	Pass
					40	12	5824.960	5725 to 5850	Pass
					50	12	5824.920	5725 to 5850	Pass
		5180	/	/	20	10.2	5179.960	5150 to 5250	Pass
						12	5179.940	5150 to 5250	Pass
						13.8	5179.920	5150 to 5250	Pass
					-30	12	5179.940	5150 to 5250	Pass
					-20	12	5179.920	5150 to 5250	Pass
					-10	12	5179.920	5150 to 5250	Pass
					0	12	5179.920	5150 to 5250	Pass
					10	12	5179.920	5150 to 5250	Pass
					30	12	5179.920	5150 to 5250	Pass
					40	12	5179.900	5150 to 5250	Pass
					50	12	5179.900	5150 to 5250	Pass
		5200	/	/	20	10.2	5199.920	5150 to 5250	Pass
						12	5199.980	5150 to 5250	Pass
						13.8	5199.960	5150 to 5250	Pass
					-30	12	5199.920	5150 to 5250	Pass
					-20	12	5199.920	5150 to 5250	Pass
					-10	12	5199.920	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 563 of 588

					0	12	5199.920	5150 to 5250	Pass
					10	12	5199.940	5150 to 5250	Pass
					30	12	5199.920	5150 to 5250	Pass
					40	12	5200.000	5150 to 5250	Pass
					50	12	5199.880	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.860	5150 to 5250	Pass
						12	5239.920	5150 to 5250	Pass
						13.8	5239.960	5150 to 5250	Pass
					-30	12	5239.900	5150 to 5250	Pass
					-20	12	5239.900	5150 to 5250	Pass
					-10	12	5239.920	5150 to 5250	Pass
					0	12	5239.900	5150 to 5250	Pass
					10	12	5239.880	5150 to 5250	Pass
					30	12	5239.980	5150 to 5250	Pass
					40	12	5239.940	5150 to 5250	Pass
					50	12	5239.880	5150 to 5250	Pass
		5260	/	/	20	10.2	5259.900	5250 to 5350	Pass
						12	5259.880	5250 to 5350	Pass
						13.8	5259.940	5250 to 5350	Pass
					-30	12	5259.900	5250 to 5350	Pass
					-20	12	5259.860	5250 to 5350	Pass
					-10	12	5259.960	5250 to 5350	Pass
					0	12	5259.880	5250 to 5350	Pass
					10	12	5259.920	5250 to 5350	Pass
					30	12	5259.940	5250 to 5350	Pass
					40	12	5259.900	5250 to 5350	Pass
					50	12	5259.940	5250 to 5350	Pass
		5300	/	/	20	10.2	5299.980	5250 to 5350	Pass
						12	5299.940	5250 to 5350	Pass
						13.8	5299.900	5250 to 5350	Pass
					-30	12	5299.960	5250 to 5350	Pass
					-20	12	5299.920	5250 to 5350	Pass
					-10	12	5299.920	5250 to 5350	Pass
					0	12	5299.900	5250 to 5350	Pass
					10	12	5299.900	5250 to 5350	Pass
					30	12	5299.920	5250 to 5350	Pass
					40	12	5299.920	5250 to 5350	Pass
					50	12	5299.940	5250 to 5350	Pass
		5320	/	/	20	10.2	5319.880	5250 to 5350	Pass
						12	5319.880	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 564 of 588

						13.8	5319.960	5250 to 5350	Pass
					-30	12	5319.920	5250 to 5350	Pass
					-20	12	5319.940	5250 to 5350	Pass
					-10	12	5319.900	5250 to 5350	Pass
					0	12	5319.940	5250 to 5350	Pass
					10	12	5319.900	5250 to 5350	Pass
					30	12	5319.920	5250 to 5350	Pass
					40	12	5319.940	5250 to 5350	Pass
					50	12	5319.920	5250 to 5350	Pass
		5500	/	/	20	10.2	5499.900	5470 to 5725	Pass
						12	5499.960	5470 to 5725	Pass
						13.8	5499.880	5470 to 5725	Pass
					-30	12	5499.980	5470 to 5725	Pass
					-20	12	5499.920	5470 to 5725	Pass
					-10	12	5499.900	5470 to 5725	Pass
					0	12	5499.900	5470 to 5725	Pass
					10	12	5499.900	5470 to 5725	Pass
					30	12	5499.940	5470 to 5725	Pass
					40	12	5499.860	5470 to 5725	Pass
					50	12	5499.900	5470 to 5725	Pass
		5580	/	/	20	10.2	5579.920	5470 to 5725	Pass
						12	5579.920	5470 to 5725	Pass
						13.8	5579.900	5470 to 5725	Pass
					-30	12	5579.920	5470 to 5725	Pass
					-20	12	5579.880	5470 to 5725	Pass
					-10	12	5579.920	5470 to 5725	Pass
					0	12	5579.900	5470 to 5725	Pass
					10	12	5579.940	5470 to 5725	Pass
					30	12	5579.920	5470 to 5725	Pass
					40	12	5579.940	5470 to 5725	Pass
					50	12	5579.880	5470 to 5725	Pass
		5700	/	/	20	10.2	5699.860	5470 to 5725	Pass
						12	5699.880	5470 to 5725	Pass
						13.8	5699.960	5470 to 5725	Pass
					-30	12	5699.900	5470 to 5725	Pass
					-20	12	5699.900	5470 to 5725	Pass
					-10	12	5699.960	5470 to 5725	Pass
					0	12	5699.880	5470 to 5725	Pass
					10	12	5699.940	5470 to 5725	Pass
					30	12	5699.920	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 565 of 588

					40	12	5699.960	5470 to 5725	Pass
					50	12	5699.900	5470 to 5725	Pass
					20	10.2	5744.900	5725 to 5850	Pass
						12	5744.900	5725 to 5850	Pass
						13.8	5744.900	5725 to 5850	Pass
					-30	12	5744.900	5725 to 5850	Pass
					-20	12	5744.900	5725 to 5850	Pass
					-10	12	5744.940	5725 to 5850	Pass
					0	12	5744.880	5725 to 5850	Pass
					10	12	5744.920	5725 to 5850	Pass
					30	12	5744.920	5725 to 5850	Pass
					40	12	5744.900	5725 to 5850	Pass
					50	12	5744.900	5725 to 5850	Pass
					20	10.2	5784.920	5725 to 5850	Pass
						12	5784.900	5725 to 5850	Pass
						13.8	5784.900	5725 to 5850	Pass
					-30	12	5784.900	5725 to 5850	Pass
					-20	12	5784.900	5725 to 5850	Pass
					-10	12	5784.900	5725 to 5850	Pass
					0	12	5784.920	5725 to 5850	Pass
					10	12	5784.920	5725 to 5850	Pass
					30	12	5784.880	5725 to 5850	Pass
					40	12	5784.880	5725 to 5850	Pass
					50	12	5784.900	5725 to 5850	Pass
					20	10.2	5824.880	5725 to 5850	Pass
						12	5824.940	5725 to 5850	Pass
						13.8	5824.880	5725 to 5850	Pass
					-30	12	5824.980	5725 to 5850	Pass
					-20	12	5824.860	5725 to 5850	Pass
					-10	12	5824.920	5725 to 5850	Pass
					0	12	5824.940	5725 to 5850	Pass
					10	12	5824.980	5725 to 5850	Pass
					30	12	5824.860	5725 to 5850	Pass
					40	12	5824.880	5725 to 5850	Pass
					50	12	5824.880	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	10.2	5189.960	5150 to 5250	Pass
						12	5189.920	5150 to 5250	Pass
						13.8	5189.920	5150 to 5250	Pass
					-30	12	5189.960	5150 to 5250	Pass
					-20	12	5189.960	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 566 of 588

					-10	12	5189.960	5150 to 5250	Pass
					0	12	5189.920	5150 to 5250	Pass
					10	12	5189.880	5150 to 5250	Pass
					30	12	5189.960	5150 to 5250	Pass
					40	12	5189.920	5150 to 5250	Pass
					50	12	5189.960	5150 to 5250	Pass
		5230	/	/	20	10.2	5229.960	5150 to 5250	Pass
						12	5229.920	5150 to 5250	Pass
						13.8	5229.920	5150 to 5250	Pass
					-30	12	5229.880	5150 to 5250	Pass
					-20	12	5229.960	5150 to 5250	Pass
					-10	12	5229.920	5150 to 5250	Pass
					0	12	5229.880	5150 to 5250	Pass
					10	12	5229.960	5150 to 5250	Pass
					30	12	5229.960	5150 to 5250	Pass
					40	12	5229.960	5150 to 5250	Pass
					50	12	5229.920	5150 to 5250	Pass
		5270	/	/	20	10.2	5269.960	5250 to 5350	Pass
						12	5269.960	5250 to 5350	Pass
						13.8	5269.880	5250 to 5350	Pass
					-30	12	5269.960	5250 to 5350	Pass
					-20	12	5269.920	5250 to 5350	Pass
					-10	12	5269.960	5250 to 5350	Pass
					0	12	5269.960	5250 to 5350	Pass
					10	12	5269.920	5250 to 5350	Pass
					30	12	5269.960	5250 to 5350	Pass
					40	12	5269.880	5250 to 5350	Pass
					50	12	5269.920	5250 to 5350	Pass
		5310	/	/	20	10.2	5309.920	5250 to 5350	Pass
						12	5309.960	5250 to 5350	Pass
						13.8	5309.960	5250 to 5350	Pass
					-30	12	5309.920	5250 to 5350	Pass
					-20	12	5309.920	5250 to 5350	Pass
					-10	12	5309.920	5250 to 5350	Pass
					0	12	5309.960	5250 to 5350	Pass
					10	12	5309.960	5250 to 5350	Pass
					30	12	5309.960	5250 to 5350	Pass
					40	12	5309.960	5250 to 5350	Pass
					50	12	5309.920	5250 to 5350	Pass
		5510	/	/	20	10.2	5509.920	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 567 of 588

						12	5509.960	5470 to 5725	Pass
						13.8	5509.960	5470 to 5725	Pass
					-30	12	5509.880	5470 to 5725	Pass
					-20	12	5509.960	5470 to 5725	Pass
					-10	12	5509.920	5470 to 5725	Pass
					0	12	5509.960	5470 to 5725	Pass
					10	12	5509.880	5470 to 5725	Pass
					30	12	5509.960	5470 to 5725	Pass
					40	12	5509.960	5470 to 5725	Pass
					50	12	5509.960	5470 to 5725	Pass
		5550	/	/	20	10.2	5549.920	5470 to 5725	Pass
						12	5549.880	5470 to 5725	Pass
						13.8	5549.920	5470 to 5725	Pass
					-30	12	5549.960	5470 to 5725	Pass
					-20	12	5549.920	5470 to 5725	Pass
					-10	12	5549.880	5470 to 5725	Pass
					0	12	5549.920	5470 to 5725	Pass
					10	12	5549.920	5470 to 5725	Pass
					30	12	5549.960	5470 to 5725	Pass
					40	12	5549.920	5470 to 5725	Pass
					50	12	5549.880	5470 to 5725	Pass
		5670	/	/	20	10.2	5669.960	5470 to 5725	Pass
						12	5669.920	5470 to 5725	Pass
						13.8	5669.880	5470 to 5725	Pass
					-30	12	5669.960	5470 to 5725	Pass
					-20	12	5669.920	5470 to 5725	Pass
					-10	12	5669.920	5470 to 5725	Pass
					0	12	5669.960	5470 to 5725	Pass
					10	12	5669.920	5470 to 5725	Pass
					30	12	5669.920	5470 to 5725	Pass
					40	12	5670.000	5470 to 5725	Pass
					50	12	5669.840	5470 to 5725	Pass
		5755	/	/	20	10.2	5754.880	5725 to 5850	Pass
						12	5754.880	5725 to 5850	Pass
						13.8	5754.880	5725 to 5850	Pass
					-30	12	5754.920	5725 to 5850	Pass
					-20	12	5754.920	5725 to 5850	Pass
					-10	12	5754.920	5725 to 5850	Pass
					0	12	5754.960	5725 to 5850	Pass
					10	12	5754.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 568 of 588

		5795	/	/	30	12	5754.960	5725 to 5850	Pass
					40	12	5754.960	5725 to 5850	Pass
					50	12	5754.880	5725 to 5850	Pass
					20	10.2	5794.960	5725 to 5850	Pass
						12	5794.960	5725 to 5850	Pass
						13.8	5795.000	5725 to 5850	Pass
					-30	12	5794.960	5725 to 5850	Pass
					-20	12	5794.960	5725 to 5850	Pass
					-10	12	5794.920	5725 to 5850	Pass
					0	12	5794.920	5725 to 5850	Pass
					10	12	5795.000	5725 to 5850	Pass
					30	12	5794.920	5725 to 5850	Pass
					40	12	5794.960	5725 to 5850	Pass
					50	12	5794.960	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	10.2	5179.940	5150 to 5250	Pass
						12	5179.960	5150 to 5250	Pass
						13.8	5179.920	5150 to 5250	Pass
					-30	12	5179.900	5150 to 5250	Pass
					-20	12	5179.960	5150 to 5250	Pass
					-10	12	5179.880	5150 to 5250	Pass
					0	12	5179.960	5150 to 5250	Pass
					10	12	5179.940	5150 to 5250	Pass
					30	12	5179.860	5150 to 5250	Pass
					40	12	5179.900	5150 to 5250	Pass
		5200	/	/	50	12	5179.940	5150 to 5250	Pass
					20	10.2	5199.880	5150 to 5250	Pass
						12	5199.980	5150 to 5250	Pass
						13.8	5199.960	5150 to 5250	Pass
					-30	12	5199.880	5150 to 5250	Pass
					-20	12	5199.960	5150 to 5250	Pass
					-10	12	5199.960	5150 to 5250	Pass
					0	12	5199.980	5150 to 5250	Pass
					10	12	5199.940	5150 to 5250	Pass
					30	12	5199.920	5150 to 5250	Pass
					40	12	5199.880	5150 to 5250	Pass
					50	12	5199.920	5150 to 5250	Pass
		5240	/	/	20	10.2	5239.880	5150 to 5250	Pass
						12	5239.900	5150 to 5250	Pass
						13.8	5239.920	5150 to 5250	Pass
					-30	12	5239.920	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 569 of 588

					-20	12	5239.940	5150 to 5250	Pass
					-10	12	5239.900	5150 to 5250	Pass
					0	12	5239.920	5150 to 5250	Pass
					10	12	5239.920	5150 to 5250	Pass
					30	12	5239.960	5150 to 5250	Pass
					40	12	5239.900	5150 to 5250	Pass
					50	12	5239.900	5150 to 5250	Pass
		5260	/	/	20	10.2	5259.940	5250 to 5350	Pass
						12	5259.940	5250 to 5350	Pass
						13.8	5259.920	5250 to 5350	Pass
					-30	12	5259.940	5250 to 5350	Pass
					-20	12	5259.960	5250 to 5350	Pass
					-10	12	5260.000	5250 to 5350	Pass
					0	12	5259.880	5250 to 5350	Pass
					10	12	5259.900	5250 to 5350	Pass
					30	12	5259.940	5250 to 5350	Pass
					40	12	5259.880	5250 to 5350	Pass
					50	12	5259.920	5250 to 5350	Pass
		5300	/	/	20	10.2	5299.940	5250 to 5350	Pass
						12	5299.920	5250 to 5350	Pass
						13.8	5299.940	5250 to 5350	Pass
					-30	12	5299.900	5250 to 5350	Pass
					-20	12	5299.900	5250 to 5350	Pass
					-10	12	5299.960	5250 to 5350	Pass
					0	12	5299.940	5250 to 5350	Pass
					10	12	5299.960	5250 to 5350	Pass
					30	12	5299.940	5250 to 5350	Pass
					40	12	5299.940	5250 to 5350	Pass
					50	12	5299.960	5250 to 5350	Pass
		5320	/	/	20	10.2	5319.940	5250 to 5350	Pass
						12	5319.940	5250 to 5350	Pass
						13.8	5319.940	5250 to 5350	Pass
					-30	12	5319.980	5250 to 5350	Pass
					-20	12	5319.940	5250 to 5350	Pass
					-10	12	5319.960	5250 to 5350	Pass
					0	12	5319.920	5250 to 5350	Pass
					10	12	5319.900	5250 to 5350	Pass
					30	12	5319.900	5250 to 5350	Pass
					40	12	5319.940	5250 to 5350	Pass
					50	12	5319.940	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 570 of 588

		5500	/	/	20	10.2	5499.880	5470 to 5725	Pass
						12	5499.960	5470 to 5725	Pass
						13.8	5499.880	5470 to 5725	Pass
					-30	12	5499.920	5470 to 5725	Pass
					-20	12	5499.880	5470 to 5725	Pass
					-10	12	5499.900	5470 to 5725	Pass
					0	12	5499.920	5470 to 5725	Pass
					10	12	5499.900	5470 to 5725	Pass
					30	12	5499.880	5470 to 5725	Pass
					40	12	5499.920	5470 to 5725	Pass
					50	12	5499.940	5470 to 5725	Pass
		5580	/	/	20	10.2	5579.880	5470 to 5725	Pass
						12	5579.940	5470 to 5725	Pass
						13.8	5579.900	5470 to 5725	Pass
					-30	12	5579.880	5470 to 5725	Pass
					-20	12	5579.860	5470 to 5725	Pass
					-10	12	5579.860	5470 to 5725	Pass
					0	12	5579.900	5470 to 5725	Pass
					10	12	5579.900	5470 to 5725	Pass
					30	12	5579.920	5470 to 5725	Pass
					40	12	5579.900	5470 to 5725	Pass
					50	12	5579.900	5470 to 5725	Pass
		5700	/	/	20	10.2	5699.940	5470 to 5725	Pass
						12	5699.880	5470 to 5725	Pass
						13.8	5699.920	5470 to 5725	Pass
					-30	12	5699.960	5470 to 5725	Pass
					-20	12	5699.920	5470 to 5725	Pass
					-10	12	5699.940	5470 to 5725	Pass
					0	12	5699.940	5470 to 5725	Pass
					10	12	5699.940	5470 to 5725	Pass
					30	12	5699.940	5470 to 5725	Pass
					40	12	5699.960	5470 to 5725	Pass
					50	12	5699.940	5470 to 5725	Pass
		5745	/	/	20	10.2	5744.840	5725 to 5850	Pass
						12	5744.940	5725 to 5850	Pass
						13.8	5744.920	5725 to 5850	Pass
					-30	12	5744.860	5725 to 5850	Pass
					-20	12	5744.880	5725 to 5850	Pass
					-10	12	5744.880	5725 to 5850	Pass
					0	12	5744.900	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 571 of 588

802.11ac (VHT40)	MIMO				10	12	5744.960	5725 to 5850	Pass
					30	12	5744.900	5725 to 5850	Pass
					40	12	5744.900	5725 to 5850	Pass
					50	12	5744.900	5725 to 5850	Pass
		5785	/	/	20	10.2	5784.920	5725 to 5850	Pass
						12	5784.900	5725 to 5850	Pass
						13.8	5784.940	5725 to 5850	Pass
					-30	12	5784.900	5725 to 5850	Pass
					-20	12	5784.920	5725 to 5850	Pass
					-10	12	5784.920	5725 to 5850	Pass
					0	12	5784.940	5725 to 5850	Pass
					10	12	5784.900	5725 to 5850	Pass
					30	12	5784.920	5725 to 5850	Pass
					40	12	5784.880	5725 to 5850	Pass
					50	12	5784.940	5725 to 5850	Pass
		5825	/	/	20	10.2	5824.900	5725 to 5850	Pass
						12	5824.940	5725 to 5850	Pass
						13.8	5824.900	5725 to 5850	Pass
					-30	12	5824.940	5725 to 5850	Pass
					-20	12	5824.960	5725 to 5850	Pass
					-10	12	5824.920	5725 to 5850	Pass
					0	12	5824.920	5725 to 5850	Pass
					10	12	5824.900	5725 to 5850	Pass
					30	12	5824.940	5725 to 5850	Pass
					40	12	5824.900	5725 to 5850	Pass
					50	12	5824.920	5725 to 5850	Pass
		5190	/	/	20	10.2	5189.920	5150 to 5250	Pass
						12	5190.000	5150 to 5250	Pass
						13.8	5189.960	5150 to 5250	Pass
					-30	12	5189.920	5150 to 5250	Pass
					-20	12	5189.960	5150 to 5250	Pass
					-10	12	5189.960	5150 to 5250	Pass
					0	12	5189.920	5150 to 5250	Pass
					10	12	5189.960	5150 to 5250	Pass
					30	12	5189.920	5150 to 5250	Pass
					40	12	5189.960	5150 to 5250	Pass
					50	12	5190.000	5150 to 5250	Pass
		5230	/	/	20	10.2	5229.960	5150 to 5250	Pass
						12	5229.960	5150 to 5250	Pass
						13.8	5229.880	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 572 of 588

					-30	12	5229.920	5150 to 5250	Pass
					-20	12	5229.920	5150 to 5250	Pass
					-10	12	5229.920	5150 to 5250	Pass
					0	12	5229.880	5150 to 5250	Pass
					10	12	5230.000	5150 to 5250	Pass
					30	12	5229.920	5150 to 5250	Pass
					40	12	5229.920	5150 to 5250	Pass
					50	12	5229.960	5150 to 5250	Pass
		5270	/	/	20	10.2	5269.920	5250 to 5350	Pass
						12	5269.880	5250 to 5350	Pass
						13.8	5269.920	5250 to 5350	Pass
					-30	12	5270.000	5250 to 5350	Pass
					-20	12	5270.000	5250 to 5350	Pass
					-10	12	5269.920	5250 to 5350	Pass
					0	12	5269.920	5250 to 5350	Pass
					10	12	5269.880	5250 to 5350	Pass
					30	12	5269.960	5250 to 5350	Pass
					40	12	5270.000	5250 to 5350	Pass
					50	12	5269.960	5250 to 5350	Pass
		5310	/	/	20	10.2	5309.960	5250 to 5350	Pass
						12	5309.920	5250 to 5350	Pass
						13.8	5309.920	5250 to 5350	Pass
					-30	12	5309.960	5250 to 5350	Pass
					-20	12	5309.920	5250 to 5350	Pass
					-10	12	5309.960	5250 to 5350	Pass
					0	12	5310.000	5250 to 5350	Pass
					10	12	5309.920	5250 to 5350	Pass
					30	12	5309.960	5250 to 5350	Pass
					40	12	5309.920	5250 to 5350	Pass
					50	12	5309.960	5250 to 5350	Pass
		5510	/	/	20	10.2	5509.920	5470 to 5725	Pass
						12	5509.920	5470 to 5725	Pass
						13.8	5509.920	5470 to 5725	Pass
					-30	12	5509.920	5470 to 5725	Pass
					-20	12	5509.960	5470 to 5725	Pass
					-10	12	5509.880	5470 to 5725	Pass
					0	12	5509.920	5470 to 5725	Pass
					10	12	5510.000	5470 to 5725	Pass
					30	12	5509.920	5470 to 5725	Pass
					40	12	5509.920	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 573 of 588

				50	12	5509.960	5470 to 5725	Pass
				20	10.2	5549.960	5470 to 5725	Pass
					12	5549.920	5470 to 5725	Pass
					13.8	5549.960	5470 to 5725	Pass
				-30	12	5549.960	5470 to 5725	Pass
				-20	12	5549.960	5470 to 5725	Pass
		5550	/	-10	12	5549.920	5470 to 5725	Pass
				0	12	5549.920	5470 to 5725	Pass
				10	12	5549.960	5470 to 5725	Pass
				30	12	5549.920	5470 to 5725	Pass
				40	12	5549.920	5470 to 5725	Pass
				50	12	5549.920	5470 to 5725	Pass
		5670	/	20	10.2	5669.960	5470 to 5725	Pass
					12	5669.960	5470 to 5725	Pass
					13.8	5669.880	5470 to 5725	Pass
				-30	12	5669.920	5470 to 5725	Pass
				-20	12	5669.920	5470 to 5725	Pass
				-10	12	5669.920	5470 to 5725	Pass
				0	12	5669.960	5470 to 5725	Pass
				10	12	5669.920	5470 to 5725	Pass
				30	12	5669.920	5470 to 5725	Pass
				40	12	5669.960	5470 to 5725	Pass
				50	12	5669.920	5470 to 5725	Pass
		5755	/	20	10.2	5754.920	5725 to 5850	Pass
					12	5754.880	5725 to 5850	Pass
					13.8	5754.920	5725 to 5850	Pass
				-30	12	5754.880	5725 to 5850	Pass
				-20	12	5754.920	5725 to 5850	Pass
				-10	12	5754.920	5725 to 5850	Pass
				0	12	5754.880	5725 to 5850	Pass
				10	12	5754.960	5725 to 5850	Pass
				30	12	5754.920	5725 to 5850	Pass
				40	12	5754.920	5725 to 5850	Pass
				50	12	5754.920	5725 to 5850	Pass
		5795	/	20	10.2	5794.920	5725 to 5850	Pass
					12	5794.880	5725 to 5850	Pass
					13.8	5795.000	5725 to 5850	Pass
				-30	12	5794.920	5725 to 5850	Pass
				-20	12	5794.880	5725 to 5850	Pass
				-10	12	5794.920	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 574 of 588

					0	12	5794.960	5725 to 5850	Pass
					10	12	5794.960	5725 to 5850	Pass
					30	12	5794.880	5725 to 5850	Pass
					40	12	5794.920	5725 to 5850	Pass
					50	12	5794.920	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	10.2	5209.925	5150 to 5250	Pass
						12	5209.925	5150 to 5250	Pass
						13.8	5209.925	5150 to 5250	Pass
					-30	12	5209.925	5150 to 5250	Pass
					-20	12	5209.925	5150 to 5250	Pass
					-10	12	5209.925	5150 to 5250	Pass
					0	12	5209.925	5150 to 5250	Pass
					10	12	5210.000	5150 to 5250	Pass
					30	12	5209.925	5150 to 5250	Pass
					40	12	5209.925	5150 to 5250	Pass
					50	12	5209.925	5150 to 5250	Pass
		5290	/	/	20	10.2	5289.925	5250 to 5350	Pass
						12	5289.925	5250 to 5350	Pass
						13.8	5290.000	5250 to 5350	Pass
					-30	12	5289.925	5250 to 5350	Pass
					-20	12	5289.925	5250 to 5350	Pass
					-10	12	5289.925	5250 to 5350	Pass
					0	12	5290.000	5250 to 5350	Pass
					10	12	5289.925	5250 to 5350	Pass
					30	12	5290.000	5250 to 5350	Pass
					40	12	5289.850	5250 to 5350	Pass
					50	12	5290.075	5250 to 5350	Pass
		5530	/	/	20	10.2	5529.925	5470 to 5725	Pass
						12	5530.000	5470 to 5725	Pass
						13.8	5529.925	5470 to 5725	Pass
					-30	12	5530.000	5470 to 5725	Pass
					-20	12	5529.925	5470 to 5725	Pass
					-10	12	5529.925	5470 to 5725	Pass
					0	12	5529.925	5470 to 5725	Pass
					10	12	5529.925	5470 to 5725	Pass
					30	12	5530.000	5470 to 5725	Pass
					40	12	5529.925	5470 to 5725	Pass
					50	12	5530.000	5470 to 5725	Pass
		5610	/	/	20	10.2	5609.925	5470 to 5725	Pass
						12	5609.925	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 575 of 588

802.11ac (VHT160)	MIMO					13.8	5609.925	5470 to 5725	Pass
					-30	12	5610.000	5470 to 5725	Pass
					-20	12	5609.925	5470 to 5725	Pass
					-10	12	5609.925	5470 to 5725	Pass
					0	12	5609.925	5470 to 5725	Pass
					10	12	5609.925	5470 to 5725	Pass
					30	12	5609.925	5470 to 5725	Pass
					40	12	5609.925	5470 to 5725	Pass
					50	12	5610.000	5470 to 5725	Pass
		5775	/	/	20	10.2	5774.925	5725 to 5850	Pass
						12	5774.925	5725 to 5850	Pass
						13.8	5774.925	5725 to 5850	Pass
					-30	12	5774.925	5725 to 5850	Pass
					-20	12	5774.925	5725 to 5850	Pass
					-10	12	5774.925	5725 to 5850	Pass
					0	12	5774.925	5725 to 5850	Pass
					10	12	5774.925	5725 to 5850	Pass
					30	12	5774.925	5725 to 5850	Pass
					40	12	5774.925	5725 to 5850	Pass
					50	12	5774.850	5725 to 5850	Pass
		5570	/	/	20	10.2	5569.925	5470 to 5725	Pass
						12	5569.850	5470 to 5725	Pass
						13.8	5569.925	5470 to 5725	Pass
					-30	12	5569.925	5470 to 5725	Pass
					-20	12	5570.000	5470 to 5725	Pass
					-10	12	5570.000	5470 to 5725	Pass
					0	12	5569.925	5470 to 5725	Pass
					10	12	5570.075	5470 to 5725	Pass
					30	12	5570.000	5470 to 5725	Pass
					40	12	5570.000	5470 to 5725	Pass
					50	12	5570.000	5470 to 5725	Pass
		5250	/	/	20	10.2	5249.925	5150 to 5350	Pass
						12	5249.925	5150 to 5350	Pass
						13.8	5249.925	5150 to 5350	Pass
					-30	12	5249.925	5150 to 5350	Pass
					-20	12	5249.925	5150 to 5350	Pass
					-10	12	5249.925	5150 to 5350	Pass
					0	12	5249.925	5150 to 5350	Pass
					10	12	5249.925	5150 to 5350	Pass
					30	12	5249.925	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 576 of 588

					40	12	5249.850	5150 to 5350	Pass
					50	12	5249.850	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	10.2	5179.940	5150 to 5250	Pass
						12	5179.920	5150 to 5250	Pass
						13.8	5179.860	5150 to 5250	Pass
					-30	12	5179.900	5150 to 5250	Pass
					-20	12	5179.900	5150 to 5250	Pass
					-10	12	5179.900	5150 to 5250	Pass
					0	12	5179.960	5150 to 5250	Pass
					10	12	5179.940	5150 to 5250	Pass
					30	12	5179.920	5150 to 5250	Pass
					40	12	5179.900	5150 to 5250	Pass
					50	12	5179.920	5150 to 5250	Pass
		5200	RU242	Left	20	10.2	5199.880	5150 to 5250	Pass
						12	5199.900	5150 to 5250	Pass
						13.8	5199.960	5150 to 5250	Pass
					-30	12	5199.960	5150 to 5250	Pass
					-20	12	5199.920	5150 to 5250	Pass
					-10	12	5199.940	5150 to 5250	Pass
					0	12	5199.900	5150 to 5250	Pass
					10	12	5199.940	5150 to 5250	Pass
					30	12	5199.940	5150 to 5250	Pass
					40	12	5199.940	5150 to 5250	Pass
					50	12	5199.980	5150 to 5250	Pass
		5240	RU242	Left	20	10.2	5239.920	5150 to 5250	Pass
						12	5239.900	5150 to 5250	Pass
						13.8	5239.960	5150 to 5250	Pass
					-30	12	5239.880	5150 to 5250	Pass
					-20	12	5239.920	5150 to 5250	Pass
					-10	12	5239.940	5150 to 5250	Pass
					0	12	5239.940	5150 to 5250	Pass
					10	12	5239.940	5150 to 5250	Pass
					30	12	5239.900	5150 to 5250	Pass
					40	12	5239.920	5150 to 5250	Pass
					50	12	5239.920	5150 to 5250	Pass
		5260	RU242	Left	20	10.2	5259.900	5250 to 5350	Pass
						12	5259.940	5250 to 5350	Pass
						13.8	5259.900	5250 to 5350	Pass
					-30	12	5259.920	5250 to 5350	Pass
					-20	12	5259.900	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 577 of 588

					-10	12	5259.960	5250 to 5350	Pass
					0	12	5259.960	5250 to 5350	Pass
					10	12	5259.920	5250 to 5350	Pass
					30	12	5259.900	5250 to 5350	Pass
					40	12	5259.940	5250 to 5350	Pass
					50	12	5259.940	5250 to 5350	Pass
		5300	RU242	Left	20	10.2	5299.940	5250 to 5350	Pass
						12	5299.900	5250 to 5350	Pass
						13.8	5299.920	5250 to 5350	Pass
					-30	12	5299.940	5250 to 5350	Pass
					-20	12	5299.920	5250 to 5350	Pass
					-10	12	5299.920	5250 to 5350	Pass
					0	12	5299.900	5250 to 5350	Pass
					10	12	5299.960	5250 to 5350	Pass
					30	12	5299.900	5250 to 5350	Pass
					40	12	5299.900	5250 to 5350	Pass
					50	12	5299.920	5250 to 5350	Pass
		5320	RU242	Left	20	10.2	5319.900	5250 to 5350	Pass
						12	5319.980	5250 to 5350	Pass
						13.8	5319.960	5250 to 5350	Pass
					-30	12	5319.940	5250 to 5350	Pass
					-20	12	5319.980	5250 to 5350	Pass
					-10	12	5319.980	5250 to 5350	Pass
					0	12	5319.920	5250 to 5350	Pass
					10	12	5319.860	5250 to 5350	Pass
					30	12	5319.900	5250 to 5350	Pass
					40	12	5319.940	5250 to 5350	Pass
					50	12	5319.880	5250 to 5350	Pass
		5500	RU242	Left	20	10.2	5499.900	5470 to 5725	Pass
						12	5500.000	5470 to 5725	Pass
						13.8	5499.920	5470 to 5725	Pass
					-30	12	5499.920	5470 to 5725	Pass
					-20	12	5499.880	5470 to 5725	Pass
					-10	12	5499.980	5470 to 5725	Pass
					0	12	5499.880	5470 to 5725	Pass
					10	12	5499.920	5470 to 5725	Pass
					30	12	5499.920	5470 to 5725	Pass
					40	12	5499.940	5470 to 5725	Pass
					50	12	5499.940	5470 to 5725	Pass
		5580	RU242	Left	20	10.2	5579.940	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 578 of 588

						12	5579.920	5470 to 5725	Pass
						13.8	5579.920	5470 to 5725	Pass
					-30	12	5579.920	5470 to 5725	Pass
					-20	12	5579.920	5470 to 5725	Pass
					-10	12	5579.940	5470 to 5725	Pass
					0	12	5579.940	5470 to 5725	Pass
					10	12	5579.920	5470 to 5725	Pass
					30	12	5579.980	5470 to 5725	Pass
					40	12	5579.900	5470 to 5725	Pass
					50	12	5579.900	5470 to 5725	Pass
		5700	RU242	Left	20	10.2	5699.940	5470 to 5725	Pass
						12	5699.960	5470 to 5725	Pass
						13.8	5699.920	5470 to 5725	Pass
					-30	12	5699.840	5470 to 5725	Pass
					-20	12	5699.900	5470 to 5725	Pass
					-10	12	5699.940	5470 to 5725	Pass
					0	12	5699.940	5470 to 5725	Pass
					10	12	5699.920	5470 to 5725	Pass
					30	12	5699.980	5470 to 5725	Pass
					40	12	5699.900	5470 to 5725	Pass
					50	12	5699.940	5470 to 5725	Pass
		5745	RU242	Left	20	10.2	5744.940	5725 to 5850	Pass
						12	5744.920	5725 to 5850	Pass
						13.8	5744.880	5725 to 5850	Pass
					-30	12	5744.920	5725 to 5850	Pass
					-20	12	5744.920	5725 to 5850	Pass
					-10	12	5744.980	5725 to 5850	Pass
					0	12	5744.940	5725 to 5850	Pass
					10	12	5744.960	5725 to 5850	Pass
					30	12	5744.920	5725 to 5850	Pass
					40	12	5744.880	5725 to 5850	Pass
					50	12	5744.980	5725 to 5850	Pass
		5785	RU242	Left	20	10.2	5784.940	5725 to 5850	Pass
						12	5784.900	5725 to 5850	Pass
						13.8	5784.940	5725 to 5850	Pass
					-30	12	5784.940	5725 to 5850	Pass
					-20	12	5784.960	5725 to 5850	Pass
					-10	12	5784.900	5725 to 5850	Pass
					0	12	5784.920	5725 to 5850	Pass
					10	12	5784.920	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 579 of 588

802.11ax (HEW40)	MIMO	5825	RU242	Left	30	12	5784.960	5725 to 5850	Pass
					40	12	5784.900	5725 to 5850	Pass
					50	12	5784.940	5725 to 5850	Pass
		5190	RU484	Left	20	10.2	5824.900	5725 to 5850	Pass
						12	5824.920	5725 to 5850	Pass
						13.8	5824.860	5725 to 5850	Pass
					-30	12	5824.920	5725 to 5850	Pass
					-20	12	5824.920	5725 to 5850	Pass
					-10	12	5824.900	5725 to 5850	Pass
					0	12	5824.920	5725 to 5850	Pass
					10	12	5824.880	5725 to 5850	Pass
					30	12	5824.900	5725 to 5850	Pass
					40	12	5824.920	5725 to 5850	Pass
					50	12	5824.920	5725 to 5850	Pass
		5230	RU484	Left	20	10.2	5189.960	5150 to 5250	Pass
						12	5189.960	5150 to 5250	Pass
						13.8	5189.920	5150 to 5250	Pass
					-30	12	5189.960	5150 to 5250	Pass
					-20	12	5189.880	5150 to 5250	Pass
					-10	12	5189.920	5150 to 5250	Pass
					0	12	5189.920	5150 to 5250	Pass
					10	12	5189.920	5150 to 5250	Pass
					30	12	5189.960	5150 to 5250	Pass
					40	12	5189.880	5150 to 5250	Pass
					50	12	5189.920	5150 to 5250	Pass
		5270	RU484	Left	20	10.2	5229.960	5150 to 5250	Pass
						12	5230.000	5150 to 5250	Pass
						13.8	5229.960	5150 to 5250	Pass
					-30	12	5229.880	5150 to 5250	Pass
					-20	12	5229.920	5150 to 5250	Pass
					-10	12	5229.960	5150 to 5250	Pass
					0	12	5229.920	5150 to 5250	Pass
					10	12	5229.960	5150 to 5250	Pass
					30	12	5229.920	5150 to 5250	Pass
					40	12	5229.960	5150 to 5250	Pass
					50	12	5229.960	5150 to 5250	Pass
		5270	RU484	Left	20	10.2	5269.960	5250 to 5350	Pass
						12	5269.960	5250 to 5350	Pass
						13.8	5269.880	5250 to 5350	Pass
					-30	12	5269.960	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 580 of 588

					-20	12	5269.920	5250 to 5350	Pass
					-10	12	5269.960	5250 to 5350	Pass
					0	12	5270.000	5250 to 5350	Pass
					10	12	5269.920	5250 to 5350	Pass
					30	12	5269.960	5250 to 5350	Pass
					40	12	5269.920	5250 to 5350	Pass
					50	12	5269.960	5250 to 5350	Pass
		5310	RU484	Left	20	10.2	5309.960	5250 to 5350	Pass
						12	5309.960	5250 to 5350	Pass
						13.8	5309.960	5250 to 5350	Pass
					-30	12	5309.960	5250 to 5350	Pass
					-20	12	5309.960	5250 to 5350	Pass
					-10	12	5309.960	5250 to 5350	Pass
					0	12	5309.960	5250 to 5350	Pass
					10	12	5309.920	5250 to 5350	Pass
					30	12	5309.960	5250 to 5350	Pass
					40	12	5309.920	5250 to 5350	Pass
					50	12	5309.960	5250 to 5350	Pass
		5510	RU484	Left	20	10.2	5509.960	5470 to 5725	Pass
						12	5509.960	5470 to 5725	Pass
						13.8	5509.840	5470 to 5725	Pass
					-30	12	5509.920	5470 to 5725	Pass
					-20	12	5509.920	5470 to 5725	Pass
					-10	12	5509.960	5470 to 5725	Pass
					0	12	5509.960	5470 to 5725	Pass
					10	12	5509.920	5470 to 5725	Pass
					30	12	5509.960	5470 to 5725	Pass
					40	12	5509.920	5470 to 5725	Pass
		5550	RU484	Left	20	10.2	5549.880	5470 to 5725	Pass
						12	5549.920	5470 to 5725	Pass
						13.8	5549.880	5470 to 5725	Pass
					-30	12	5549.920	5470 to 5725	Pass
					-20	12	5549.960	5470 to 5725	Pass
					-10	12	5549.960	5470 to 5725	Pass
					0	12	5549.920	5470 to 5725	Pass
					10	12	5549.960	5470 to 5725	Pass
					30	12	5549.920	5470 to 5725	Pass
					40	12	5549.920	5470 to 5725	Pass
					50	12	5549.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 581 of 588

		5670	RU484	Left	20	10.2	5669.960	5470 to 5725	Pass
						12	5669.960	5470 to 5725	Pass
						13.8	5669.960	5470 to 5725	Pass
					-30	12	5669.960	5470 to 5725	Pass
					-20	12	5669.920	5470 to 5725	Pass
					-10	12	5669.960	5470 to 5725	Pass
					0	12	5669.960	5470 to 5725	Pass
					10	12	5669.880	5470 to 5725	Pass
					30	12	5669.960	5470 to 5725	Pass
					40	12	5669.960	5470 to 5725	Pass
					50	12	5669.920	5470 to 5725	Pass
		5755	RU484	Left	20	10.2	5754.920	5725 to 5850	Pass
						12	5754.920	5725 to 5850	Pass
						13.8	5754.960	5725 to 5850	Pass
					-30	12	5754.960	5725 to 5850	Pass
					-20	12	5754.920	5725 to 5850	Pass
					-10	12	5754.960	5725 to 5850	Pass
					0	12	5754.880	5725 to 5850	Pass
					10	12	5754.960	5725 to 5850	Pass
					30	12	5754.920	5725 to 5850	Pass
					40	12	5754.960	5725 to 5850	Pass
					50	12	5754.920	5725 to 5850	Pass
		5795	RU484	Left	20	10.2	5794.880	5725 to 5850	Pass
						12	5794.960	5725 to 5850	Pass
						13.8	5794.960	5725 to 5850	Pass
					-30	12	5794.920	5725 to 5850	Pass
					-20	12	5794.960	5725 to 5850	Pass
					-10	12	5794.920	5725 to 5850	Pass
					0	12	5794.920	5725 to 5850	Pass
					10	12	5794.920	5725 to 5850	Pass
					30	12	5794.880	5725 to 5850	Pass
					40	12	5794.920	5725 to 5850	Pass
					50	12	5794.920	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	10.2	5210.000	5150 to 5250	Pass
						12	5210.000	5150 to 5250	Pass
						13.8	5209.925	5150 to 5250	Pass
					-30	12	5209.925	5150 to 5250	Pass
					-20	12	5209.925	5150 to 5250	Pass
					-10	12	5209.925	5150 to 5250	Pass
					0	12	5209.925	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 582 of 588

					10	12	5209.925	5150 to 5250	Pass
					30	12	5209.925	5150 to 5250	Pass
					40	12	5209.925	5150 to 5250	Pass
					50	12	5209.925	5150 to 5250	Pass
		5290	RU996	Left	20	10.2	5290.000	5250 to 5350	Pass
						12	5290.000	5250 to 5350	Pass
						13.8	5289.925	5250 to 5350	Pass
					-30	12	5289.925	5250 to 5350	Pass
					-20	12	5289.925	5250 to 5350	Pass
					-10	12	5289.925	5250 to 5350	Pass
					0	12	5289.850	5250 to 5350	Pass
					10	12	5289.925	5250 to 5350	Pass
					30	12	5290.000	5250 to 5350	Pass
					40	12	5289.925	5250 to 5350	Pass
					50	12	5289.850	5250 to 5350	Pass
		5530	RU996	Left	20	10.2	5529.925	5470 to 5725	Pass
						12	5529.925	5470 to 5725	Pass
						13.8	5529.850	5470 to 5725	Pass
					-30	12	5529.925	5470 to 5725	Pass
					-20	12	5529.850	5470 to 5725	Pass
					-10	12	5529.925	5470 to 5725	Pass
					0	12	5529.925	5470 to 5725	Pass
					10	12	5529.850	5470 to 5725	Pass
					30	12	5529.850	5470 to 5725	Pass
					40	12	5529.925	5470 to 5725	Pass
					50	12	5529.925	5470 to 5725	Pass
		5610	RU996	Left	20	10.2	5609.925	5470 to 5725	Pass
						12	5609.925	5470 to 5725	Pass
						13.8	5609.925	5470 to 5725	Pass
					-30	12	5610.000	5470 to 5725	Pass
					-20	12	5609.925	5470 to 5725	Pass
					-10	12	5609.925	5470 to 5725	Pass
					0	12	5610.000	5470 to 5725	Pass
					10	12	5610.000	5470 to 5725	Pass
					30	12	5609.925	5470 to 5725	Pass
					40	12	5609.925	5470 to 5725	Pass
					50	12	5609.925	5470 to 5725	Pass
		5775	RU996	Left	20	10.2	5774.850	5725 to 5850	Pass
						12	5775.075	5725 to 5850	Pass
						13.8	5774.850	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605

Page: 583 of 588

802.11ax (HEW160)	MIMO	5570	2xRU996	Left	-30	12	5774.925	5725 to 5850	Pass
					-20	12	5775.000	5725 to 5850	Pass
					-10	12	5774.850	5725 to 5850	Pass
					0	12	5774.925	5725 to 5850	Pass
					10	12	5774.925	5725 to 5850	Pass
					30	12	5774.925	5725 to 5850	Pass
					40	12	5774.850	5725 to 5850	Pass
					50	12	5774.925	5725 to 5850	Pass
		5250	2xRU996	Left	20	10.2	5569.925	5470 to 5725	Pass
						12	5570.000	5470 to 5725	Pass
						13.8	5570.000	5470 to 5725	Pass
					-30	12	5569.925	5470 to 5725	Pass
					-20	12	5570.000	5470 to 5725	Pass
					-10	12	5569.925	5470 to 5725	Pass
					0	12	5570.000	5470 to 5725	Pass
					10	12	5569.925	5470 to 5725	Pass
					30	12	5570.000	5470 to 5725	Pass
					40	12	5570.000	5470 to 5725	Pass
					50	12	5569.925	5470 to 5725	Pass
					20	10.2	5250.000	5150 to 5350	Pass
						12	5249.850	5150 to 5350	Pass
						13.8	5249.850	5150 to 5350	Pass
					-30	12	5250.000	5150 to 5350	Pass
					-20	12	5249.925	5150 to 5350	Pass
					-10	12	5249.925	5150 to 5350	Pass
					0	12	5249.850	5150 to 5350	Pass
					10	12	5249.850	5150 to 5350	Pass
					30	12	5249.925	5150 to 5350	Pass
					40	12	5249.925	5150 to 5350	Pass
					50	12	5249.925	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing, Inspection & Calibration Laboratory



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7. DFS(Dynamic Frequency Selection)



Rader:



Channel Shutdown 5250MHz:



5570MHz:



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400117605


Page: 587 of 588

Non occupation period


5250MHz:



5570MHz:



Throughput:



Duty cycle: 42.19%

- End of the Report -