

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Band5\_ERP

#### 1.1.1 Test Result

| Band: 5 |         |              |                 |                       |            |           |         |         |
|---------|---------|--------------|-----------------|-----------------------|------------|-----------|---------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|         | Network | Subset       |                 |                       |            | Result    | Limit   |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 23.36                 | -1.47      | 19.74     | <=38.45 | Pass    |
|         |         |              | 836.6           | 23.33                 | -1.47      | 19.71     | <=38.45 | Pass    |
|         |         |              | 846.6           | 23.41                 | -1.47      | 19.79     | <=38.45 | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 21.45                 | -1.47      | 17.83     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 21.44                 | -1.47      | 17.82     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 21.43                 | -1.47      | 17.81     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 21.45                 | -1.47      | 17.83     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 21.41                 | -1.47      | 17.79     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 21.45                 | -1.47      | 17.83     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 21.50                 | -1.47      | 17.88     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 21.58                 | -1.47      | 17.96     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 21.67                 | -1.47      | 18.05     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 21.67                 | -1.47      | 18.05     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 21.67                 | -1.47      | 18.05     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 21.65                 | -1.47      | 18.03     | <=38.45 | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 19.57                 | -1.47      | 15.95     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 19.55                 | -1.47      | 15.93     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 19.70                 | -1.47      | 16.08     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 19.28                 | -1.47      | 15.66     | <=38.45 | Pass    |
|         |         | Subtest 5    | 826.4           | 19.47                 | -1.47      | 15.85     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 19.03                 | -1.47      | 15.41     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 19.53                 | -1.47      | 15.91     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 19.74                 | -1.47      | 16.12     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 19.57                 | -1.47      | 15.95     | <=38.45 | Pass    |
|         |         | Subtest 5    | 836.6           | 19.52                 | -1.47      | 15.90     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 19.67                 | -1.47      | 16.05     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 19.67                 | -1.47      | 16.05     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 19.16                 | -1.47      | 15.54     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 19.66                 | -1.47      | 16.04     | <=38.45 | Pass    |
|         |         | Subtest 5    | 846.6           | 19.66                 | -1.47      | 16.04     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Band5

#### 2.1.1 Test Result

| Band: 5 |                 |            |               |                  |                       |             |         |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 826.4           | 20         | 3.27          | 2.489            | 0.0030                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | 2.396            | 0.0029                | -2.5 to 2.5 | Pass    |

|       |       |     |      |        |         |             |      |
|-------|-------|-----|------|--------|---------|-------------|------|
|       |       |     | 4.43 | 2.403  | 0.0029  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 2.124  | 0.0026  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 2.453  | 0.0030  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 2.196  | 0.0027  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 2.725  | 0.0033  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 2.196  | 0.0027  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 2.224  | 0.0027  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 2.818  | 0.0034  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 2.747  | 0.0033  | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | -0.408 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -0.608 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -0.007 | 0.0000  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -0.508 | -0.0006 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -0.029 | 0.0000  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -0.379 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -0.358 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -0.229 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -0.179 | -0.0002 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 0.036  | 0.0000  | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -2.840 | -0.0034 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -3.197 | -0.0038 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -2.832 | -0.0033 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -2.689 | -0.0032 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -2.940 | -0.0035 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -2.747 | -0.0032 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -3.469 | -0.0041 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -2.775 | -0.0033 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -2.918 | -0.0034 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -2.711 | -0.0032 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -3.126 | -0.0037 | -2.5 to 2.5 | Pass |
| HSDPA | 826.4 | 20  | 3.27 | 3.126  | 0.0038  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 2.611  | 0.0032  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 2.825  | 0.0034  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 2.975  | 0.0036  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 3.233  | 0.0039  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 3.219  | 0.0039  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 2.546  | 0.0031  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 2.968  | 0.0036  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 3.197  | 0.0039  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 2.789  | 0.0034  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 2.997  | 0.0036  | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | 0.036  | 0.0000  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 0.093  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 0.007  | 0.0000  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.136 | -0.0002 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -0.308 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 0.157  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -0.257 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 0.057  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -0.236 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -0.057 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -0.207 | -0.0002 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | 0.851  | 0.0010  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 0.973  | 0.0011  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 0.672  | 0.0008  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 0.837  | 0.0010  | -2.5 to 2.5 | Pass |

|       |       |     |      |         |         |             |      |
|-------|-------|-----|------|---------|---------|-------------|------|
|       |       | -20 | 3.85 | 0.608   | 0.0007  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 0.873   | 0.0010  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 1.359   | 0.0016  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 1.173   | 0.0014  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 0.787   | 0.0009  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 1.402   | 0.0017  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 1.230   | 0.0015  | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20  | 3.27 | 1.709   | 0.0021  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 1.795   | 0.0022  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 2.053   | 0.0025  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 1.996   | 0.0024  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 1.667   | 0.0020  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 1.888   | 0.0023  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 1.717   | 0.0021  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 2.196   | 0.0027  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 1.559   | 0.0019  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 2.267   | 0.0027  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 1.667   | 0.0020  | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | -1.724  | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -1.774  | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -1.287  | -0.0015 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.908  | -0.0011 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -0.916  | -0.0011 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -1.602  | -0.0019 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -1.273  | -0.0015 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -1.173  | -0.0014 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -1.245  | -0.0015 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -1.166  | -0.0014 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -1.030  | -0.0012 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -10.393 | -0.0123 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -8.368  | -0.0099 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -8.154  | -0.0096 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -8.068  | -0.0095 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -10.300 | -0.0122 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -8.383  | -0.0099 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -8.304  | -0.0098 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -7.997  | -0.0094 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -8.132  | -0.0096 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -10.278 | -0.0121 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -8.218  | -0.0097 | -2.5 to 2.5 | Pass |

### 3. 99% & 26dB Bandwidth


#### 3.1 Band5\_OBW

##### 3.1.1 Test Result


| Band: 5 |         |              |                 |                              |       |         |
|---------|---------|--------------|-----------------|------------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 99% Occupied Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                 | Result                       | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.177                        | /     | Pass    |
|         |         |              | 836.6           | 4.163                        | /     | Pass    |
|         |         |              | 846.6           | 4.142                        | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.165                        | /     | Pass    |

|  |       |           |       |       |   |      |
|--|-------|-----------|-------|-------|---|------|
|  |       |           | 836.6 | 4.166 | / | Pass |
|  |       |           | 846.6 | 4.213 | / | Pass |
|  | HSUPA | Subtest 1 | 826.4 | 4.155 | / | Pass |
|  |       |           | 836.6 | 4.173 | / | Pass |
|  |       |           | 846.6 | 4.215 | / | Pass |


3.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




# Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1 NTN




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



# Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 3.2 Band5\_XDB


### 3.2.1 Test Result

| Band: 5 |         |              |                    |                      |       |         |
|---------|---------|--------------|--------------------|----------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | 26dB Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                    | Result               | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | 4.767                | /     | Pass    |
|         |         |              | 836.6              | 4.742                | /     | Pass    |
|         |         |              | 846.6              | 4.743                | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | 4.720                | /     | Pass    |
|         |         |              | 836.6              | 4.786                | /     | Pass    |
|         |         |              | 846.6              | 6.353                | /     | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | 4.768                | /     | Pass    |
|         |         |              | 836.6              | 4.738                | /     | Pass    |
|         |         |              | 846.6              | 6.541                | /     | Pass    |


3.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




# Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1 NTN




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



# Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 4. Peak-Average Ratio

### 4.1 Band5


#### 4.1.1 Test Result

| Band: 5 |         |              |                    |                         |       |         |
|---------|---------|--------------|--------------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                    | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | 2.81                    | <=13  | Pass    |
|         |         |              | 836.6              | 2.92                    | <=13  | Pass    |
|         |         |              | 846.6              | 2.94                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | 5.72                    | <=13  | Pass    |
|         |         |              | 836.6              | 5.69                    | <=13  | Pass    |
|         |         |              | 846.6              | 5.71                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | 5.67                    | <=13  | Pass    |
|         |         |              | 836.6              | 5.71                    | <=13  | Pass    |
|         |         |              | 846.6              | 5.70                    | <=13  | Pass    |


## 4.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSDPA MCH 836.6MHz Subtest 1\_NTNV




# Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



# Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 5. Spurious Emission

### 5.1 Band5


#### 5.1.1 Test Result

| Band: 5 |         |              |                    |                     |       |         |
|---------|---------|--------------|--------------------|---------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Spurious Emission   |       | Verdict |
|         | Network | Subset       |                    | Result              | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |
|         | HSDPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |
|         | HSUPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |


5.1.2 Test Graph




# Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




# Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




# Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSDPA MCH 836.6MHz Subtest 1\_NTNV




# Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




# Band5 HSDPA HCH 846.6MHz Subtest 1\_NTNV




# Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSUPA MCH 836.6MHz Subtest 1\_NTNV



# Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



# Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



# Band5 HSUPA HCH 846.6MHz Subtest 1 NTN

