

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	20.97	1.28	20.10	<=38.45	Pass	
			836.6	19.83	1.28	18.96	<=38.45	Pass	
			846.6	21.91	1.28	21.04	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	18.78	1.28	17.91	<=38.45	Pass	
		Subtest 2	826.4	18.77	1.28	17.90	<=38.45	Pass	
		Subtest 3	826.4	18.86	1.28	17.99	<=38.45	Pass	
		Subtest 4	826.4	18.93	1.28	18.06	<=38.45	Pass	
		Subtest 1	836.6	17.87	1.28	17.00	<=38.45	Pass	
		Subtest 2	836.6	17.90	1.28	17.03	<=38.45	Pass	
		Subtest 3	836.6	17.89	1.28	17.02	<=38.45	Pass	
		Subtest 4	836.6	17.93	1.28	17.06	<=38.45	Pass	
		Subtest 1	846.6	20.03	1.28	19.16	<=38.45	Pass	
		Subtest 2	846.6	20.03	1.28	19.16	<=38.45	Pass	
		Subtest 3	846.6	20.02	1.28	19.15	<=38.45	Pass	
		Subtest 4	846.6	20.01	1.28	19.14	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	17.06	1.28	16.19	<=38.45	Pass
			Subtest 2	826.4	16.70	1.28	15.83	<=38.45	Pass
			Subtest 3	826.4	17.07	1.28	16.20	<=38.45	Pass
			Subtest 4	826.4	17.10	1.28	16.23	<=38.45	Pass
	Subtest 5		826.4	17.32	1.28	16.45	<=38.45	Pass	
	Subtest 1		836.6	16.02	1.28	15.15	<=38.45	Pass	
	Subtest 2		836.6	15.91	1.28	15.04	<=38.45	Pass	
	Subtest 3		836.6	16.09	1.28	15.22	<=38.45	Pass	
	Subtest 4		836.6	15.72	1.28	14.85	<=38.45	Pass	
	Subtest 5		836.6	15.94	1.28	15.07	<=38.45	Pass	
	Subtest 1		846.6	18.12	1.28	17.25	<=38.45	Pass	
	Subtest 2		846.6	17.64	1.28	16.77	<=38.45	Pass	
	Subtest 3		846.6	18.11	1.28	17.24	<=38.45	Pass	
	Subtest 4		846.6	17.68	1.28	16.81	<=38.45	Pass	
	Subtest 5	846.6	18.20	1.28	17.33	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	10.2	3.119	0.0038	-2.5 to 2.5	Pass

			12	3.018	0.0037	-2.5 to 2.5	Pass
			13.8	2.561	0.0031	-2.5 to 2.5	Pass
		-30	12	2.146	0.0026	-2.5 to 2.5	Pass
		-20	12	2.468	0.0030	-2.5 to 2.5	Pass
		-10	12	2.811	0.0034	-2.5 to 2.5	Pass
		0	12	2.468	0.0030	-2.5 to 2.5	Pass
		10	12	2.389	0.0029	-2.5 to 2.5	Pass
		30	12	2.353	0.0028	-2.5 to 2.5	Pass
		40	12	2.682	0.0032	-2.5 to 2.5	Pass
		50	12	2.518	0.0030	-2.5 to 2.5	Pass
	836.6	20	10.2	-0.722	-0.0009	-2.5 to 2.5	Pass
			12	-0.751	-0.0009	-2.5 to 2.5	Pass
			13.8	-0.436	-0.0005	-2.5 to 2.5	Pass
		-30	12	-0.572	-0.0007	-2.5 to 2.5	Pass
		-20	12	-0.479	-0.0006	-2.5 to 2.5	Pass
		-10	12	-0.207	-0.0002	-2.5 to 2.5	Pass
		0	12	-0.415	-0.0005	-2.5 to 2.5	Pass
		10	12	-0.393	-0.0005	-2.5 to 2.5	Pass
		30	12	-0.687	-0.0008	-2.5 to 2.5	Pass
		40	12	-0.350	-0.0004	-2.5 to 2.5	Pass
		50	12	-0.143	-0.0002	-2.5 to 2.5	Pass
	846.6	20	10.2	-3.684	-0.0044	-2.5 to 2.5	Pass
			12	-3.376	-0.0040	-2.5 to 2.5	Pass
			13.8	-3.662	-0.0043	-2.5 to 2.5	Pass
		-30	12	-3.490	-0.0041	-2.5 to 2.5	Pass
		-20	12	-3.397	-0.0040	-2.5 to 2.5	Pass
		-10	12	-3.426	-0.0040	-2.5 to 2.5	Pass
		0	12	-3.533	-0.0042	-2.5 to 2.5	Pass
		10	12	-3.462	-0.0041	-2.5 to 2.5	Pass
		30	12	-3.455	-0.0041	-2.5 to 2.5	Pass
		40	12	-3.777	-0.0045	-2.5 to 2.5	Pass
HSDPA	826.4	20	10.2	3.576	0.0043	-2.5 to 2.5	Pass
			12	3.104	0.0038	-2.5 to 2.5	Pass
			13.8	3.347	0.0041	-2.5 to 2.5	Pass
		-30	12	3.140	0.0038	-2.5 to 2.5	Pass
		-20	12	3.004	0.0036	-2.5 to 2.5	Pass
		-10	12	3.097	0.0037	-2.5 to 2.5	Pass
		0	12	3.598	0.0044	-2.5 to 2.5	Pass
		10	12	3.541	0.0043	-2.5 to 2.5	Pass
		30	12	3.190	0.0039	-2.5 to 2.5	Pass
		40	12	3.269	0.0040	-2.5 to 2.5	Pass
	836.6	20	10.2	-0.823	-0.0010	-2.5 to 2.5	Pass
			12	-0.987	-0.0012	-2.5 to 2.5	Pass
			13.8	-0.987	-0.0012	-2.5 to 2.5	Pass
		-30	12	-0.887	-0.0011	-2.5 to 2.5	Pass
		-20	12	-0.994	-0.0012	-2.5 to 2.5	Pass
		-10	12	-0.844	-0.0010	-2.5 to 2.5	Pass
		0	12	-0.758	-0.0009	-2.5 to 2.5	Pass
		10	12	-0.944	-0.0011	-2.5 to 2.5	Pass
		30	12	-0.987	-0.0012	-2.5 to 2.5	Pass
		40	12	-0.808	-0.0010	-2.5 to 2.5	Pass
	846.6	20	10.2	-0.944	-0.0011	-2.5 to 2.5	Pass
			12	-1.187	-0.0014	-2.5 to 2.5	Pass
			13.8	-1.080	-0.0013	-2.5 to 2.5	Pass
		-30	12	-1.309	-0.0015	-2.5 to 2.5	Pass
		-20	12	-1.302	-0.0015	-2.5 to 2.5	Pass
		-10	12	-1.223	-0.0014	-2.5 to 2.5	Pass
		0	12				Pass

		10	12	-1.287	-0.0015	-2.5 to 2.5	Pass
		30	12	-1.416	-0.0017	-2.5 to 2.5	Pass
		40	12	-1.237	-0.0015	-2.5 to 2.5	Pass
		50	12	-1.731	-0.0020	-2.5 to 2.5	Pass
HSUPA	826.4	20	10.2	2.267	0.0027	-2.5 to 2.5	Pass
			12	2.153	0.0026	-2.5 to 2.5	Pass
			13.8	2.060	0.0025	-2.5 to 2.5	Pass
		-30	12	2.754	0.0033	-2.5 to 2.5	Pass
		-20	12	2.460	0.0030	-2.5 to 2.5	Pass
		-10	12	2.282	0.0028	-2.5 to 2.5	Pass
		0	12	2.067	0.0025	-2.5 to 2.5	Pass
		10	12	2.532	0.0031	-2.5 to 2.5	Pass
		30	12	2.310	0.0028	-2.5 to 2.5	Pass
		40	12	2.253	0.0027	-2.5 to 2.5	Pass
		50	12	2.439	0.0030	-2.5 to 2.5	Pass
	836.6	20	10.2	-0.637	-0.0008	-2.5 to 2.5	Pass
			12	-0.687	-0.0008	-2.5 to 2.5	Pass
			13.8	-0.594	-0.0007	-2.5 to 2.5	Pass
		-30	12	-0.765	-0.0009	-2.5 to 2.5	Pass
		-20	12	-0.594	-0.0007	-2.5 to 2.5	Pass
		-10	12	-0.923	-0.0011	-2.5 to 2.5	Pass
		0	12	-0.672	-0.0008	-2.5 to 2.5	Pass
		10	12	-0.737	-0.0009	-2.5 to 2.5	Pass
		30	12	-0.772	-0.0009	-2.5 to 2.5	Pass
		40	12	-0.837	-0.0010	-2.5 to 2.5	Pass
		50	12	-0.701	-0.0008	-2.5 to 2.5	Pass
	846.6	20	10.2	-6.688	-0.0079	-2.5 to 2.5	Pass
			12	-6.530	-0.0077	-2.5 to 2.5	Pass
			13.8	-7.195	-0.0085	-2.5 to 2.5	Pass
		-30	12	-7.868	-0.0093	-2.5 to 2.5	Pass
		-20	12	-6.609	-0.0078	-2.5 to 2.5	Pass
		-10	12	-6.595	-0.0078	-2.5 to 2.5	Pass
		0	12	-8.032	-0.0095	-2.5 to 2.5	Pass
		10	12	-6.559	-0.0077	-2.5 to 2.5	Pass
		30	12	-6.666	-0.0079	-2.5 to 2.5	Pass
		40	12	-8.061	-0.0095	-2.5 to 2.5	Pass
		50	12	-6.888	-0.0081	-2.5 to 2.5	Pass


3. Modulation Characteristics


3.1 Band5

3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph






4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.163	/	Pass
			836.6	4.170	/	Pass
			846.6	4.154	/	Pass
	HSDPA	Subtest 1	826.4	4.165	/	Pass
			836.6	4.166	/	Pass
			846.6	4.202	/	Pass
	HSUPA	Subtest 1	826.4	4.161	/	Pass
			836.6	4.153	/	Pass
			846.6	4.241	/	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




4.2 Band5_XDB


4.2.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.746	/	Pass
			836.6	4.737	/	Pass
			846.6	4.727	/	Pass
	HSDPA	Subtest 1	826.4	4.745	/	Pass
			836.6	4.769	/	Pass
			846.6	6.427	/	Pass
	HSUPA	Subtest 1	826.4	4.739	/	Pass
			836.6	4.752	/	Pass
			846.6	6.227	/	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.89	<=13	Pass
			836.6	2.90	<=13	Pass
			846.6	2.92	<=13	Pass
	HSDPA	Subtest 1	826.4	5.68	<=13	Pass
			836.6	5.67	<=13	Pass
			846.6	5.77	<=13	Pass
	HSUPA	Subtest 1	826.4	5.76	<=13	Pass
			836.6	5.60	<=13	Pass
			846.6	5.81	<=13	Pass


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




2023-10-27 06:41:19

Band5 HSDPA HCH 846.6MHz Subtest 1 NTN





2023-10-27 06:41:43

Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV





2023-10-27 06:42:48


6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	Spurious Emission	
	Network	Subset		Result	Limit
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass
			836.6	Refer To Test Graph	Pass
			846.6	Refer To Test Graph	Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph	Pass
			836.6	Refer To Test Graph	Pass
			846.6	Refer To Test Graph	Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph	Pass
			836.6	Refer To Test Graph	Pass
			846.6	Refer To Test Graph	Pass


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1552	0.0095	ppm	4M24F9W	24E	21.91

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1271	0.0095	ppm	4M24F9W	24E	21.04