



Annex A.2 Peak to Average Ratio

1. LTE_Band2

1.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	3.7	13	Pass




1.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	5.25	13	Pass




1.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	2.44	13	Pass




1.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.94	13	Pass




1.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.56	13	Pass




1.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.73	13	Pass




1.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	2.91	13	Pass




1.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.36	13	Pass




1.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	3.8	13	Pass




1.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	5.11	13	Pass




2. LTE_Band4

2.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.72	13	Pass




2.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.86	13	Pass




2.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.52	13	Pass




2.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.53	13	Pass




2.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.72	13	Pass




2.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6.23	13	Pass




2.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6.42	13	Pass




2.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.39	13	Pass




2.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.81	13	Pass




2.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.42	13	Pass




2.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.47	13	Pass




3. LTE_Band5

3.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




3.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.58	13	Pass




3.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	6.33	13	Pass




3.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	6.23	13	Pass




3.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.92	13	Pass




3.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.44	13	Pass




3.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.67	13	Pass




3.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.23	13	Pass




3.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.16	13	Pass




3.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.58	13	Pass




3.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.81	13	Pass




3.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	6.37	13	Pass




4. LTE_Band7

4.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.3	13	Pass




4.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.11	13	Pass




4.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.14	13	Pass




4.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.97	13	Pass




4.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.34	13	Pass




4.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6	13	Pass




4.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.23	13	Pass




4.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.78	13	Pass




4.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.44	13	Pass




4.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.67	13	Pass




4.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.23	13	Pass




5. LTE_Band12

5.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.11	13	Pass




5.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	4.36	13	Pass




5.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.95	13	Pass




5.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	3.47	13	Pass




5.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.25	13	Pass




5.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	4.41	13	Pass




5.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.09	13	Pass




5.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	3.56	13	Pass




5.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.11	13	Pass




5.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.5	13	Pass




5.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.95	13	Pass




6. LTE_Band13


6.1 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)



6.2 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)



6.4 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	6.05	13	Pass



7. LTE_Band18(part22)


7.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.5	13	Pass




7.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.02	13	Pass




7.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.25	13	Pass




7.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.86	13	Pass




7.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827	0.1	4.45	13	Pass




7.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827	0.1	5.02	13	Pass




7.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827	0.1	5.2	13	Pass




7.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827	0.1	5.81	13	Pass



7.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827.5	0.1	4.45	13	Pass



7.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
827.5	0.1	5.06	13	Pass

