


4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.91	-25	47.91	Pass	401
0.15	30	0.01	RMS	0.4	-73.51	-25	48.51	Pass	2986
30	1000	0.1	RMS	590.5	-65.46	-25	40.46	Pass	9701
1000	2490	1	RMS	2485	-53.8	-25	28.8	Pass	1491
2490	2580	1	RMS	2550.975	20.21	60	39.79	Pass	401
2580	3000	1	RMS	2586	-43.83	-25	18.83	Pass	421
3000	12000	1	RMS	11980	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	17800	-58.1	-25	33.1	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-25	48.7	Pass	401
0.15	30	0.01	RMS	0.2	-72.49	-25	47.49	Pass	2986
30	1000	0.1	RMS	590.5	-65.6	-25	40.6	Pass	9701
1000	2490	1	RMS	2485	-53.87	-25	28.87	Pass	1491
2490	2580	1	RMS	2550.975	19.79	60	40.21	Pass	401
2580	3000	1	RMS	2586	-47.05	-25	22.05	Pass	421
3000	12000	1	RMS	11980	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	17800	-58.17	-25	33.17	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.24	-73.41	-13	60.41	Pass	2986
30	689	0.1	RMS	688.6	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	699.268	19.99	60	40.01	Pass	401
726	1000	0.1	RMS	929.4	-65.75	-13	52.75	Pass	2741
1000	3000	1	RMS	1398	-48.01	-13	35.01	Pass	2001
3000	10000	1	RMS	6802	-47.45	-13	34.45	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	59.89	Pass	2986
30	689	0.1	RMS	688.6	-66.26	-13	53.26	Pass	6591
689	726	0.1	RMS	699.268	19.21	60	40.79	Pass	401
726	1000	0.1	RMS	855.7	-65.88	-13	52.88	Pass	2741
1000	3000	1	RMS	1398	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6801	-47.4	-13	34.4	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	59.98	Pass	2986
30	689	0.1	RMS	604.1	-66.55	-13	53.55	Pass	6591
689	726	0.1	RMS	707.038	19.91	60	40.09	Pass	401
726	1000	0.1	RMS	976.3	-65.79	-13	52.79	Pass	2741
1000	3000	1	RMS	1414	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6799	-47.43	-13	34.43	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	689	0.1	RMS	478.6	-66.51	-13	53.51	Pass	6591
689	726	0.1	RMS	707.038	19.22	60	40.78	Pass	401
726	1000	0.1	RMS	950.9	-65.88	-13	52.88	Pass	2741
1000	3000	1	RMS	1414	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6802	-47.43	-13	34.43	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.39	-73.55	-13	60.55	Pass	2986
30	689	0.1	RMS	499.9	-66.62	-13	53.62	Pass	6591
689	726	0.1	RMS	714.9	20.03	60	39.97	Pass	401
726	1000	0.1	RMS	912.2	-65.86	-13	52.86	Pass	2741
1000	3000	1	RMS	1429	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	6800	-47.42	-13	34.42	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.8	-13	59.8	Pass	2986
30	689	0.1	RMS	462.1	-66.58	-13	53.58	Pass	6591
689	726	0.1	RMS	714.9	19.69	60	40.31	Pass	401
726	1000	0.1	RMS	828.3	-65.42	-13	52.42	Pass	2741
1000	3000	1	RMS	1429	-46.43	-13	33.43	Pass	2001
3000	10000	1	RMS	6802	-47.43	-13	34.43	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.21	-72.98	-13	59.98	Pass	2986
30	689	0.1	RMS	688.6	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	699.268	20.01	60	39.99	Pass	401
726	1000	0.1	RMS	839.9	-65.78	-13	52.78	Pass	2741
1000	3000	1	RMS	1398	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	6799	-47.4	-13	34.4	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	689	0.1	RMS	688.6	-66.49	-13	53.49	Pass	6591
689	726	0.1	RMS	699.268	18.95	60	41.05	Pass	401
726	1000	0.1	RMS	843.9	-65.69	-13	52.69	Pass	2741
1000	3000	1	RMS	1398	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6801	-47.41	-13	34.41	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	478	-66.63	-13	53.63	Pass	6591
689	726	0.1	RMS	706.298	19.93	60	40.07	Pass	401
726	1000	0.1	RMS	850.7	-65.69	-13	52.69	Pass	2741
1000	3000	1	RMS	1412	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6800	-47.42	-13	34.42	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.16	-73.39	-13	60.39	Pass	2986
30	689	0.1	RMS	489.7	-66.48	-13	53.48	Pass	6591
689	726	0.1	RMS	706.298	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	925.2	-65.75	-13	52.75	Pass	2741
1000	3000	1	RMS	1412	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6800	-47.42	-13	34.42	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.18	-73.13	-13	60.13	Pass	2986
30	689	0.1	RMS	474.7	-66.55	-13	53.55	Pass	6591
689	726	0.1	RMS	713.235	20.3	60	39.7	Pass	401
726	1000	0.1	RMS	812.3	-65.9	-13	52.9	Pass	2741
1000	3000	1	RMS	1426	-52.39	-13	39.39	Pass	2001
3000	10000	1	RMS	6802	-47.34	-13	34.34	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-73.05	-13	60.05	Pass	2986
30	689	0.1	RMS	497.4	-66.61	-13	53.61	Pass	6591
689	726	0.1	RMS	713.235	19.06	60	40.94	Pass	401
726	1000	0.1	RMS	970.1	-65.85	-13	52.85	Pass	2741
1000	3000	1	RMS	1426	-52.14	-13	39.14	Pass	2001
3000	10000	1	RMS	6800	-47.43	-13	34.43	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	688.7	-66.53	-13	53.53	Pass	6591
689	726	0.1	RMS	699.36	19.85	60	40.15	Pass	401
726	1000	0.1	RMS	974.4	-65.8	-13	52.8	Pass	2741
1000	3000	1	RMS	1398	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6798	-47.35	-13	34.35	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-73.07	-13	60.07	Pass	2986
30	689	0.1	RMS	688.7	-66.48	-13	53.48	Pass	6591
689	726	0.1	RMS	699.36	18.91	60	41.09	Pass	401
726	1000	0.1	RMS	965.9	-65.87	-13	52.87	Pass	2741
1000	3000	1	RMS	1398	-50.45	-13	37.45	Pass	2001
3000	10000	1	RMS	6795	-47.43	-13	34.43	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-73.28	-13	60.28	Pass	2986
30	689	0.1	RMS	502	-66.61	-13	53.61	Pass	6591
689	726	0.1	RMS	705.373	20.27	60	39.73	Pass	401
726	1000	0.1	RMS	979.2	-65.62	-13	52.62	Pass	2741
1000	3000	1	RMS	1410	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6801	-47.37	-13	34.37	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	689	0.1	RMS	485.6	-66.52	-13	53.52	Pass	6591
689	726	0.1	RMS	705.373	19.48	60	40.52	Pass	401
726	1000	0.1	RMS	987.4	-65.66	-13	52.66	Pass	2741
1000	3000	1	RMS	1410	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6802	-47.42	-13	34.42	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	689	0.1	RMS	490.4	-66.56	-13	53.56	Pass	6591
689	726	0.1	RMS	711.385	19.93	60	40.07	Pass	401
726	1000	0.1	RMS	916.6	-65.66	-13	52.66	Pass	2741
1000	3000	1	RMS	1422	-51.53	-13	38.53	Pass	2001
3000	10000	1	RMS	6797	-47.46	-13	34.46	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.17	-73.03	-13	60.03	Pass	2986
30	689	0.1	RMS	514.5	-66.61	-13	53.61	Pass	6591
689	726	0.1	RMS	711.385	19.22	60	40.78	Pass	401
726	1000	0.1	RMS	860.7	-65.82	-13	52.82	Pass	2741
1000	3000	1	RMS	1422	-52.49	-13	39.49	Pass	2001
3000	10000	1	RMS	6801	-47.44	-13	34.44	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.13	-13	61.13	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-13	60.08	Pass	2986
30	689	0.1	RMS	688.9	-66.2	-13	53.2	Pass	6591
689	726	0.1	RMS	699.638	19.84	60	40.16	Pass	401
726	1000	0.1	RMS	976.5	-65.86	-13	52.86	Pass	2741
1000	3000	1	RMS	1399	-49.23	-13	36.23	Pass	2001
3000	10000	1	RMS	6801	-47.36	-13	34.36	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-73.44	-13	60.44	Pass	2986
30	689	0.1	RMS	688.9	-66.29	-13	53.29	Pass	6591
689	726	0.1	RMS	699.638	18.83	60	41.17	Pass	401
726	1000	0.1	RMS	847.4	-65.85	-13	52.85	Pass	2741
1000	3000	1	RMS	1399	-50.23	-13	37.23	Pass	2001
3000	10000	1	RMS	6800	-47.36	-13	34.36	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.17	-73.26	-13	60.26	Pass	2986
30	689	0.1	RMS	491.8	-66.59	-13	53.59	Pass	6591
689	726	0.1	RMS	703.153	19.72	60	40.28	Pass	401
726	1000	0.1	RMS	830.5	-65.56	-13	52.56	Pass	2741
1000	3000	1	RMS	1406	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	6801	-47.43	-13	34.43	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	60.16	Pass	2986
30	689	0.1	RMS	494	-66.6	-13	53.6	Pass	6591
689	726	0.1	RMS	703.153	19.35	60	40.65	Pass	401
726	1000	0.1	RMS	939.4	-65.91	-13	52.91	Pass	2741
1000	3000	1	RMS	1406	-49.21	-13	36.21	Pass	2001
3000	10000	1	RMS	6803	-47.44	-13	34.44	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.18	-72.88	-13	59.88	Pass	2986
30	689	0.1	RMS	490	-66.6	-13	53.6	Pass	6591
689	726	0.1	RMS	706.575	19.91	60	40.09	Pass	401
726	1000	0.1	RMS	987.9	-65.84	-13	52.84	Pass	2741
1000	3000	1	RMS	1413	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	6800	-47.32	-13	34.32	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	689	0.1	RMS	503.2	-66.53	-13	53.53	Pass	6591
689	726	0.1	RMS	706.575	18.88	60	41.12	Pass	401
726	1000	0.1	RMS	975.4	-65.79	-13	52.79	Pass	2741
1000	3000	1	RMS	1413	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	6796	-47.42	-13	34.42	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	0.15	-69.31	-13	56.31	Pass	2986
30	767	0.1	RMS	766.6	-62.39	-13	49.39	Pass	7371
767	797	0.1	RMS	777.35	19.79	60	40.21	Pass	401
797	1000	0.1	RMS	844.8	-61.62	-13	48.62	Pass	2031
1000	3000	1	RMS	2992	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6799	-42.4	-13	29.4	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.05	-13	57.05	Pass	401
0.15	30	0.01	RMS	0.2	-69.11	-13	56.11	Pass	2986
30	767	0.1	RMS	749.8	-62.52	-13	49.52	Pass	7371
767	797	0.1	RMS	777.35	18.87	60	41.13	Pass	401
797	1000	0.1	RMS	847.6	-61.94	-13	48.94	Pass	2031
1000	3000	1	RMS	2986	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6801	-42.42	-13	29.42	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.55	-13	55.55	Pass	401
0.15	30	0.01	RMS	0.2	-68.82	-13	55.82	Pass	2986
30	767	0.1	RMS	749	-62.31	-13	49.31	Pass	7371
767	797	0.1	RMS	779.825	19.67	60	40.33	Pass	401
797	1000	0.1	RMS	972.6	-61.88	-13	48.88	Pass	2031
1000	3000	1	RMS	1559	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6799	-42.35	-13	29.35	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	0.26	-69.29	-13	56.29	Pass	2986
30	767	0.1	RMS	749.2	-62.45	-13	49.45	Pass	7371
767	797	0.1	RMS	779.825	19.1	60	40.9	Pass	401
797	1000	0.1	RMS	844.8	-61.78	-13	48.78	Pass	2031
1000	3000	1	RMS	2991	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6801	-42.41	-13	29.41	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-13	55.72	Pass	2986
30	767	0.1	RMS	756.1	-62.52	-13	49.52	Pass	7371
767	797	0.1	RMS	782.3	20.18	60	39.82	Pass	401
797	1000	0.1	RMS	844.8	-61.77	-13	48.77	Pass	2031
1000	3000	1	RMS	1564	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6800	-42.36	-13	29.36	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.37	-13	56.37	Pass	401
0.15	30	0.01	RMS	0.2	-69.33	-13	56.33	Pass	2986
30	767	0.1	RMS	763.4	-62.36	-13	49.36	Pass	7371
767	797	0.1	RMS	782.375	17.88	60	42.12	Pass	401
797	1000	0.1	RMS	921.6	-61.8	-13	48.8	Pass	2031
1000	3000	1	RMS	2986	-48.14	-13	35.14	Pass	2001
3000	10000	1	RMS	6800	-42.35	-13	29.35	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.76	-13	56.76	Pass	401
0.15	30	0.01	RMS	0.16	-69.71	-13	56.71	Pass	2986
30	767	0.1	RMS	749.1	-62.46	-13	49.46	Pass	7371
767	797	0.1	RMS	777.575	19.91	60	40.09	Pass	401
797	1000	0.1	RMS	998.4	-61.64	-13	48.64	Pass	2031
1000	3000	1	RMS	3000	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6799	-42.37	-13	29.37	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.98	-13	55.98	Pass	401
0.15	30	0.01	RMS	0.23	-68.95	-13	55.95	Pass	2986
30	767	0.1	RMS	750.1	-62.41	-13	49.41	Pass	7371
767	797	0.1	RMS	777.575	19.03	60	40.97	Pass	401
797	1000	0.1	RMS	844.8	-61.8	-13	48.8	Pass	2031
1000	3000	1	RMS	2986	-48.19	-13	35.19	Pass	2001
3000	10000	1	RMS	6800	-42.38	-13	29.38	Pass	7001



7. LTE_Band18(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.6	-64.68	-13	51.68	Pass	7841
814	841	0.1	RMS	824.395	19.45	60	40.55	Pass	401
841	1000	0.1	RMS	851.3	-65.41	-13	52.41	Pass	1591
1000	3000	1	RMS	1648	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6802	-47.33	-13	34.33	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.7	-64.94	-13	51.94	Pass	7841
814	841	0.1	RMS	824.395	18.92	60	41.08	Pass	401
841	1000	0.1	RMS	851.4	-65.58	-13	52.58	Pass	1591
1000	3000	1	RMS	1648	-49.3	-13	36.3	Pass	2001
3000	10000	1	RMS	6801	-47.39	-13	34.39	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	814	-64.7	-13	51.7	Pass	7841
814	841	0.1	RMS	824.868	19.53	60	40.47	Pass	401
841	1000	0.1	RMS	841	-65.66	-13	52.66	Pass	1591
1000	3000	1	RMS	1649	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6800	-47.42	-13	34.42	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	59.92	Pass	2986
30	814	0.1	RMS	811.3	-64.9	-13	51.9	Pass	7841
814	841	0.1	RMS	824.868	18.78	60	41.22	Pass	401
841	1000	0.1	RMS	844.1	-65.52	-13	52.52	Pass	1591
1000	3000	1	RMS	1649	-50.23	-13	37.23	Pass	2001
3000	10000	1	RMS	6801	-47.48	-13	34.48	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811.8	-65.07	-13	52.07	Pass	7841
814	841	0.1	RMS	825.34	19.22	60	40.78	Pass	401
841	1000	0.1	RMS	844.7	-65.58	-13	52.58	Pass	1591
1000	3000	1	RMS	1650	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	6800	-47.43	-13	34.43	Pass	7001



7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	811.8	-65.22	-13	52.22	Pass	7841
814	841	0.1	RMS	825.34	18.31	60	41.69	Pass	401
841	1000	0.1	RMS	841.7	-65.56	-13	52.56	Pass	1591
1000	3000	1	RMS	1650	-50.42	-13	37.42	Pass	2001
3000	10000	1	RMS	6800	-47.4	-13	34.4	Pass	7001



8. LTE_Band18(part90)


8.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.24	-13	53.24	Pass	401
0.15	30	0.01	Peak	0.17	-65.66	-13	52.66	Pass	2986
30	810	0.1	Peak	786.7	-54.81	-13	41.81	Pass	7801
810	829	0.1	Peak	815.32	24.34	60	35.66	Pass	401
829	1000	0.1	Peak	850.5	-54.31	-13	41.31	Pass	1711
1000	3000	1	Peak	1631	-38.65	-13	25.65	Pass	2001
3000	10000	1	Peak	7659	-33.97	-13	20.97	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.65	-13	53.65	Pass	401
0.15	30	0.01	Peak	0.18	-64.78	-13	51.78	Pass	2986
30	810	0.1	Peak	496.8	-55.69	-13	42.69	Pass	7801
810	829	0.1	Peak	815.32	24.06	60	35.94	Pass	401
829	1000	0.1	Peak	841.7	-54.98	-13	41.98	Pass	1711
1000	3000	1	Peak	1631	-39.31	-13	26.31	Pass	2001
3000	10000	1	Peak	7315	-34.53	-13	21.53	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.75	-13	51.75	Pass	401
0.15	30	0.01	Peak	0.24	-65.54	-13	52.54	Pass	2986
30	810	0.1	Peak	808.8	-54.37	-13	41.37	Pass	7801
810	829	0.1	Peak	817.315	24.24	60	35.76	Pass	401
829	1000	0.1	Peak	978.6	-54.78	-13	41.78	Pass	1711
1000	3000	1	Peak	1635	-38.84	-13	25.84	Pass	2001
3000	10000	1	Peak	8741	-33.96	-13	20.96	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.28	-13	54.28	Pass	401
0.15	30	0.01	Peak	0.27	-65.07	-13	52.07	Pass	2986
30	810	0.1	Peak	808.8	-53.56	-13	40.56	Pass	7801
810	829	0.1	Peak	817.315	24.7	60	35.3	Pass	401
829	1000	0.1	Peak	836.7	-54.65	-13	41.65	Pass	1711
1000	3000	1	Peak	1635	-38.62	-13	25.62	Pass	2001
3000	10000	1	Peak	7327	-33.65	-13	20.65	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.52	-13	52.52	Pass	401
0.15	30	0.01	Peak	0.55	-65.74	-13	52.74	Pass	2986
30	810	0.1	Peak	736.8	-55.26	-13	42.26	Pass	7801
810	829	0.1	Peak	819.405	24.39	60	35.61	Pass	401
829	1000	0.1	Peak	880.6	-54.63	-13	41.63	Pass	1711
1000	3000	1	Peak	1638	-37.94	-13	24.94	Pass	2001
3000	10000	1	Peak	8796	-33.51	-13	20.51	Pass	7001



8.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.42	-13	53.42	Pass	401
0.15	30	0.01	Peak	0.21	-63.13	-13	50.13	Pass	2986
30	810	0.1	Peak	603.3	-54.2	-13	41.2	Pass	7801
810	829	0.1	Peak	819.31	25.58	60	34.42	Pass	401
829	1000	0.1	Peak	851.9	-55.21	-13	42.21	Pass	1711
1000	3000	1	Peak	1639	-37.33	-13	24.33	Pass	2001
3000	10000	1	Peak	9015	-32.75	-13	19.75	Pass	7001



9. LTE_Band19


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.16	-72.91	-13	59.91	Pass	2986
30	820	0.1	RMS	819.6	-64.39	-13	51.39	Pass	7901
820	856	0.1	RMS	830.35	19.59	60	40.41	Pass	401
856	1000	0.1	RMS	930.7	-65.97	-13	52.97	Pass	1441
1000	3000	1	RMS	1660	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6800	-47.44	-13	34.44	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.15	-73.4	-13	60.4	Pass	2986
30	820	0.1	RMS	819.6	-64.75	-13	51.75	Pass	7901
820	856	0.1	RMS	830.35	18.48	60	41.52	Pass	401
856	1000	0.1	RMS	933.7	-66.07	-13	53.07	Pass	1441
1000	3000	1	RMS	1660	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	6798	-47.42	-13	34.42	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	820	0.1	RMS	819.2	-65.44	-13	52.44	Pass	7901
820	856	0.1	RMS	835.39	19.68	60	40.32	Pass	401
856	1000	0.1	RMS	984.7	-66.04	-13	53.04	Pass	1441
1000	3000	1	RMS	1670	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	6801	-47.46	-13	34.46	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.21	-73.08	-13	60.08	Pass	2986
30	820	0.1	RMS	819.2	-65.61	-13	52.61	Pass	7901
820	856	0.1	RMS	835.39	19.08	60	40.92	Pass	401
856	1000	0.1	RMS	866.6	-66.19	-13	53.19	Pass	1441
1000	3000	1	RMS	1670	-48.59	-13	35.59	Pass	2001
3000	10000	1	RMS	6800	-47.35	-13	34.35	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-13	60.13	Pass	2986
30	820	0.1	RMS	810.8	-65.26	-13	52.26	Pass	7901
820	856	0.1	RMS	840.34	19.65	60	40.35	Pass	401
856	1000	0.1	RMS	878.1	-66.25	-13	53.25	Pass	1441
1000	3000	1	RMS	1680	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6800	-47.52	-13	34.52	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.16	-73.39	-13	60.39	Pass	2986
30	820	0.1	RMS	810.7	-65.29	-13	52.29	Pass	7901
820	856	0.1	RMS	840.34	19.02	60	40.98	Pass	401
856	1000	0.1	RMS	887.1	-66.17	-13	53.17	Pass	1441
1000	3000	1	RMS	1680	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6799	-47.55	-13	34.55	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	59.87	Pass	2986
30	820	0.1	RMS	813	-59.39	-13	46.39	Pass	7901
820	856	0.1	RMS	830.62	19.91	60	40.09	Pass	401
856	1000	0.1	RMS	860.6	-66.12	-13	53.12	Pass	1441
1000	3000	1	RMS	1661	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6801	-47.59	-13	34.59	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.19	-73.45	-13	60.45	Pass	2986
30	820	0.1	RMS	813	-60.57	-13	47.57	Pass	7901
820	856	0.1	RMS	830.62	19.18	60	40.82	Pass	401
856	1000	0.1	RMS	875.9	-66.13	-13	53.13	Pass	1441
1000	3000	1	RMS	1661	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6800	-47.58	-13	34.58	Pass	7001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-13	59.75	Pass	2986
30	820	0.1	RMS	815.5	-61.19	-13	48.19	Pass	7901
820	856	0.1	RMS	833.14	19.81	60	40.19	Pass	401
856	1000	0.1	RMS	874.4	-66.29	-13	53.29	Pass	1441
1000	3000	1	RMS	1666	-47.85	-13	34.85	Pass	2001
3000	10000	1	RMS	6801	-47.56	-13	34.56	Pass	7001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.91	-13	59.91	Pass	2986
30	820	0.1	RMS	815.5	-62.07	-13	49.07	Pass	7901
820	856	0.1	RMS	833.14	19.04	60	40.96	Pass	401
856	1000	0.1	RMS	878.6	-66.24	-13	53.24	Pass	1441
1000	3000	1	RMS	1666	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	6800	-47.52	-13	34.52	Pass	7001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	820	0.1	RMS	818	-62.31	-13	49.31	Pass	7901
820	856	0.1	RMS	835.66	19.65	60	40.35	Pass	401
856	1000	0.1	RMS	1000	-66.34	-13	53.34	Pass	1441
1000	3000	1	RMS	1671	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6800	-47.6	-13	34.6	Pass	7001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-13	59.96	Pass	2986
30	820	0.1	RMS	818	-63.36	-13	50.36	Pass	7901
820	856	0.1	RMS	835.66	18.86	60	41.14	Pass	401
856	1000	0.1	RMS	906.1	-66.28	-13	53.28	Pass	1441
1000	3000	1	RMS	1671	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6800	-47.57	-13	34.57	Pass	7001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.17	-73.15	-13	60.15	Pass	2986
30	820	0.1	RMS	817.6	-50.86	-13	37.86	Pass	7901
820	856	0.1	RMS	830.89	19.73	60	40.27	Pass	401
856	1000	0.1	RMS	936.3	-66.37	-13	53.37	Pass	1441
1000	3000	1	RMS	1661	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	6800	-47.61	-13	34.61	Pass	7001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	820	0.1	RMS	817.6	-52.48	-13	39.48	Pass	7901
820	856	0.1	RMS	830.89	18.84	60	41.16	Pass	401
856	1000	0.1	RMS	944.7	-66.38	-13	53.38	Pass	1441
1000	3000	1	RMS	1661	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6799	-47.59	-13	34.59	Pass	7001

