


10. LTE_Band25


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.18	-73.57	-13	60.57	Pass	2986
30	1000	0.1	RMS	850.101	-66.28	-13	53.28	Pass	9701
1000	1840	1	RMS	1840	-54.57	-13	41.57	Pass	841
1840	1925	1	RMS	1850.2	21.74	60	38.26	Pass	401
1925	3000	1	RMS	2837	-53.21	-13	40.21	Pass	1076
3000	12000	1	RMS	12000	-46.26	-13	33.26	Pass	9002
12000	20000	1	RMS	13599	-41.85	-13	28.85	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.16	-73.6	-13	60.6	Pass	2986
30	1000	0.1	RMS	980.287	-66.2	-13	53.2	Pass	9701
1000	1840	1	RMS	1840	-54.65	-13	41.65	Pass	841
1840	1925	1	RMS	1850.2	21.08	60	38.92	Pass	401
1925	3000	1	RMS	2996	-53.18	-13	40.18	Pass	1076
3000	12000	1	RMS	11998	-46.2	-13	33.2	Pass	9002
12000	20000	1	RMS	13609	-41.84	-13	28.84	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	837.6	-66.09	-13	53.09	Pass	9701
1000	1840	1	RMS	1836	-55.1	-13	42.1	Pass	841
1840	1925	1	RMS	1882.075	21.59	60	38.41	Pass	401
1925	3000	1	RMS	2841	-53.15	-13	40.15	Pass	1076
3000	12000	1	RMS	11995	-46.23	-13	33.23	Pass	9002
12000	20000	1	RMS	13600	-41.77	-13	28.77	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	977.485	-66.26	-13	53.26	Pass	9701
1000	1840	1	RMS	1839	-55.07	-13	42.07	Pass	841
1840	1925	1	RMS	1882.075	21.47	60	38.53	Pass	401
1925	3000	1	RMS	2990	-53.14	-13	40.14	Pass	1076
3000	12000	1	RMS	11997	-46.16	-13	33.16	Pass	9002
12000	20000	1	RMS	13597	-41.73	-13	28.73	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-13	60.13	Pass	2986
30	1000	0.1	RMS	867.012	-66.12	-13	53.12	Pass	9701
1000	1840	1	RMS	1838	-55.07	-13	42.07	Pass	841
1840	1925	1	RMS	1913.738	21.48	60	38.52	Pass	401
1925	3000	1	RMS	2984	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11999	-46.16	-13	33.16	Pass	9002
12000	20000	1	RMS	13600	-41.79	-13	28.79	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	841.1	-66.1	-13	53.1	Pass	9701
1000	1840	1	RMS	1682	-55.14	-13	42.14	Pass	841
1840	1925	1	RMS	1913.738	20.49	60	39.51	Pass	401
1925	3000	1	RMS	2848	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11995	-46.15	-13	33.15	Pass	9002
12000	20000	1	RMS	13600	-41.75	-13	28.75	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.21	-73.08	-13	60.08	Pass	2986
30	1000	0.1	RMS	900.434	-66.16	-13	53.16	Pass	9701
1000	1840	1	RMS	1840	-54.46	-13	41.46	Pass	841
1840	1925	1	RMS	1850.2	21.66	60	38.34	Pass	401
1925	3000	1	RMS	2990	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11986	-46.18	-13	33.18	Pass	9002
12000	20000	1	RMS	13601	-41.78	-13	28.78	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	837.7	-66.03	-13	53.03	Pass	9701
1000	1840	1	RMS	1840	-54.6	-13	41.6	Pass	841
1840	1925	1	RMS	1850.2	20.63	60	39.37	Pass	401
1925	3000	1	RMS	2990	-53.13	-13	40.13	Pass	1076
3000	12000	1	RMS	12000	-46.19	-13	33.19	Pass	9002
12000	20000	1	RMS	13601	-41.75	-13	28.75	Pass	8001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.22	-73.37	-13	60.37	Pass	2986
30	1000	0.1	RMS	854.003	-66.12	-13	53.12	Pass	9701
1000	1840	1	RMS	1820	-55.06	-13	42.06	Pass	841
1840	1925	1	RMS	1881.225	21.67	60	38.33	Pass	401
1925	3000	1	RMS	2927	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11996	-46.21	-13	33.21	Pass	9002
12000	20000	1	RMS	13601	-41.76	-13	28.76	Pass	8001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	893.93	-66.12	-13	53.12	Pass	9701
1000	1840	1	RMS	1837	-55.06	-13	42.06	Pass	841
1840	1925	1	RMS	1881.225	21.49	60	38.51	Pass	401
1925	3000	1	RMS	2849	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11996	-46.2	-13	33.2	Pass	9002
12000	20000	1	RMS	13601	-41.75	-13	28.75	Pass	8001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	59.75	Pass	2986
30	1000	0.1	RMS	853.503	-66.03	-13	53.03	Pass	9701
1000	1840	1	RMS	1840	-55.02	-13	42.02	Pass	841
1840	1925	1	RMS	1912.25	21.73	60	38.27	Pass	401
1925	3000	1	RMS	2988	-53.1	-13	40.1	Pass	1076
3000	12000	1	RMS	11986	-46.24	-13	33.24	Pass	9002
12000	20000	1	RMS	13601	-41.74	-13	28.74	Pass	8001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	968.479	-66.15	-13	53.15	Pass	9701
1000	1840	1	RMS	1832	-55.01	-13	42.01	Pass	841
1840	1925	1	RMS	1912.25	20.74	60	39.26	Pass	401
1925	3000	1	RMS	2840	-53.03	-13	40.03	Pass	1076
3000	12000	1	RMS	11998	-46.15	-13	33.15	Pass	9002
12000	20000	1	RMS	13600	-41.73	-13	28.73	Pass	8001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	842.2	-66.16	-13	53.16	Pass	9701
1000	1840	1	RMS	1840	-54.25	-13	41.25	Pass	841
1840	1925	1	RMS	1850.2	21.27	60	38.73	Pass	401
1925	3000	1	RMS	2997	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11996	-46.18	-13	33.18	Pass	9002
12000	20000	1	RMS	13604	-41.69	-13	28.69	Pass	8001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	988.192	-65.98	-13	52.98	Pass	9701
1000	1840	1	RMS	1840	-54.49	-13	41.49	Pass	841
1840	1925	1	RMS	1850.2	19.96	60	40.04	Pass	401
1925	3000	1	RMS	2930	-53.09	-13	40.09	Pass	1076
3000	12000	1	RMS	11998	-46.18	-13	33.18	Pass	9002
12000	20000	1	RMS	13601	-41.67	-13	28.67	Pass	8001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.26	-72.88	-13	59.88	Pass	2986
30	1000	0.1	RMS	975.083	-66.19	-13	53.19	Pass	9701
1000	1840	1	RMS	1840	-55.05	-13	42.05	Pass	841
1840	1925	1	RMS	1880.375	21.66	60	38.34	Pass	401
1925	3000	1	RMS	2990	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11996	-46.15	-13	33.15	Pass	9002
12000	20000	1	RMS	13600	-41.72	-13	28.72	Pass	8001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	854.203	-66.11	-13	53.11	Pass	9701
1000	1840	1	RMS	1832	-55.03	-13	42.03	Pass	841
1840	1925	1	RMS	1880.375	21.35	60	38.65	Pass	401
1925	3000	1	RMS	2986	-53.05	-13	40.05	Pass	1076
3000	12000	1	RMS	11997	-46.13	-13	33.13	Pass	9002
12000	20000	1	RMS	13600	-41.63	-13	28.63	Pass	8001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	985.891	-66.1	-13	53.1	Pass	9701
1000	1840	1	RMS	1838	-55.04	-13	42.04	Pass	841
1840	1925	1	RMS	1910.338	21.49	60	38.51	Pass	401
1925	3000	1	RMS	2841	-53.07	-13	40.07	Pass	1076
3000	12000	1	RMS	11996	-46.09	-13	33.09	Pass	9002
12000	20000	1	RMS	13603	-41.72	-13	28.72	Pass	8001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	870.614	-66.11	-13	53.11	Pass	9701
1000	1840	1	RMS	1840	-55.04	-13	42.04	Pass	841
1840	1925	1	RMS	1910.338	20.72	60	39.28	Pass	401
1925	3000	1	RMS	2833	-53.06	-13	40.06	Pass	1076
3000	12000	1	RMS	11996	-46.16	-13	33.16	Pass	9002
12000	20000	1	RMS	13607	-41.77	-13	28.77	Pass	8001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	996.097	-65.9	-13	52.9	Pass	9701
1000	1840	1	RMS	1833	-43.58	-13	30.58	Pass	841
1840	1925	1	RMS	1850.625	21.7	60	38.3	Pass	401
1925	3000	1	RMS	2840	-53.06	-13	40.06	Pass	1076
3000	12000	1	RMS	11996	-46.18	-13	33.18	Pass	9002
12000	20000	1	RMS	13600	-41.59	-13	28.59	Pass	8001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.19	-73.17	-13	60.17	Pass	2986
30	1000	0.1	RMS	843.7	-66.1	-13	53.1	Pass	9701
1000	1840	1	RMS	1833	-45.12	-13	32.12	Pass	841
1840	1925	1	RMS	1850.625	20.89	60	39.11	Pass	401
1925	3000	1	RMS	2982	-53.09	-13	40.09	Pass	1076
3000	12000	1	RMS	11995	-46.14	-13	33.14	Pass	9002
12000	20000	1	RMS	13603	-41.72	-13	28.72	Pass	8001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	835	-65.99	-13	52.99	Pass	9701
1000	1840	1	RMS	1840	-54.98	-13	41.98	Pass	841
1840	1925	1	RMS	1878.038	21.8	60	38.2	Pass	401
1925	3000	1	RMS	2995	-53.04	-13	40.04	Pass	1076
3000	12000	1	RMS	11999	-46.12	-13	33.12	Pass	9002
12000	20000	1	RMS	13600	-41.64	-13	28.64	Pass	8001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.16	-73	-13	60	Pass	2986
30	1000	0.1	RMS	845	-66.13	-13	53.13	Pass	9701
1000	1840	1	RMS	1838	-55	-13	42	Pass	841
1840	1925	1	RMS	1878.038	21.55	60	38.45	Pass	401
1925	3000	1	RMS	2930	-53.06	-13	40.06	Pass	1076
3000	12000	1	RMS	11995	-46.15	-13	33.15	Pass	9002
12000	20000	1	RMS	13606	-41.72	-13	28.72	Pass	8001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	994.096	-66.07	-13	53.07	Pass	9701
1000	1840	1	RMS	1840	-55.03	-13	42.03	Pass	841
1840	1925	1	RMS	1905.45	21.79	60	38.21	Pass	401
1925	3000	1	RMS	2992	-53.01	-13	40.01	Pass	1076
3000	12000	1	RMS	11888	-46.17	-13	33.17	Pass	9002
12000	20000	1	RMS	13601	-41.75	-13	28.75	Pass	8001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	855.404	-66.08	-13	53.08	Pass	9701
1000	1840	1	RMS	1828	-55.04	-13	42.04	Pass	841
1840	1925	1	RMS	1905.663	20.99	60	39.01	Pass	401
1925	3000	1	RMS	2844	-53.1	-13	40.1	Pass	1076
3000	12000	1	RMS	11995	-46.22	-13	33.22	Pass	9002
12000	20000	1	RMS	13597	-41.71	-13	28.71	Pass	8001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	849.3	-66.06	-13	53.06	Pass	9701
1000	1840	1	RMS	1838	-36.1	-13	23.1	Pass	841
1840	1925	1	RMS	1850.838	21.77	60	38.23	Pass	401
1925	3000	1	RMS	2935	-53.1	-13	40.1	Pass	1076
3000	12000	1	RMS	11997	-46.21	-13	33.21	Pass	9002
12000	20000	1	RMS	13606	-41.76	-13	28.76	Pass	8001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.93	-13	59.93	Pass	2986
30	1000	0.1	RMS	893.029	-66.2	-13	53.2	Pass	9701
1000	1840	1	RMS	1838	-37.54	-13	24.54	Pass	841
1840	1925	1	RMS	1850.838	20.84	60	39.16	Pass	401
1925	3000	1	RMS	2980	-53.1	-13	40.1	Pass	1076
3000	12000	1	RMS	11994	-46.21	-13	33.21	Pass	9002
12000	20000	1	RMS	13600	-41.56	-13	28.56	Pass	8001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	836	-66.11	-13	53.11	Pass	9701
1000	1840	1	RMS	1836	-55.02	-13	42.02	Pass	841
1840	1925	1	RMS	1875.7	21.71	60	38.29	Pass	401
1925	3000	1	RMS	2989	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	12000	-46.12	-13	33.12	Pass	9002
12000	20000	1	RMS	13602	-41.76	-13	28.76	Pass	8001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	985.691	-66.15	-13	53.15	Pass	9701
1000	1840	1	RMS	1836	-54.98	-13	41.98	Pass	841
1840	1925	1	RMS	1875.7	21.05	60	38.95	Pass	401
1925	3000	1	RMS	2925	-53.14	-13	40.14	Pass	1076
3000	12000	1	RMS	11998	-46.17	-13	33.17	Pass	9002
12000	20000	1	RMS	13600	-41.81	-13	28.81	Pass	8001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	869.113	-66.03	-13	53.03	Pass	9701
1000	1840	1	RMS	1834	-55.07	-13	42.07	Pass	841
1840	1925	1	RMS	1900.775	21.88	60	38.12	Pass	401
1925	3000	1	RMS	2852	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11997	-46.22	-13	33.22	Pass	9002
12000	20000	1	RMS	13598	-41.73	-13	28.73	Pass	8001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.18	-73.37	-13	60.37	Pass	2986
30	1000	0.1	RMS	855.304	-66.14	-13	53.14	Pass	9701
1000	1840	1	RMS	1837	-55.06	-13	42.06	Pass	841
1840	1925	1	RMS	1900.775	20.83	60	39.17	Pass	401
1925	3000	1	RMS	2993	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11997	-46.2	-13	33.2	Pass	9002
12000	20000	1	RMS	13600	-41.8	-13	28.8	Pass	8001



10.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.2	-72.85	-13	59.85	Pass	2986
30	1000	0.1	RMS	989.393	-66	-13	53	Pass	9701
1000	1840	1	RMS	1833	-37.23	-13	24.23	Pass	841
1840	1925	1	RMS	1851.05	21.48	60	38.52	Pass	401
1925	3000	1	RMS	2839	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11998	-46.2	-13	33.2	Pass	9002
12000	20000	1	RMS	13600	-41.72	-13	28.72	Pass	8001



10.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	888.126	-66.2	-13	53.2	Pass	9701
1000	1840	1	RMS	1833	-36.02	-13	23.02	Pass	841
1840	1925	1	RMS	1851.05	21.34	60	38.66	Pass	401
1925	3000	1	RMS	2995	-53.03	-13	40.03	Pass	1076
3000	12000	1	RMS	11996	-46.14	-13	33.14	Pass	9002
12000	20000	1	RMS	13604	-41.7	-13	28.7	Pass	8001



10.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	1000	0.1	RMS	828.8	-66.14	-13	53.14	Pass	9701
1000	1840	1	RMS	1838	-47.84	-13	34.84	Pass	841
1840	1925	1	RMS	1873.575	22.15	60	37.85	Pass	401
1925	3000	1	RMS	2836	-53.08	-13	40.08	Pass	1076
3000	12000	1	RMS	11995	-46.23	-13	33.23	Pass	9002
12000	20000	1	RMS	13603	-41.75	-13	28.75	Pass	8001



10.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.17	-73.14	-13	60.14	Pass	2986
30	1000	0.1	RMS	847.2	-66.07	-13	53.07	Pass	9701
1000	1840	1	RMS	1838	-51.21	-13	38.21	Pass	841
1840	1925	1	RMS	1873.575	20.99	60	39.01	Pass	401
1925	3000	1	RMS	2983	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11997	-46.11	-13	33.11	Pass	9002
12000	20000	1	RMS	13599	-41.65	-13	28.65	Pass	8001



10.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	854.704	-66.18	-13	53.18	Pass	9701
1000	1840	1	RMS	1838	-55	-13	42	Pass	841
1840	1925	1	RMS	1896.1	21.95	60	38.05	Pass	401
1925	3000	1	RMS	2840	-53.11	-13	40.11	Pass	1076
3000	12000	1	RMS	11998	-46.17	-13	33.17	Pass	9002
12000	20000	1	RMS	13601	-41.76	-13	28.76	Pass	8001



10.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-73.16	-13	60.16	Pass	2986
30	1000	0.1	RMS	837.3	-66.13	-13	53.13	Pass	9701
1000	1840	1	RMS	1833	-55.06	-13	42.06	Pass	841
1840	1925	1	RMS	1896.1	21.29	60	38.71	Pass	401
1925	3000	1	RMS	2981	-53.12	-13	40.12	Pass	1076
3000	12000	1	RMS	11999	-46.19	-13	33.19	Pass	9002
12000	20000	1	RMS	13602	-41.73	-13	28.73	Pass	8001



11. LTE_Band26(part22)


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	810.7	-64.53	-13	51.53	Pass	7841
814	860	0.1	RMS	824.3	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	975.2	-65.89	-13	52.89	Pass	1401
1000	3000	1	RMS	1648	-48	-13	35	Pass	2001
3000	10000	1	RMS	6798	-47.4	-13	34.4	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	813.5	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	824.3	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	921.5	-66.01	-13	53.01	Pass	1401
1000	3000	1	RMS	1648	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	6801	-47.39	-13	34.39	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	811.7	-66.08	-13	53.08	Pass	7841
814	860	0.1	RMS	836.1	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	980	-65.96	-13	52.96	Pass	1401
1000	3000	1	RMS	1672	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	6800	-47.4	-13	34.4	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	811.5	-65.89	-13	52.89	Pass	7841
814	860	0.1	RMS	836.1	19.54	60	40.46	Pass	461
860	1000	0.1	RMS	866.4	-65.94	-13	52.94	Pass	1401
1000	3000	1	RMS	1672	-48.46	-13	35.46	Pass	2001
3000	10000	1	RMS	6802	-47.39	-13	34.39	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	61.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	812.6	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	847.9	19.85	60	40.15	Pass	461
860	1000	0.1	RMS	982.4	-66.06	-13	53.06	Pass	1401
1000	3000	1	RMS	1695	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6800	-47.33	-13	34.33	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.18	-73.18	-13	60.18	Pass	2986
30	814	0.1	RMS	812.6	-63.67	-13	50.67	Pass	7841
814	860	0.1	RMS	847.9	18.86	60	41.14	Pass	461
860	1000	0.1	RMS	983.2	-65.98	-13	52.98	Pass	1401
1000	3000	1	RMS	1695	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6798	-47.38	-13	34.38	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.4	-64.49	-13	51.49	Pass	7841
814	860	0.1	RMS	824.3	19.53	60	40.47	Pass	461
860	1000	0.1	RMS	862.8	-66.05	-13	53.05	Pass	1401
1000	3000	1	RMS	1648	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6801	-47.51	-13	34.51	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	813.5	-65.19	-13	52.19	Pass	7841
814	860	0.1	RMS	824.3	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	864	-66.13	-13	53.13	Pass	1401
1000	3000	1	RMS	1648	-49.49	-13	36.49	Pass	2001
3000	10000	1	RMS	6800	-47.55	-13	34.55	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	59.98	Pass	2986
30	814	0.1	RMS	810.7	-66.1	-13	53.1	Pass	7841
814	860	0.1	RMS	835.3	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	864.6	-66.16	-13	53.16	Pass	1401
1000	3000	1	RMS	1670	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6800	-47.49	-13	34.49	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	810.8	-66.03	-13	53.03	Pass	7841
814	860	0.1	RMS	835.3	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	983.7	-66.15	-13	53.15	Pass	1401
1000	3000	1	RMS	1670	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6799	-47.52	-13	34.52	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	813.7	-63.47	-13	50.47	Pass	7841
814	860	0.1	RMS	846.3	19.76	60	40.24	Pass	461
860	1000	0.1	RMS	989	-66.08	-13	53.08	Pass	1401
1000	3000	1	RMS	1692	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6800	-47.49	-13	34.49	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	59.92	Pass	2986
30	814	0.1	RMS	813.7	-63.83	-13	50.83	Pass	7841
814	860	0.1	RMS	846.3	19.09	60	40.91	Pass	461
860	1000	0.1	RMS	987.3	-66.09	-13	53.09	Pass	1401
1000	3000	1	RMS	1692	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6800	-47.44	-13	34.44	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813.5	-64.8	-13	51.8	Pass	7841
814	860	0.1	RMS	824.4	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	917.6	-66.19	-13	53.19	Pass	1401
1000	3000	1	RMS	1648	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6801	-47.45	-13	34.45	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.17	-73.16	-13	60.16	Pass	2986
30	814	0.1	RMS	813.5	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	824.4	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	965.1	-66.04	-13	53.04	Pass	1401
1000	3000	1	RMS	1648	-50.74	-13	37.74	Pass	2001
3000	10000	1	RMS	6805	-47.5	-13	34.5	Pass	7001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.17	-73.02	-13	60.02	Pass	2986
30	814	0.1	RMS	811	-66.19	-13	53.19	Pass	7841
814	860	0.1	RMS	834.4	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	967.3	-66.12	-13	53.12	Pass	1401
1000	3000	1	RMS	1668	-48.51	-13	35.51	Pass	2001
3000	10000	1	RMS	6801	-47.47	-13	34.47	Pass	7001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	813.9	-66.21	-13	53.21	Pass	7841
814	860	0.1	RMS	834.4	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	981.8	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1668	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	6798	-47.49	-13	34.49	Pass	7001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-73.28	-13	60.28	Pass	2986
30	814	0.1	RMS	811.8	-63.41	-13	50.41	Pass	7841
814	860	0.1	RMS	844.4	19.76	60	40.24	Pass	461
860	1000	0.1	RMS	987.2	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1688	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6800	-47.46	-13	34.46	Pass	7001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.16	-73.24	-13	60.24	Pass	2986
30	814	0.1	RMS	811.7	-63.7	-13	50.7	Pass	7841
814	860	0.1	RMS	844.4	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	961.5	-66.14	-13	53.14	Pass	1401
1000	3000	1	RMS	1688	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6798	-47.52	-13	34.52	Pass	7001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.24	-73.32	-13	60.32	Pass	2986
30	814	0.1	RMS	813.8	-64.36	-13	51.36	Pass	7841
814	860	0.1	RMS	824.6	19.75	60	40.25	Pass	461
860	1000	0.1	RMS	863.6	-66.05	-13	53.05	Pass	1401
1000	3000	1	RMS	1649	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6800	-47.38	-13	34.38	Pass	7001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	59.82	Pass	2986
30	814	0.1	RMS	811.1	-65.15	-13	52.15	Pass	7841
814	860	0.1	RMS	824.6	18.51	60	41.49	Pass	461
860	1000	0.1	RMS	966.1	-65.92	-13	52.92	Pass	1401
1000	3000	1	RMS	1649	-50.29	-13	37.29	Pass	2001
3000	10000	1	RMS	6799	-47.5	-13	34.5	Pass	7001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	812.9	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	832.1	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	929.9	-66.13	-13	53.13	Pass	1401
1000	3000	1	RMS	1664	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6802	-47.49	-13	34.49	Pass	7001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	812.9	-65.82	-13	52.82	Pass	7841
814	860	0.1	RMS	832.1	19.34	60	40.66	Pass	461
860	1000	0.1	RMS	864.1	-66.15	-13	53.15	Pass	1401
1000	3000	1	RMS	1664	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6799	-47.45	-13	34.45	Pass	7001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.23	-73.32	-13	60.32	Pass	2986
30	814	0.1	RMS	812.4	-64.85	-13	51.85	Pass	7841
814	860	0.1	RMS	839.6	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	889.6	-65.93	-13	52.93	Pass	1401
1000	3000	1	RMS	1679	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	6802	-47.48	-13	34.48	Pass	7001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	812.4	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	839.6	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	860.5	-66.07	-13	53.07	Pass	1401
1000	3000	1	RMS	1679	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6798	-47.4	-13	34.4	Pass	7001

