


11.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	59.85	Pass	2986
30	814	0.1	RMS	811.5	-56.79	-13	43.79	Pass	7841
814	860	0.1	RMS	824.9	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	956.5	-66.05	-13	53.05	Pass	1401
1000	3000	1	RMS	1649	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6800	-47.51	-13	34.51	Pass	7001



11.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.18	-72.79	-13	59.79	Pass	2986
30	814	0.1	RMS	811.6	-58.91	-13	45.91	Pass	7841
814	860	0.1	RMS	824.9	18.59	60	41.41	Pass	461
860	1000	0.1	RMS	866.5	-66.11	-13	53.11	Pass	1401
1000	3000	1	RMS	1649	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	6802	-47.49	-13	34.49	Pass	7001



11.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	810.7	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	829.9	19.51	60	40.49	Pass	461
860	1000	0.1	RMS	959.8	-66.13	-13	53.13	Pass	1401
1000	3000	1	RMS	1659	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	6800	-47.44	-13	34.44	Pass	7001



11.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	59.92	Pass	2986
30	814	0.1	RMS	813.6	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	829.9	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	908.1	-66.07	-13	53.07	Pass	1401
1000	3000	1	RMS	1659	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	6801	-47.42	-13	34.42	Pass	7001



11.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-73.18	-13	60.18	Pass	2986
30	814	0.1	RMS	812.1	-66.03	-13	53.03	Pass	7841
814	860	0.1	RMS	834.9	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	961.5	-66.11	-13	53.11	Pass	1401
1000	3000	1	RMS	1669	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6801	-47.47	-13	34.47	Pass	7001



11.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.28	-73.21	-13	60.21	Pass	2986
30	814	0.1	RMS	811.2	-66.22	-13	53.22	Pass	7841
814	860	0.1	RMS	834.9	18.58	60	41.42	Pass	461
860	1000	0.1	RMS	890.7	-66.17	-13	53.17	Pass	1401
1000	3000	1	RMS	1669	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6800	-47.47	-13	34.47	Pass	7001



12. LTE_Band26(part90)


12.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.28	-13	54.28	Pass	401
0.15	30	0.01	Peak	0.25	-64.73	-13	51.73	Pass	2986
30	809	0.1	Peak	591	-55.19	-13	42.19	Pass	7791
809	829	0.1	Peak	814.2	24.7	60	35.3	Pass	401
829	1000	0.1	Peak	910.5	-54.79	-13	41.79	Pass	1711
1000	3000	1	Peak	1628	-37.86	-13	24.86	Pass	2001
3000	10000	1	Peak	7917	-34.4	-13	21.4	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.4	-13	52.4	Pass	401
0.15	30	0.01	Peak	0.22	-64.5	-13	51.5	Pass	2986
30	809	0.1	Peak	460.3	-55.29	-13	42.29	Pass	7791
809	829	0.1	Peak	814.25	25.49	60	34.51	Pass	401
829	1000	0.1	Peak	851.3	-54.89	-13	41.89	Pass	1711
1000	3000	1	Peak	1628	-38.29	-13	25.29	Pass	2001
3000	10000	1	Peak	8748	-33.98	-13	20.98	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.89	-13	54.89	Pass	401
0.15	30	0.01	Peak	0.23	-64.63	-13	51.63	Pass	2986
30	809	0.1	Peak	765.9	-55.24	-13	42.24	Pass	7791
809	829	0.1	Peak	818.6	24.53	60	35.47	Pass	401
829	1000	0.1	Peak	848.4	-54.68	-13	41.68	Pass	1711
1000	3000	1	Peak	1637	-38.88	-13	25.88	Pass	2001
3000	10000	1	Peak	9852	-34.16	-13	21.16	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.35	-13	54.35	Pass	401
0.15	30	0.01	Peak	0.15	-65.73	-13	52.73	Pass	2986
30	809	0.1	Peak	798.7	-55.27	-13	42.27	Pass	7791
809	829	0.1	Peak	818.6	25.18	60	34.82	Pass	401
829	1000	0.1	Peak	834.7	-54.82	-13	41.82	Pass	1711
1000	3000	1	Peak	1637	-37.38	-13	24.38	Pass	2001
3000	10000	1	Peak	8246	-34.07	-13	21.07	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.02	-13	53.02	Pass	401
0.15	30	0.01	Peak	0.16	-63.94	-13	50.94	Pass	2986
30	809	0.1	Peak	805	-54.8	-13	41.8	Pass	7791
809	829	0.1	Peak	822.95	24.48	60	35.52	Pass	401
829	1000	0.1	Peak	829.1	-54.63	-13	41.63	Pass	1711
1000	3000	1	Peak	1646	-38.43	-13	25.43	Pass	2001
3000	10000	1	Peak	9831	-34.04	-13	21.04	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.54	-13	52.54	Pass	401
0.15	30	0.01	Peak	0.18	-64.89	-13	51.89	Pass	2986
30	809	0.1	Peak	553.2	-55.45	-13	42.45	Pass	7791
809	829	0.1	Peak	822.9	24.84	60	35.16	Pass	401
829	1000	0.1	Peak	959.2	-55.26	-13	42.26	Pass	1711
1000	3000	1	Peak	1646	-38.99	-13	25.99	Pass	2001
3000	10000	1	Peak	7317	-34.35	-13	21.35	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.71	-13	54.71	Pass	401
0.15	30	0.01	Peak	0.16	-65.08	-13	52.08	Pass	2986
30	809	0.1	Peak	809	-53.58	-13	40.58	Pass	7791
809	829	0.1	Peak	814.2	24.6	60	35.4	Pass	401
829	1000	0.1	Peak	841.4	-54.81	-13	41.81	Pass	1711
1000	3000	1	Peak	1629	-38.16	-13	25.16	Pass	2001
3000	10000	1	Peak	8697	-34.42	-13	21.42	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.57	-13	53.57	Pass	401
0.15	30	0.01	Peak	0.48	-65.8	-13	52.8	Pass	2986
30	809	0.1	Peak	773.7	-55.58	-13	42.58	Pass	7791
809	829	0.1	Peak	814.25	25.17	60	34.83	Pass	401
829	1000	0.1	Peak	844.1	-54.88	-13	41.88	Pass	1711
1000	3000	1	Peak	1629	-38.79	-13	25.79	Pass	2001
3000	10000	1	Peak	8728	-34.34	-13	21.34	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.07	-13	53.07	Pass	401
0.15	30	0.01	Peak	0.15	-64.97	-13	51.97	Pass	2986
30	809	0.1	Peak	708.3	-55	-13	42	Pass	7791
809	829	0.1	Peak	817.8	24.52	60	35.48	Pass	401
829	1000	0.1	Peak	991.2	-55.25	-13	42.25	Pass	1711
1000	3000	1	Peak	1636	-38.32	-13	25.32	Pass	2001
3000	10000	1	Peak	9027	-34.32	-13	21.32	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.65	-13	52.65	Pass	401
0.15	30	0.01	Peak	0.23	-65.78	-13	52.78	Pass	2986
30	809	0.1	Peak	457.4	-55.21	-13	42.21	Pass	7791
809	829	0.1	Peak	817.8	25.01	60	34.99	Pass	401
829	1000	0.1	Peak	891.5	-54.8	-13	41.8	Pass	1711
1000	3000	1	Peak	1636	-38.05	-13	25.05	Pass	2001
3000	10000	1	Peak	9268	-34.46	-13	21.46	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.52	-13	53.52	Pass	401
0.15	30	0.01	Peak	0.48	-64.26	-13	51.26	Pass	2986
30	809	0.1	Peak	725.7	-55.34	-13	42.34	Pass	7791
809	829	0.1	Peak	821.25	24.74	60	35.26	Pass	401
829	1000	0.1	Peak	973	-54.67	-13	41.67	Pass	1711
1000	3000	1	Peak	1643	-38.18	-13	25.18	Pass	2001
3000	10000	1	Peak	7452	-34.35	-13	21.35	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.76	-13	52.76	Pass	401
0.15	30	0.01	Peak	0.25	-65.73	-13	52.73	Pass	2986
30	809	0.1	Peak	705.4	-55.05	-13	42.05	Pass	7791
809	829	0.1	Peak	821.2	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	829	-52.9	-13	39.9	Pass	1711
1000	3000	1	Peak	1643	-38.29	-13	25.29	Pass	2001
3000	10000	1	Peak	7600	-33.73	-13	20.73	Pass	7001




12.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.58	-13	53.58	Pass	401
0.15	30	0.01	Peak	0.34	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	737.4	-55.57	-13	42.57	Pass	7791
809	829	0.1	Peak	814.35	24.82	60	35.18	Pass	401
829	1000	0.1	Peak	831.9	-54.79	-13	41.79	Pass	1711
1000	3000	1	Peak	1629	-38.25	-13	25.25	Pass	2001
3000	10000	1	Peak	7891	-34.18	-13	21.18	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.62	-13	52.62	Pass	401
0.15	30	0.01	Peak	0.3	-65.1	-13	52.1	Pass	2986
30	809	0.1	Peak	723	-55.48	-13	42.48	Pass	7791
809	829	0.1	Peak	814.3	25.1	60	34.9	Pass	401
829	1000	0.1	Peak	852.6	-55	-13	42	Pass	1711
1000	3000	1	Peak	1628	-38.9	-13	25.9	Pass	2001
3000	10000	1	Peak	7254	-33.68	-13	20.68	Pass	7001




12.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.93	-13	52.93	Pass	401
0.15	30	0.01	Peak	0.16	-64.54	-13	51.54	Pass	2986
30	809	0.1	Peak	808.3	-54.93	-13	41.93	Pass	7791
809	829	0.1	Peak	816.95	24.56	60	35.44	Pass	401
829	1000	0.1	Peak	934.7	-54.85	-13	41.85	Pass	1711
1000	3000	1	Peak	1634	-37.81	-13	24.81	Pass	2001
3000	10000	1	Peak	7497	-33.77	-13	20.77	Pass	7001




12.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.49	-13	52.49	Pass	401
0.15	30	0.01	Peak	0.17	-64.61	-13	51.61	Pass	2986
30	809	0.1	Peak	806.9	-55.47	-13	42.47	Pass	7791
809	829	0.1	Peak	816.8	25.22	60	34.78	Pass	401
829	1000	0.1	Peak	971.9	-54.92	-13	41.92	Pass	1711
1000	3000	1	Peak	1634	-38.21	-13	25.21	Pass	2001
3000	10000	1	Peak	7302	-34.15	-13	21.15	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.6	-13	52.6	Pass	401
0.15	30	0.01	Peak	0.18	-64.25	-13	51.25	Pass	2986
30	809	0.1	Peak	445.3	-55.29	-13	42.29	Pass	7791
809	829	0.1	Peak	819.4	24.38	60	35.62	Pass	401
829	1000	0.1	Peak	968.7	-54.96	-13	41.96	Pass	1711
1000	3000	1	Peak	1639	-37.76	-13	24.76	Pass	2001
3000	10000	1	Peak	7887	-34.07	-13	21.07	Pass	7001




12.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.4	-13	52.4	Pass	401
0.15	30	0.01	Peak	1.2	-65.06	-13	52.06	Pass	2986
30	809	0.1	Peak	391.8	-55.1	-13	42.1	Pass	7791
809	829	0.1	Peak	819.35	24.54	60	35.46	Pass	401
829	1000	0.1	Peak	829.8	-54.71	-13	41.71	Pass	1711
1000	3000	1	Peak	1639	-39.15	-13	26.15	Pass	2001
3000	10000	1	Peak	8705	-34.33	-13	21.33	Pass	7001




12.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.47	-13	52.47	Pass	401
0.15	30	0.01	Peak	0.17	-64.6	-13	51.6	Pass	2986
30	809	0.1	Peak	808.4	-53.62	-13	40.62	Pass	7791
809	829	0.1	Peak	814.6	25.07	60	34.93	Pass	401
829	1000	0.1	Peak	832.3	-36.62	-13	23.62	Pass	1711
1000	3000	1	Peak	1630	-38.09	-13	25.09	Pass	2001
3000	10000	1	Peak	7675	-34.09	-13	21.09	Pass	7001



12.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.35	-13	52.35	Pass	401
0.15	30	0.01	Peak	0.68	-65.28	-13	52.28	Pass	2986
30	809	0.1	Peak	808.4	-54.5	-13	41.5	Pass	7791
809	829	0.1	Peak	814.55	25.09	60	34.91	Pass	401
829	1000	0.1	Peak	832.4	-35.93	-13	22.93	Pass	1711
1000	3000	1	Peak	1629	-38.66	-13	25.66	Pass	2001
3000	10000	1	Peak	7343	-34.61	-13	21.61	Pass	7001



13. LTE_Band38


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	979.186	-62.09	-25	37.09	Pass	9701
1000	2560	1	RMS	2558	-48.59	-25	23.59	Pass	1561
2560	2630	1	RMS	2570.325	21.33	60	38.67	Pass	401
2630	3000	1	RMS	2988.9	-48.46	-25	23.46	Pass	401
3000	12000	1	RMS	11999	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25504	-44.97	-25	19.97	Pass	14502




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.09	-25	44.09	Pass	401
0.15	30	0.01	RMS	0.16	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	983.489	-62.13	-25	37.13	Pass	9701
1000	2560	1	RMS	2560	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2570.325	20.15	60	39.85	Pass	401
2630	3000	1	RMS	2992.6	-48.45	-25	23.45	Pass	401
3000	12000	1	RMS	11967	-49.77	-25	24.77	Pass	9002
12000	26500	1	RMS	25508	-44.96	-25	19.96	Pass	14502




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.85	-25	44.85	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-25	43.79	Pass	2986
30	1000	0.1	RMS	974.483	-62.09	-25	37.09	Pass	9701
1000	2560	1	RMS	2558	-49.4	-25	24.4	Pass	1561
2560	2630	1	RMS	2592.725	21.07	60	38.93	Pass	401
2630	3000	1	RMS	2992.6	-48.38	-25	23.38	Pass	401
3000	12000	1	RMS	11984	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25499	-44.96	-25	19.96	Pass	14502




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.59	-25	44.59	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-25	44.17	Pass	2986
30	1000	0.1	RMS	860.908	-61.96	-25	36.96	Pass	9701
1000	2560	1	RMS	2560	-49.35	-25	24.35	Pass	1561
2560	2630	1	RMS	2592.9	20.39	60	39.61	Pass	401
2630	3000	1	RMS	2988.9	-48.46	-25	23.46	Pass	401
3000	12000	1	RMS	11998	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25497	-44.89	-25	19.89	Pass	14502




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-25	44.74	Pass	401
0.15	30	0.01	RMS	0.23	-68.92	-25	43.92	Pass	2986
30	1000	0.1	RMS	851.402	-61.92	-25	36.92	Pass	9701
1000	2560	1	RMS	2500	-49.41	-25	24.41	Pass	1561
2560	2630	1	RMS	2615.3	21.25	60	38.75	Pass	401
2630	3000	1	RMS	2992.6	-48.42	-25	23.42	Pass	401
3000	12000	1	RMS	11998	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25497	-44.94	-25	19.94	Pass	14502




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-25	43.93	Pass	2986
30	1000	0.1	RMS	872.215	-62.13	-25	37.13	Pass	9701
1000	2560	1	RMS	2498	-49.39	-25	24.39	Pass	1561
2560	2630	1	RMS	2615.3	20.82	60	39.18	Pass	401
2630	3000	1	RMS	2993.525	-48.43	-25	23.43	Pass	401
3000	12000	1	RMS	11998	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25503	-44.88	-25	19.88	Pass	14502




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-25	44.12	Pass	401
0.15	30	0.01	RMS	0.16	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	928.453	-62.09	-25	37.09	Pass	9701
1000	2560	1	RMS	2554	-41.14	-25	16.14	Pass	1561
2560	2630	1	RMS	2570.5	21.81	60	38.19	Pass	401
2630	3000	1	RMS	2991.675	-48.43	-25	23.43	Pass	401
3000	12000	1	RMS	11998	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25500	-44.96	-25	19.96	Pass	14502




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.19	-69.06	-25	44.06	Pass	2986
30	1000	0.1	RMS	874.717	-61.95	-25	36.95	Pass	9701
1000	2560	1	RMS	2552	-44.43	-25	19.43	Pass	1561
2560	2630	1	RMS	2570.5	19.5	60	40.5	Pass	401
2630	3000	1	RMS	2990.75	-48.43	-25	23.43	Pass	401
3000	12000	1	RMS	11997	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25502	-45.01	-25	20.01	Pass	14502



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.29	-25	44.29	Pass	401
0.15	30	0.01	RMS	0.17	-68.87	-25	43.87	Pass	2986
30	1000	0.1	RMS	953.469	-62.07	-25	37.07	Pass	9701
1000	2560	1	RMS	2557	-48.64	-25	23.64	Pass	1561
2560	2630	1	RMS	2590.45	21.22	60	38.78	Pass	401
2630	3000	1	RMS	2989.825	-48.4	-25	23.4	Pass	401
3000	12000	1	RMS	11997	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25500	-44.89	-25	19.89	Pass	14502



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.18	-69.47	-25	44.47	Pass	2986
30	1000	0.1	RMS	846.9	-62.08	-25	37.08	Pass	9701
1000	2560	1	RMS	2554	-48.89	-25	23.89	Pass	1561
2560	2630	1	RMS	2590.625	20.4	60	39.6	Pass	401
2630	3000	1	RMS	2991.675	-48.41	-25	23.41	Pass	401
3000	12000	1	RMS	11998	-49.71	-25	24.71	Pass	9002
12000	26500	1	RMS	25494	-44.89	-25	19.89	Pass	14502



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.18	-69.09	-25	44.09	Pass	2986
30	1000	0.1	RMS	995.597	-62.07	-25	37.07	Pass	9701
1000	2560	1	RMS	2556	-49.32	-25	24.32	Pass	1561
2560	2630	1	RMS	2610.575	20.99	60	39.01	Pass	401
2630	3000	1	RMS	2630	-38.74	-25	13.74	Pass	401
3000	12000	1	RMS	11994	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25500	-45.01	-25	20.01	Pass	14502



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.32	-25	44.32	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	948.166	-62.04	-25	37.04	Pass	9701
1000	2560	1	RMS	2531	-49.38	-25	24.38	Pass	1561
2560	2630	1	RMS	2610.575	20.97	60	39.03	Pass	401
2630	3000	1	RMS	2630	-41.99	-25	16.99	Pass	401
3000	12000	1	RMS	11970	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25495	-44.95	-25	19.95	Pass	14502



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.16	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	882.222	-62.06	-25	37.06	Pass	9701
1000	2560	1	RMS	2557	-29.11	-25	4.11	Pass*	1561
2560	2630	1	RMS	2570.675	21.48	60	38.52	Pass	401
2630	3000	1	RMS	2993.525	-48.43	-25	23.43	Pass	401
3000	12000	1	RMS	11994	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25501	-44.99	-25	19.99	Pass	14502



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.18	-68.88	-25	43.88	Pass	2986
30	1000	0.1	RMS	932.655	-62.16	-25	37.16	Pass	9701
1000	2560	1	RMS	2558	-30.42	-25	5.42	Pass*	1561
2560	2630	1	RMS	2570.675	20.12	60	39.88	Pass	401
2630	3000	1	RMS	2992.6	-48.41	-25	23.41	Pass	401
3000	12000	1	RMS	11858	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25495	-44.92	-25	19.92	Pass	14502

