


13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-25	44.05	Pass	2986
30	1000	0.1	RMS	973.582	-61.98	-25	36.98	Pass	9701
1000	2560	1	RMS	2559	-48.11	-25	23.11	Pass	1561
2560	2630	1	RMS	2588.525	21.32	60	38.68	Pass	401
2630	3000	1	RMS	2988.9	-48.43	-25	23.43	Pass	401
3000	12000	1	RMS	11998	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25504	-44.9	-25	19.9	Pass	14502



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-25	44.22	Pass	2986
30	1000	0.1	RMS	849.4	-62.09	-25	37.09	Pass	9701
1000	2560	1	RMS	2560	-48.79	-25	23.79	Pass	1561
2560	2630	1	RMS	2588.175	20.61	60	39.39	Pass	401
2630	3000	1	RMS	2987.975	-48.44	-25	23.44	Pass	401
3000	12000	1	RMS	11999	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25501	-44.96	-25	19.96	Pass	14502



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.17	-69.22	-25	44.22	Pass	2986
30	1000	0.1	RMS	976.685	-62.07	-25	37.07	Pass	9701
1000	2560	1	RMS	2558	-49.27	-25	24.27	Pass	1561
2560	2630	1	RMS	2605.675	21.04	60	38.96	Pass	401
2630	3000	1	RMS	2631.85	-32.76	-25	7.76	Pass	401
3000	12000	1	RMS	12000	-49.75	-25	24.75	Pass	9002
12000	26500	1	RMS	25500	-44.96	-25	19.96	Pass	14502



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.19	-25	44.19	Pass	401
0.15	30	0.01	RMS	0.26	-69.05	-25	44.05	Pass	2986
30	1000	0.1	RMS	860.508	-62.08	-25	37.08	Pass	9701
1000	2560	1	RMS	2496	-49.26	-25	24.26	Pass	1561
2560	2630	1	RMS	2605.675	20.63	60	39.37	Pass	401
2630	3000	1	RMS	2631.85	-33.49	-25	8.49	Pass	401
3000	12000	1	RMS	11997	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25502	-44.94	-25	19.94	Pass	14502



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	963.776	-62.02	-25	37.02	Pass	9701
1000	2560	1	RMS	2554	-35.15	-25	10.15	Pass	1561
2560	2630	1	RMS	2571.025	21.03	60	38.97	Pass	401
2630	3000	1	RMS	2982.425	-48.46	-25	23.46	Pass	401
3000	12000	1	RMS	11988	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25499	-44.99	-25	19.99	Pass	14502



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.48	-25	44.48	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	883.623	-62.15	-25	37.15	Pass	9701
1000	2560	1	RMS	2553	-33.84	-25	8.84	Pass	1561
2560	2630	1	RMS	2571.025	21.24	60	38.76	Pass	401
2630	3000	1	RMS	2992.6	-48.4	-25	23.4	Pass	401
3000	12000	1	RMS	11991	-49.69	-25	24.69	Pass	9002
12000	26500	1	RMS	25492	-44.92	-25	19.92	Pass	14502



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.27	-25	44.27	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	792.7	-62.09	-25	37.09	Pass	9701
1000	2560	1	RMS	2551	-42.05	-25	17.05	Pass	1561
2560	2630	1	RMS	2586.25	21.03	60	38.97	Pass	401
2630	3000	1	RMS	2993.525	-48.41	-25	23.41	Pass	401
3000	12000	1	RMS	11999	-49.65	-25	24.65	Pass	9002
12000	26500	1	RMS	25510	-44.9	-25	19.9	Pass	14502



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	0.18	-69.01	-25	44.01	Pass	2986
30	1000	0.1	RMS	919.246	-61.98	-25	36.98	Pass	9701
1000	2560	1	RMS	2551	-45.01	-25	20.01	Pass	1561
2560	2630	1	RMS	2586.075	20.5	60	39.5	Pass	401
2630	3000	1	RMS	2992.6	-48.4	-25	23.4	Pass	401
3000	12000	1	RMS	11995	-49.74	-25	24.74	Pass	9002
12000	26500	1	RMS	25503	-44.99	-25	19.99	Pass	14502



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.18	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	872.215	-62.16	-25	37.16	Pass	9701
1000	2560	1	RMS	2560	-49.12	-25	24.12	Pass	1561
2560	2630	1	RMS	2601.125	21.54	60	38.46	Pass	401
2630	3000	1	RMS	2636.475	-38.75	-25	13.75	Pass	401
3000	12000	1	RMS	11996	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25502	-44.96	-25	19.96	Pass	14502



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.19	-69.37	-25	44.37	Pass	2986
30	1000	0.1	RMS	992.495	-62.05	-25	37.05	Pass	9701
1000	2560	1	RMS	2559	-49.16	-25	24.16	Pass	1561
2560	2630	1	RMS	2600.95	20.88	60	39.12	Pass	401
2630	3000	1	RMS	2636.475	-40.23	-25	15.23	Pass	401
3000	12000	1	RMS	11997	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25498	-44.93	-25	19.93	Pass	14502



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.19	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	535.7	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2486	-47.11	-25	22.11	Pass	1487
2486	2700	1	RMS	2496.165	21.87	60	38.13	Pass	401
2700	3000	1	RMS	2989.5	-48.1	-25	23.1	Pass	401
3000	12000	1	RMS	12000	-59.69	-25	34.69	Pass	9002
12000	26500	1	RMS	25494	-49.95	-25	24.95	Pass	14502




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.2	-68.88	-25	43.88	Pass	2986
30	1000	0.1	RMS	535.8	-61.47	-25	36.47	Pass	9701
1000	2486	1	RMS	2486	-46.09	-25	21.09	Pass	1487
2486	2700	1	RMS	2496.165	21.07	60	38.93	Pass	401
2700	3000	1	RMS	2994	-48.12	-25	23.12	Pass	401
3000	12000	1	RMS	11998	-59.67	-25	34.67	Pass	9002
12000	26500	1	RMS	25507	-49.99	-25	24.99	Pass	14502




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.21	-69	-25	44	Pass	2986
30	1000	0.1	RMS	981.988	-61.76	-25	36.76	Pass	9701
1000	2486	1	RMS	2484	-49.27	-25	24.27	Pass	1487
2486	2700	1	RMS	2590.325	20.01	60	39.99	Pass	401
2700	3000	1	RMS	2987.25	-48.13	-25	23.13	Pass	401
3000	12000	1	RMS	12000	-59.71	-25	34.71	Pass	9002
12000	26500	1	RMS	25510	-50.04	-25	25.04	Pass	14502




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	927.852	-61.79	-25	36.79	Pass	9701
1000	2486	1	RMS	2484	-49.24	-25	24.24	Pass	1487
2486	2700	1	RMS	2590.86	20.53	60	39.47	Pass	401
2700	3000	1	RMS	2989.5	-48.11	-25	23.11	Pass	401
3000	12000	1	RMS	11993	-59.74	-25	34.74	Pass	9002
12000	26500	1	RMS	25503	-49.99	-25	24.99	Pass	14502




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	724.7	-60.43	-25	35.43	Pass	9701
1000	2486	1	RMS	2486	-49.24	-25	24.24	Pass	1487
2486	2700	1	RMS	2685.02	20.44	60	39.56	Pass	401
2700	3000	1	RMS	2990.25	-48.11	-25	23.11	Pass	401
3000	12000	1	RMS	11999	-59.67	-25	34.67	Pass	9002
12000	26500	1	RMS	25502	-49.83	-25	24.83	Pass	14502




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.59	-25	44.59	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	724.7	-60.85	-25	35.85	Pass	9701
1000	2486	1	RMS	2484	-49.16	-25	24.16	Pass	1487
2486	2700	1	RMS	2685.02	20.87	60	39.13	Pass	401
2700	3000	1	RMS	2985	-48.11	-25	23.11	Pass	401
3000	12000	1	RMS	11983	-59.7	-25	34.7	Pass	9002
12000	26500	1	RMS	25500	-49.97	-25	24.97	Pass	14502




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-25	44.13	Pass	401
0.15	30	0.01	RMS	0.18	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	847.5	-61.57	-25	36.57	Pass	9701
1000	2486	1	RMS	2479	-41.65	-25	16.65	Pass	1487
2486	2700	1	RMS	2496.165	21.19	60	38.81	Pass	401
2700	3000	1	RMS	2990.25	-48.13	-25	23.13	Pass	401
3000	12000	1	RMS	11991	-59.7	-25	34.7	Pass	9002
12000	26500	1	RMS	25493	-50.02	-25	25.02	Pass	14502




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.49	-25	44.49	Pass	401
0.15	30	0.01	RMS	0.2	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	985.39	-61.59	-25	36.59	Pass	9701
1000	2486	1	RMS	2479	-45.41	-25	20.41	Pass	1487
2486	2700	1	RMS	2496.7	19.71	60	40.29	Pass	401
2700	3000	1	RMS	2991.75	-48.14	-25	23.14	Pass	401
3000	12000	1	RMS	11988	-59.73	-25	34.73	Pass	9002
12000	26500	1	RMS	25497	-49.91	-25	24.91	Pass	14502



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	854.404	-61.51	-25	36.51	Pass	9701
1000	2486	1	RMS	2479	-49.23	-25	24.23	Pass	1487
2486	2700	1	RMS	2588.185	20.7	60	39.3	Pass	401
2700	3000	1	RMS	2989.5	-48.1	-25	23.1	Pass	401
3000	12000	1	RMS	11969	-59.67	-25	34.67	Pass	9002
12000	26500	1	RMS	25504	-49.93	-25	24.93	Pass	14502



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	964.977	-61.71	-25	36.71	Pass	9701
1000	2486	1	RMS	2480	-49.22	-25	24.22	Pass	1487
2486	2700	1	RMS	2588.185	20.32	60	39.68	Pass	401
2700	3000	1	RMS	2994.75	-48.12	-25	23.12	Pass	401
3000	12000	1	RMS	11992	-59.67	-25	34.67	Pass	9002
12000	26500	1	RMS	25502	-49.89	-25	24.89	Pass	14502



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.09	-25	44.09	Pass	401
0.15	30	0.01	RMS	0.17	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	719.9	-60.87	-25	35.87	Pass	9701
1000	2486	1	RMS	2486	-49.21	-25	24.21	Pass	1487
2486	2700	1	RMS	2680.74	21.08	60	38.92	Pass	401
2700	3000	1	RMS	2700	-41.59	-25	16.59	Pass	401
3000	12000	1	RMS	11989	-59.6	-25	34.6	Pass	9002
12000	26500	1	RMS	25485	-49.97	-25	24.97	Pass	14502



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	720	-59.99	-25	34.99	Pass	9701
1000	2486	1	RMS	2484	-49.21	-25	24.21	Pass	1487
2486	2700	1	RMS	2680.74	20.71	60	39.29	Pass	401
2700	3000	1	RMS	2700	-41.09	-25	16.09	Pass	401
3000	12000	1	RMS	11994	-59.7	-25	34.7	Pass	9002
12000	26500	1	RMS	25482	-49.99	-25	24.99	Pass	14502



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.16	-25	44.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	536.2	-60.35	-25	35.35	Pass	9701
1000	2486	1	RMS	2483	-28.05	-25	3.05	Pass*	1487
2486	2700	1	RMS	2496.7	21.06	60	38.94	Pass	401
2700	3000	1	RMS	2994	-48.11	-25	23.11	Pass	401
3000	12000	1	RMS	11995	-59.62	-25	34.62	Pass	9002
12000	26500	1	RMS	25504	-49.94	-25	24.94	Pass	14502



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.66	-25	44.66	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	536.2	-60.95	-25	35.95	Pass	9701
1000	2486	1	RMS	2484	-31.25	-25	6.25	Pass	1487
2486	2700	1	RMS	2496.7	21.23	60	38.77	Pass	401
2700	3000	1	RMS	2989.5	-48.11	-25	23.11	Pass	401
3000	12000	1	RMS	11982	-59.68	-25	34.68	Pass	9002
12000	26500	1	RMS	25501	-49.85	-25	24.85	Pass	14502



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.36	-25	44.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	865.811	-61.67	-25	36.67	Pass	9701
1000	2486	1	RMS	2486	-49.07	-25	24.07	Pass	1487
2486	2700	1	RMS	2586.045	21.1	60	38.9	Pass	401
2700	3000	1	RMS	2989.5	-48.08	-25	23.08	Pass	401
3000	12000	1	RMS	11999	-59.66	-25	34.66	Pass	9002
12000	26500	1	RMS	25495	-50.03	-25	25.03	Pass	14502



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	969.98	-61.62	-25	36.62	Pass	9701
1000	2486	1	RMS	2483	-49.16	-25	24.16	Pass	1487
2486	2700	1	RMS	2586.045	20.26	60	39.74	Pass	401
2700	3000	1	RMS	2989.5	-48.1	-25	23.1	Pass	401
3000	12000	1	RMS	11997	-59.67	-25	34.67	Pass	9002
12000	26500	1	RMS	25501	-49.99	-25	24.99	Pass	14502



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.18	-69.34	-25	44.34	Pass	2986
30	1000	0.1	RMS	715.2	-60.79	-25	35.79	Pass	9701
1000	2486	1	RMS	2486	-49.19	-25	24.19	Pass	1487
2486	2700	1	RMS	2675.39	21.35	60	38.65	Pass	401
2700	3000	1	RMS	2702.25	-36.64	-25	11.64	Pass	401
3000	12000	1	RMS	11987	-59.68	-25	34.68	Pass	9002
12000	26500	1	RMS	25500	-49.95	-25	24.95	Pass	14502



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.18	-25	44.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	715.2	-60.2	-25	35.2	Pass	9701
1000	2486	1	RMS	2484	-49.17	-25	24.17	Pass	1487
2486	2700	1	RMS	2675.39	20.59	60	39.41	Pass	401
2700	3000	1	RMS	2702.25	-37.22	-25	12.22	Pass	401
3000	12000	1	RMS	11998	-59.68	-25	34.68	Pass	9002
12000	26500	1	RMS	25502	-49.98	-25	24.98	Pass	14502



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	536.5	-60.81	-25	35.81	Pass	9701
1000	2486	1	RMS	2479	-29.36	-25	4.36	Pass*	1487
2486	2700	1	RMS	2496.7	21.64	60	38.36	Pass	401
2700	3000	1	RMS	2996.25	-48.1	-25	23.1	Pass	401
3000	12000	1	RMS	11990	-59.63	-25	34.63	Pass	9002
12000	26500	1	RMS	25503	-49.86	-25	24.86	Pass	14502



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-25	44.48	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	895.731	-61.74	-25	36.74	Pass	9701
1000	2486	1	RMS	2480	-31.1	-25	6.1	Pass	1487
2486	2700	1	RMS	2496.7	21.34	60	38.66	Pass	401
2700	3000	1	RMS	2991	-48.07	-25	23.07	Pass	401
3000	12000	1	RMS	12000	-59.66	-25	34.66	Pass	9002
12000	26500	1	RMS	25497	-50.03	-25	25.03	Pass	14502



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.48	-25	44.48	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	887.826	-61.59	-25	36.59	Pass	9701
1000	2486	1	RMS	2485	-49.11	-25	24.11	Pass	1487
2486	2700	1	RMS	2583.905	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2991	-48.09	-25	23.09	Pass	401
3000	12000	1	RMS	11999	-59.61	-25	34.61	Pass	9002
12000	26500	1	RMS	25505	-50.04	-25	25.04	Pass	14502



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.71	-25	44.71	Pass	401
0.15	30	0.01	RMS	0.19	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	981.188	-61.77	-25	36.77	Pass	9701
1000	2486	1	RMS	2485	-49.12	-25	24.12	Pass	1487
2486	2700	1	RMS	2583.905	20.54	60	39.46	Pass	401
2700	3000	1	RMS	2990.25	-48.08	-25	23.08	Pass	401
3000	12000	1	RMS	11996	-59.65	-25	34.65	Pass	9002
12000	26500	1	RMS	25492	-50.02	-25	25.02	Pass	14502



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-25	44.07	Pass	401
0.15	30	0.01	RMS	0.16	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	710.5	-61.14	-25	36.14	Pass	9701
1000	2486	1	RMS	2486	-49.18	-25	24.18	Pass	1487
2486	2700	1	RMS	2670.575	21.07	60	38.93	Pass	401
2700	3000	1	RMS	2706	-34.5	-25	9.5	Pass	401
3000	12000	1	RMS	11993	-59.7	-25	34.7	Pass	9002
12000	26500	1	RMS	25501	-50	-25	25	Pass	14502



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-25	44.2	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	872.516	-61.78	-25	36.78	Pass	9701
1000	2486	1	RMS	2481	-49.14	-25	24.14	Pass	1487
2486	2700	1	RMS	2670.575	20.18	60	39.82	Pass	401
2700	3000	1	RMS	2706.75	-34.5	-25	9.5	Pass	401
3000	12000	1	RMS	11994	-59.7	-25	34.7	Pass	9002
12000	26500	1	RMS	25505	-49.92	-25	24.92	Pass	14502



--BLANK BELOW--