



Shenzhen Chenxing Electronic Technology Co., Ltd

PRODUCT SPECIFICATION FOR APPROVAL

CUSTOMER:

Shen Zhen hongyuesheng Tech.Co.,Ltd

PRODUCT NAME:

A11 coil

PART No.:

PRODUCT SPEC:

Magnetic disc: 43.5*5.3*0.8 Double groove
Coil: 0.08*24*2*10Ts/outlet 6mm
Inductance: 6.3uH±10%
Ordinary double-sided tape

DATE:

2022. 10. 5

VERSION:

REV 1.0

Revision	Modified Content	Principle	Date	Note
REV 1.0	First release	Xue lei	2022-08-29	

PREPARED BY	CHECKED BY	APPROVED BY

**Authorized signature &
company chop**


Company Name: Shenzhen Chenxing Electronic Technology Co., Ltd

Factory address: 5th floor, Building 1, Xinkecheng Science and Technology Industrial Park, No. 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen



SPECIFICATION

一、Product size


	A	43.5±0.5mm
	B	39±1mm
	C	20.5±0.5mm
	D	<1.8mm
	E	25mm±3mm
	F	3±2mm
	G	5±0.3mm
	Magnetic disc thickness	0.8±0.1mm
	Disk shape	Circular double groove
	Back adhesive thickness	Ordinary double-sided tape
	Anti shattering black film	No

Company Name: Shenzhen Chenxing Electronic Technology Co., Ltd

Factory address: 5th floor, Building 1, Xinkecheng Science and Technology Industrial Park, No. 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen



二、SCH



三、Winding parameters

TERMINAL		WIRE	Turns	Winding Direction
S	F	silk covered wire 0.08*24*2	10Ts	CCW

四、Electrical characteristics:

TEMPERATURE:25±10°C, RELATIVE HUMIDITY:65±20%

ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IND.	S-F	6.3uH±10%	100KHz/1.0V	LCZ METER 1062B

五、Product images:



Company Name: Shenzhen Chenxing Electronic Technology Co., Ltd

Factory address: 5th floor, Building 1, Xinkecheng Science and Technology Industrial Park, No. 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen