



U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.375	57.01	0.89	68.2	11.19	Peak	96.00	200	Vertical	Pass
2	5650.000	56.01	0.79	68.2	12.19	Peak	108.00	100	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.88	1.08	68.2	13.32	Peak	189.00	150	Vertical	Pass
2	5942.750	57.45	1.02	68.2	10.75	Peak	70.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.666	57.22	0.97	68.2	10.98	Peak	242.00	100	Vertical	Pass
2	5650.000	55.81	0.79	68.2	12.39	Peak	10.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.51	1.08	68.2	12.69	Peak	204.00	200	Vertical	Pass
2	5941.000	57.24	1.02	68.2	10.96	Peak	204.00	100	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.208	57.54	0.94	68.2	10.66	Peak	112.00	100	Vertical	Pass
2	5650.000	56.23	0.79	68.2	11.97	Peak	106.00	150	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.42	1.08	68.2	12.78	Peak	111.00	150	Vertical	Pass
2	5979.250	57.49	0.98	68.2	10.71	Peak	0.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.667	56.91	0.64	68.2	11.29	Peak	36.00	200	Vertical	Pass
2	5650.000	55.06	0.79	68.2	13.14	Peak	227.00	100	Vertical	Pass


U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.62	1.08	68.2	12.58	Peak	124.00	200	Vertical	Pass
2	5972.000	58.07	1.19	68.2	10.13	Peak	16.00	100	Vertical	Pass

Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	57.06	0.93	74.0	16.94	Peak	197.00	200	Vertical	Pass
1**	5146.750	45.62	0.93	54.0	8.38	AV	197.00	200	Vertical	Pass
2	5150.000	54.62	0.84	74.0	19.38	Peak	187.00	150	Vertical	Pass
2**	5150.000	45.77	0.84	54.0	8.23	AV	187.00	150	Vertical	Pass
3	5144.475	54.72	0.93	74.0	19.28	Peak	184.00	150	Vertical	Pass
3**	5144.475	46.26	0.93	54.0	7.74	AV	184.00	150	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	0.85	74.0	18.83	Peak	237.00	150	Vertical	Pass
1**	5350.000	44.48	0.85	54.0	9.52	AV	237.00	150	Vertical	Pass
2	5440.383	57.28	1.28	74.0	16.72	Peak	115.00	100	Vertical	Pass
2**	5440.383	44.62	1.28	54.0	9.38	AV	115.00	100	Vertical	Pass
3	5452.484	55.20	1.29	74.0	18.80	Peak	321.00	150	Vertical	Pass
3**	5452.484	45.14	1.29	54.0	8.86	AV	321.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	56.87	0.94	74.0	17.13	Peak	197.00	150	Vertical	Pass
1**	5140.575	45.48	0.94	54.0	8.52	AV	197.00	150	Vertical	Pass
2	5150.000	55.45	0.84	74.0	18.55	Peak	203.00	150	Vertical	Pass
2**	5150.000	45.71	0.84	54.0	8.29	AV	203.00	150	Vertical	Pass
3	4800.300	54.50	1.25	74.0	19.50	Peak	64.00	150	Vertical	Pass
3**	4800.300	46.16	1.25	54.0	7.84	AV	64.00	150	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	0.85	74.0	19.43	Peak	283.00	150	Vertical	Pass
1**	5350.000	44.45	0.85	54.0	9.55	AV	283.00	150	Vertical	Pass
2	5370.900	56.90	0.80	74.0	17.10	Peak	193.00	150	Vertical	Pass
2**	5370.900	44.22	0.80	54.0	9.78	AV	193.00	150	Vertical	Pass
3	5452.484	54.99	1.29	74.0	19.01	Peak	360.00	150	Vertical	Pass
3**	5452.484	45.03	1.29	54.0	8.97	AV	360.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.625	56.99	1.82	74.0	17.01	Peak	316.00	150	Vertical	Pass
1**	4995.625	45.65	1.82	54.0	8.35	AV	316.00	150	Vertical	Pass
2	5150.000	54.86	0.84	74.0	19.14	Peak	137.00	100	Vertical	Pass
2**	5150.000	45.22	0.84	54.0	8.78	AV	137.00	100	Vertical	Pass
3	5142.850	55.27	0.93	74.0	18.73	Peak	178.00	150	Vertical	Pass
3**	5142.850	45.78	0.93	54.0	8.22	AV	178.00	150	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.07	0.85	74.0	18.93	Peak	353.00	150	Vertical	Pass
1**	5350.000	44.41	0.85	54.0	9.59	AV	353.00	150	Vertical	Pass
2	5416.550	57.19	1.30	74.0	16.81	Peak	211.00	100	Vertical	Pass
2**	5416.550	44.74	1.30	54.0	9.26	AV	211.00	100	Vertical	Pass
3	5449.183	55.86	1.26	74.0	18.14	Peak	64.00	150	Vertical	Pass
3**	5449.183	45.05	1.26	54.0	8.95	AV	64.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.225	57.01	0.88	74.0	16.99	Peak	205.00	200	Vertical	Pass
1**	5063.225	45.13	0.88	54.0	8.87	AV	205.00	200	Vertical	Pass
2	5150.000	55.23	0.84	74.0	18.77	Peak	191.00	150	Vertical	Pass
2**	5150.000	46.06	0.84	54.0	7.94	AV	191.00	150	Vertical	Pass
3	5102.225	54.11	0.26	74.0	19.89	Peak	168.00	150	Vertical	Pass
3**	5102.225	46.56	0.26	54.0	7.44	AV	168.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.71	0.85	74.0	19.29	Peak	217.00	200	Vertical	Pass
1**	5350.000	44.73	0.85	54.0	9.27	AV	217.00	200	Vertical	Pass
2	5441.117	56.83	1.29	74.0	17.17	Peak	360.00	200	Vertical	Pass
2**	5441.117	44.68	1.29	54.0	9.32	AV	360.00	200	Vertical	Pass
3	5451.567	55.64	1.27	74.0	18.36	Peak	162.00	150	Vertical	Pass
3**	5451.567	45.13	1.27	54.0	8.87	AV	162.00	150	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4868.875	56.98	0.07	74.0	17.02	Peak	76.00	100	Vertical	Pass
1**	4868.875	44.10	0.07	54.0	9.90	AV	76.00	100	Vertical	Pass
2	5150.000	55.04	0.84	74.0	18.96	Peak	208.00	150	Vertical	Pass
2**	5150.000	45.81	0.84	54.0	8.19	AV	208.00	150	Vertical	Pass
3	5145.125	55.23	0.93	74.0	18.77	Peak	358.00	150	Vertical	Pass
3**	5145.125	46.16	0.93	54.0	7.84	AV	358.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.11	0.85	74.0	18.89	Peak	239.00	200	Vertical	Pass
1**	5350.000	44.68	0.85	54.0	9.32	AV	239.00	200	Vertical	Pass
2	5443.317	56.60	1.28	74.0	17.40	Peak	99.00	200	Vertical	Pass
2**	5443.317	44.75	1.28	54.0	9.25	AV	99.00	200	Vertical	Pass
3	5451.383	55.38	1.27	74.0	18.62	Peak	339.00	150	Vertical	Pass
3**	5451.383	45.21	1.27	54.0	8.79	AV	339.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.17	0.84	74.0	13.83	Peak	218.00	150	Vertical	Pass
1**	5149.350	48.24	0.84	54.0	5.76	AV	218.00	150	Vertical	Pass
2	5150.000	59.42	0.84	74.0	14.58	Peak	187.00	100	Vertical	Pass
2**	5150.000	49.04	0.84	54.0	4.96	AV	187.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.32	0.85	74.0	18.68	Peak	164.00	200	Vertical	Pass
1**	5350.000	44.44	0.85	54.0	9.56	AV	164.00	200	Vertical	Pass
2	5449.916	57.58	1.26	74.0	16.42	Peak	99.00	200	Vertical	Pass
2**	5449.916	44.87	1.26	54.0	9.13	AV	99.00	200	Vertical	Pass
3	5448.083	55.37	1.26	74.0	18.63	Peak	273.00	150	Vertical	Pass
3**	5448.083	45.12	1.26	54.0	8.88	AV	273.00	150	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.458	56.96	0.97	68.2	11.24	Peak	12.00	150	Vertical	Pass
2	5650.000	55.41	0.79	68.2	12.79	Peak	97.00	100	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.16	1.08	68.2	13.04	Peak	27.00	150	Vertical	Pass
2	5963.500	57.17	1.06	68.2	11.03	Peak	0.00	150	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.667	56.73	0.91	68.2	11.47	Peak	194.00	100	Vertical	Pass
2	5650.000	55.40	0.79	68.2	12.80	Peak	62.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.25	1.08	68.2	12.95	Peak	44.00	200	Vertical	Pass
2	5968.250	56.58	1.10	68.2	11.62	Peak	120.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.250	57.70	0.92	68.2	10.50	Peak	40.00	100	Vertical	Pass
2	5650.000	55.02	0.79	68.2	13.18	Peak	189.00	100	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.23	1.08	68.2	12.97	Peak	333.00	200	Vertical	Pass
2	5964.750	57.04	1.04	68.2	11.16	Peak	49.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.292	57.02	0.66	68.2	11.18	Peak	360.00	150	Vertical	Pass
2	5650.000	55.43	0.79	68.2	12.77	Peak	42.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.66	1.08	68.2	12.54	Peak	105.00	200	Vertical	Pass
2	5987.250	56.83	0.92	68.2	11.37	Peak	280.00	150	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.042	57.03	0.96	68.2	11.17	Peak	44.00	200	Vertical	Pass
2	5650.000	55.59	0.79	68.2	12.61	Peak	165.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.28	1.08	68.2	12.92	Peak	21.00	150	Vertical	Pass
2	5970.500	56.93	1.19	68.2	11.27	Peak	248.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5622.500	57.23	0.68	68.2	10.97	Peak	359.00	200	Vertical	Pass
2	5650.000	55.43	0.79	68.2	12.77	Peak	84.00	150	Vertical	Pass


U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.79	1.08	68.2	12.41	Peak	325.00	200	Vertical	Pass
2	5971.250	57.47	1.20	68.2	10.73	Peak	316.00	100	Vertical	Pass

MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.56	0.84	74.0	17.44	Peak	229.00	200	Vertical	Pass
1**	5150.000	45.80	0.84	54.0	8.20	AV	229.00	200	Vertical	Pass
2	5098.650	56.16	0.39	74.0	17.84	Peak	341.00	150	Vertical	Pass
2**	5098.650	46.56	0.39	54.0	7.44	AV	341.00	150	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.71	0.85	74.0	19.29	Peak	299.00	200	Vertical	Pass
1**	5350.000	44.88	0.85	54.0	9.12	AV	299.00	200	Vertical	Pass
2	5446.067	56.87	1.25	74.0	17.13	Peak	16.00	100	Vertical	Pass
2**	5446.067	44.89	1.25	54.0	9.11	AV	16.00	100	Vertical	Pass
3	5454.317	55.07	1.22	74.0	18.93	Peak	211.00	150	Vertical	Pass
3**	5454.317	45.16	1.22	54.0	8.84	AV	211.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.600	56.77	1.80	74.0	17.23	Peak	205.00	100	Vertical	Pass
1**	4996.600	45.20	1.80	54.0	8.80	AV	205.00	100	Vertical	Pass
2	5150.000	55.98	0.84	74.0	18.02	Peak	198.00	100	Vertical	Pass
2**	5150.000	46.26	0.84	54.0	7.74	AV	198.00	100	Vertical	Pass
3	5099.300	55.16	0.36	74.0	18.84	Peak	183.00	150	Vertical	Pass
3**	5099.300	46.39	0.36	54.0	7.61	AV	183.00	150	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.04	0.85	74.0	18.96	Peak	208.00	100	Vertical	Pass
1**	5350.000	44.61	0.85	54.0	9.39	AV	208.00	100	Vertical	Pass
2	5451.567	56.69	1.27	74.0	17.31	Peak	211.00	150	Vertical	Pass
2**	5451.567	44.93	1.27	54.0	9.07	AV	211.00	150	Vertical	Pass
3	5452.116	55.92	1.28	74.0	18.08	Peak	228.00	150	Vertical	Pass
3**	5452.116	45.33	1.28	54.0	8.67	AV	228.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.600	56.63	0.32	74.0	17.37	Peak	244.00	100	Vertical	Pass
1**	5113.600	45.41	0.32	54.0	8.59	AV	244.00	100	Vertical	Pass
2	5150.000	55.89	0.84	74.0	18.11	Peak	176.00	200	Vertical	Pass
2**	5150.000	46.48	0.84	54.0	7.52	AV	176.00	200	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.51	0.85	74.0	18.49	Peak	166.00	100	Vertical	Pass
1**	5350.000	44.44	0.85	54.0	9.56	AV	166.00	100	Vertical	Pass
2	5400.783	57.21	0.96	74.0	16.79	Peak	91.00	150	Vertical	Pass
2**	5400.783	44.68	0.96	54.0	9.32	AV	91.00	150	Vertical	Pass
3	5453.217	55.45	1.27	74.0	18.55	Peak	299.00	150	Vertical	Pass
3**	5453.217	45.18	1.27	54.0	8.82	AV	299.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.925	56.90	0.90	74.0	17.10	Peak	360.00	150	Vertical	Pass
1**	5139.925	45.65	0.90	54.0	8.35	AV	360.00	150	Vertical	Pass
2	5150.000	55.08	0.84	74.0	18.92	Peak	76.00	150	Vertical	Pass
2**	5150.000	46.02	0.84	54.0	7.98	AV	76.00	150	Vertical	Pass
3	5148.375	54.59	0.86	74.0	19.41	Peak	154.00	150	Vertical	Pass
3**	5148.375	46.63	0.86	54.0	7.37	AV	154.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	0.85	74.0	19.27	Peak	18.00	200	Vertical	Pass
1**	5350.000	44.57	0.85	54.0	9.43	AV	18.00	200	Vertical	Pass
2	5397.117	56.97	0.95	74.0	17.03	Peak	13.00	200	Vertical	Pass
2**	5397.117	44.86	0.95	54.0	9.14	AV	13.00	200	Vertical	Pass
3	5453.767	55.02	1.24	74.0	18.98	Peak	41.00	150	Vertical	Pass
3**	5453.767	45.18	1.24	54.0	8.82	AV	41.00	150	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4979.700	56.88	1.84	74.0	17.12	Peak	204.00	150	Vertical	Pass
1**	4979.700	45.19	1.84	54.0	8.81	AV	204.00	150	Vertical	Pass
2	5150.000	54.97	0.84	74.0	19.03	Peak	360.00	200	Vertical	Pass
2**	5150.000	46.33	0.84	54.0	7.67	AV	360.00	200	Vertical	Pass

U-NII-1 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.28	0.85	74.0	18.72	Peak	263.00	200	Vertical	Pass
1**	5350.000	44.85	0.85	54.0	9.15	AV	263.00	200	Vertical	Pass
2	5376.217	56.73	0.78	74.0	17.27	Peak	206.00	150	Vertical	Pass
2**	5376.217	44.72	0.78	54.0	9.28	AV	206.00	150	Vertical	Pass
3	5448.450	55.44	1.26	74.0	18.56	Peak	159.00	150	Vertical	Pass
3**	5448.450	45.12	1.26	54.0	8.88	AV	159.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.69	0.93	74.0	15.31	Peak	179.00	100	Vertical	Pass
1**	5146.425	47.83	0.93	54.0	6.17	AV	179.00	100	Vertical	Pass
2	5150.000	57.79	0.84	74.0	16.21	Peak	196.00	200	Vertical	Pass
2**	5150.000	49.21	0.84	54.0	4.79	AV	196.00	200	Vertical	Pass
3	5149.675	58.27	0.84	74.0	15.73	Peak	205.00	150	Vertical	Pass
3**	5149.675	49.57	0.84	54.0	4.43	AV	205.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.60	0.85	74.0	19.40	Peak	263.00	200	Vertical	Pass
1**	5350.000	44.52	0.85	54.0	9.48	AV	263.00	200	Vertical	Pass
2	5456.700	56.60	1.16	74.0	17.40	Peak	286.00	200	Vertical	Pass
2**	5456.700	44.87	1.16	54.0	9.13	AV	286.00	200	Vertical	Pass
3	5452.850	54.85	1.29	74.0	19.15	Peak	37.00	150	Vertical	Pass
3**	5452.850	45.06	1.29	54.0	8.94	AV	37.00	150	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.250	57.65	0.86	68.2	10.55	Peak	77.00	100	Vertical	Pass
2	5650.000	55.40	0.79	68.2	12.80	Peak	199.00	100	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.70	1.08	68.2	13.50	Peak	305.00	200	Vertical	Pass
2	5952.750	57.27	1.03	68.2	10.93	Peak	176.00	200	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.625	56.88	0.87	68.2	11.32	Peak	61.00	100	Vertical	Pass
2	5650.000	55.50	0.79	68.2	12.70	Peak	213.00	100	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.18	1.08	68.2	12.02	Peak	278.00	100	Vertical	Pass
2	5968.500	56.76	1.12	68.2	11.44	Peak	14.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.416	56.63	0.94	68.2	11.57	Peak	296.00	200	Vertical	Pass
2	5650.000	55.67	0.79	68.2	12.53	Peak	210.00	150	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.03	1.08	68.2	12.17	Peak	278.00	100	Vertical	Pass
2	5959.000	56.81	0.95	68.2	11.39	Peak	67.00	150	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.208	57.24	0.94	68.2	10.96	Peak	316.00	200	Vertical	Pass
2	5650.000	56.57	0.79	68.2	11.63	Peak	109.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.83	1.08	68.2	12.37	Peak	48.00	200	Vertical	Pass
2	5983.500	56.97	0.93	68.2	11.23	Peak	212.00	100	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.291	56.80	0.81	68.2	11.40	Peak	110.00	100	Vertical	Pass
2	5650.000	56.62	0.79	68.2	11.58	Peak	236.00	150	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.14	1.08	68.2	13.06	Peak	0.00	200	Vertical	Pass
2	5981.750	57.11	0.93	68.2	11.09	Peak	206.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.459	56.92	0.92	68.2	11.28	Peak	45.00	150	Vertical	Pass
2	5650.000	55.43	0.79	68.2	12.77	Peak	124.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.28	1.08	68.2	12.92	Peak	360.00	100	Vertical	Pass
2	5976.250	56.77	1.08	68.2	11.43	Peak	78.00	100	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2370759-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2370759-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2370759-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--