

Report No.: SEWA2208000034RG03

Rev.: 1 of 7 Page:

### **TEST REPORT**

SEWA2208000034RG **Application No.:** 

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin **Address of Applicant:** 

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Manufacturer:

Road, Minhang District, Shanghai, China 200233

**EUT Description:** LTE-A Cat 12 LGA Module

Model No.: EG120K-NA

**Trade Mark:** Quectel

FCC ID: XMR2022EG120KNA Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

**Date of Receipt:** 2022/09/20 Date of Issue: 2022/10/28

**Test Result:** PASS\*

Authorized Signature: Panta Sun

> Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWA2208000034RG03

Rev.: 01 Page: 2 of 7

### Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2022/10/28		Original				

Prepared By	(Nick Hu) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a></a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2208000034RG03

Rev.: 01 Page: 3 of 7

### **Contents**

1	Ve	ersion	2
		eneral Information	
	2.1	Client Information	4
	2.2	Test Facility	4
		General Description of EUT	
3	RF	Exposure Evaluation	6
	3.1	RF Exposure Compliance Requirement	6
	3.1	1.1 Limits	6
	3.1	1.2 Test Procedure	7
		1.3 EUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a></a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWA2208000034RG03

Rev.: 01 Page: 4 of 7

### 2 General Information

#### 2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.				
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233				
Manufacturer:	Quectel Wireless Solutions Co., Ltd.				
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233				

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2208000034RG03

Rev.: 01 Page: 5 of 7

### 2.3 General Description of EUT

EUT Description:	LTE-A Cat 12 LGA Module							
Model No.:	EG120K-NA							
Trade Mark:	Quectel	Quectel						
Hardware Version:	R1.0	R1.0						
Software Version:	EG120KNAAAR01A02M2G	EG120KNAAAR01A02M2G						
Antenna Type:	⊠External,	⊠External,						
	LTE Band 2:1.59dBi(SAA30968A)	LTE Band 4:1.94dBi(SAA30968A)						
	LTE Band 5:2.53dBi(SAA30968A)	LTE Band 7:3.00dBi(SAA30968A)						
	LTE Band 12:3.95dBi(SAA30968A)	LTE Band 13:4.45dBi(SAA30968A)						
	LTE Band 14:4.45dBi(SAA30968A)	LTE Band 25:1.59dBi(SAA30968A)						
	LTE Band 26:3.19dBi(SAA30968A) LTE Band 30:-5.70dBi(YE							
Antenna Gain:	LTE Band 41:3.60dBi(SAA30968A)	LTE Band 48:-1.36dBi (YE0038AA)						
	LTE Band 66:2.00dBi(SAA30968A)	LTE Band 71:1.66dBi(SAA30968A)						
	LTE CA_5B:2.53dBi(SAA30968A)	LTE CA_7C:3.00dBi(SAA30968A)						
	LTE CA_41C:3.60dBi(SAA30968A)							
	Note:							
	The antenna gain are derived from the gain information report provided by the manufacturer.							

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suchou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路1号的6号厂房南部 邮编。215000 t (86–512) 62992980 ww t (86–512) 62992980 sgs

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2208000034RG03

Rev.: 01 Page: 6 of 7

### 3 RF Exposure Evaluation

### 3.1 RF Exposure Compliance Requirement

#### **3.1.1 Limits**

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6					
3.0-30	1842/f	4.89/f	*(900/f2)	6					
30-300	61.4	0.163	1.0	6					
300-1500	1	1	6						
1500-100,000	1	1	6						
	(B) Limits for General P	opulation/Uncontrolled	Exposure						
0.3-1.34	614	1.63	*(100)	30					
1.34-30	1.34-30 824/f		*(180/f2)	30					
30-300	27.5	0.073	0.2	30					
300-1500	1	1	f/1500	30					
1500-100,000	1	1	1.0	30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula:  $Pd = (Pout*G)/(4*Pi*R^2)$ 

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, Chima (Jängsu) Pitot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

<sup>\*=</sup>Plane-wave equivalent power density



Report No.: SEWA2208000034RG03

Rev.: 01 Page: 7 of 7

#### 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

#### 3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale.

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

THIS COMMITTIC							_					
Operating Band	Frequen cy (MHz)	Antenna Gain (dBi)	Max Conducte d Average Output Power (dBm)	Output Power to Antenna (dBm)	EIRP(ERP ) Limit (dBm)	Output Power to Antenna (mw)	Power Density at R = 20 cm (mW/cm2	Limit (mW/cm 2)	Gain according to EIRP (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusio n
LTE B2	1850.7	1.59	25.00	26.59	33.00	316.2278	0.0907	1.0000	8.00	12.01	8.00	Pass
LTE B4	1710.7	1.94	25.00	26.94	30.00	316.2278	0.0983	1.0000	5.00	12.01	5.00	Pass
LTE B5/CA_5B	824.7	2.53	25.00	27.53	38.45	316.2278	0.1126	0.5498	13.45	9.41	9.41	Pass
LTE B7/CA_7C	2502.5	3.00	25.00	28.00	33.00	316.2278	0.1255	1.0000	8.00	12.01	8.00	Pass
LTE B12	699.7	3.95	25.00	28.95	34.77	316.2278	0.1562	0.4665	9.77	8.70	8.70	Pass
LTE B13	779.5	4.45	25.00	29.45	34.77	316.2278	0.1753	0.5197	9.77	9.16	9.16	Pass
LTE B14	790.5	4.45	25.00	29.45	34.77	316.2278	0.1753	0.5270	9.77	9.23	9.23	Pass
LTE B25	1850.7	1.59	25.00	26.59	33.00	316.2278	0.0907	1.0000	8.00	12.01	8.00	Pass
LTE B26(814- 824)	814.7	3.19	25.00	28.19	NA	316.2278	0.1311	0.5431	NA	9.36	9.36	Pass
LTE B26(824- 849)	824.7	3.19	25.00	28.19	38.45	316.2278	0.1311	0.5498	13.45	9.41	9.41	Pass
LTE B30	2307.5	-5.70	23.00	17.30	23.98	199.5262	0.0107	1.0000	0.98	14.01	0.98	Pass
LTE B41/CA_41C	2498.5	3.60	25.00	28.60	33.00	316.2278	0.1441	1.0000	8.00	12.01	8.00	Pass
LTE B48	3552.5	-1.36	23.00	21.64	23.00	199.5262	0.0290	1.0000	0.00	14.01	0.00	Pass
LTE B66	1710.7	2.00	25.00	27.00	30.00	316.2278	0.0997	1.0000	5.00	12.01	5.00	Pass
LTE B71	665.5	1.66	25.00	26.66	34.77	316.2278	0.0922	0.4437	9.77	8.48	8.48	Pass

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com