



11b_2462MHz_Ant1:




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1923.000000	42.72	74.00	31.28	150.0	H	0.0	-3.05
3092.500000	47.44	74.00	26.56	150.0	H	79.0	2.57
5907.500000	52.04	74.00	21.96	150.0	H	161.0	8.01
7878.500000	45.71	74.00	28.29	150.0	H	181.0	9.85
14134.000000	44.10	74.00	29.90	150.0	H	57.0	17.18




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2240.000000	47.95	74.00	26.05	150.0	V	13.0	-2.26
2494.500000	48.03	74.00	25.97	150.0	V	223.0	-0.92
3197.500000	50.94	74.00	23.06	150.0	V	223.0	1.42
5042.000000	51.45	74.00	22.55	150.0	V	51.0	5.87
5935.000000	51.75	74.00	22.25	150.0	V	127.0	8.17
7389.000000	45.56	74.00	28.44	150.0	V	177.0	9.59

18GHz -40GHz:

11b_2412MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20719.750000	43.51	74.00	30.49	150.0	H	180.0	-2.76
30399.062500	43.61	74.00	30.39	150.0	H	60.0	0.94
39193.562500	47.77	74.00	26.23	150.0	H	47.0	4.35




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20719.750000	45.24	74.00	28.76	150.0	V	313.0	-2.76
29807.812500	43.69	74.00	30.31	150.0	V	206.0	0.75
39648.000000	49.23	74.00	24.77	150.0	V	0.0	5.55

11b_2437MHz




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20799.500000	44.82	74.00	29.18	150.0	H	113.0	-2.66
35877.750000	46.75	74.00	27.25	150.0	H	193.0	2.37
39704.375000	48.46	74.00	25.54	150.0	H	206.0	5.31




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20799.500000	46.74	74.00	27.26	150.0	V	208.0	-2.66
29768.625000	43.41	74.00	30.59	150.0	V	315.0	0.74
39421.125000	48.57	74.00	25.43	150.0	V	289.0	5.72

11b_2462MHz




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20959.687500	45.35	74.00	28.65	150.0	H	180.0	-2.50
33371.812500	45.58	74.00	28.42	150.0	H	140.0	0.56
39564.125000	48.13	74.00	25.87	150.0	H	287.0	5.90



Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
20959.687500	44.67	74.00	29.33	150.0	V	236.0	-2.50
30177.687500	44.33	74.00	29.67	150.0	V	0.0	0.83
39200.437500	48.53	74.00	25.47	150.0	V	4.0	4.40

Restricted band band-edge test result as below:


11b_2412MHz_Ant1:

**Critical_Freqs**

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.895000	46.17	74.00	27.83	150.0	H	25.0	-1.92
2398.267000	59.72	74.00	14.28	150.0	H	137.0	-1.79
2399.996000	59.36	74.00	14.64	150.0	H	137.0	-1.76
2411.683000	99.91	---	---	150.0	H	51.0	-1.58

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2398.267000	45.68	54.00	8.32	150.0	H	137.0	-1.79




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
2390.155000	49.32	74.00	24.68	150.0	V	24.0	-1.92	---
2398.215000	65.32	74.00	8.68	150.0	V	356.0	-1.79	---
2400.230000	65.14	---	---	150.0	V	348.0	-1.75	---
2412.541000	105.98	---	---	150.0	V	348.0	-1.57	---


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
2398.215000	49.89	54.00	4.11	150.0	V	356.0	-1.79	---

11b_2462MHz_Ant1:




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2462.736000	103.25	---	---	150.0	H	154.0	-1.46
2484.552000	48.06	74.00	25.94	150.0	H	47.0	-1.45
2499.708000	45.38	74.00	28.62	150.0	H	2.0	-1.48



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2461.032000	106.90	---	---	150.0	V	225.0	-1.47
2483.508000	52.17	74.00	21.83	150.0	V	215.0	-1.45
2499.960000	48.32	74.00	25.68	150.0	V	225.0	-1.48

11g_2412MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	64.42	74.00	9.58	150.0	H	52.0	-1.92
2398.813000	72.60	74.00	1.40	150.0	H	137.0	-1.78
2399.996000	73.99	74.00	0.01	150.0	H	137.0	-1.76
2416.558000	99.64	---	---	150.0	H	64.0	-1.51

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	47.63	54.00	6.27	150.0	H	52.0	-1.92
2398.813000	50.41	54.00	3.59	150.0	H	137.0	-1.78




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	57.47	74.00	16.53	150.0	V	0.0	-1.92
2397.500000	63.75	74.00	10.25	150.0	V	0.0	-1.80
2400.009000	63.53	---	---	150.0	V	337.0	-1.76
2412.008000	98.42	---	---	150.0	V	8.0	-1.57

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	47.27	54.00	6.73	150.0	V	0.0	-1.92
2397.500000	49.32	54.00	4.68	150.0	V	0.0	-1.80

11g_2462MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2462.892000	103.58	---	---	150.0	H	145.0	-1.46
2483.496000	70.53	---	---	150.0	H	157.0	-1.45
2484.192000	68.20	74.00	5.80	150.0	H	157.0	-1.45
2489.196000	60.14	74.00	13.86	150.0	H	145.0	-1.46

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.192000	48.96	54.00	5.04	150.0	H	157.0	-1.45
2489.196000	45.32	54.00	9.68	150.0	H	145.0	-1.46




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2463.372000	107.40	---	---	150.0	V	239.0	-1.46
2483.508000	73.06	74.00	0.94	150.0	V	7.0	-1.45
2484.288000	72.11	74.00	1.89	150.0	V	7.0	-1.45
2490.600000	64.74	74.00	9.26	150.0	V	7.0	-1.46

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.288000	50.26	54.00	3.74	150.0	V	7.0	-1.45
2490.600000	47.48	54.00	6.52	150.0	V	7.0	-1.46

11n20_2412MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.194000	59.18	74.00	14.82	150.0	H	120.0	-1.92
2396.512000	66.49	74.00	7.51	150.0	H	120.0	-1.81
2399.996000	68.43	74.00	5.57	150.0	H	35.0	-1.76

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.194000	47.13	54.00	6.87	150.0	H	120.0	-1.92
2396.512000	49.64	54.00	4.36	150.0	H	120.0	-1.81




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2379.963000	61.21	74.00	12.79	150.0	V	324.0	-2.08
2397.500000	72.10	74.00	1.90	150.0	V	347.0	-1.80
2399.931000	69.71	74.00	4.29	150.0	V	0.0	-1.76
2411.150000	101.55	---	---	150.0	V	0.0	-1.59

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2379.963000	48.10	54.00	5.90	150.0	V	324.0	-2.08
2397.500000	51.64	54.00	2.36	150.0	V	347.0	-1.80

11n20_2462MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.508000	59.44	74.00	14.56	150.0	H	180.0	-1.45
2484.588000	58.94	74.00	15.06	150.0	H	32.0	-1.45
2499.768000	46.93	74.00	27.07	150.0	H	180.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.588000	46.03	54.00	7.97	150.0	H	32.0	-1.45




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.496000	70.00	---	---	150.0	V	263.0	-1.45
2484.288000	67.78	74.00	6.22	150.0	V	263.0	-1.45
2487.540000	67.58	74.00	6.42	150.0	V	263.0	-1.46
2500.356000	55.70	74.00	18.30	150.0	V	4.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.288000	49.69	54.00	4.31	150.0	V	263.0	-1.45
2487.540000	48.98	54.00	5.02	150.0	V	263.0	-1.46

11n40_2422MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	59.13	74.00	14.87	150.0	H	30.0	-1.92
2395.667000	60.62	74.00	13.38	150.0	H	240.0	-1.83
2400.048000	60.85	---	---	150.0	H	3.0	-1.76
2412.749000	92.56	---	---	150.0	H	8.0	-1.56

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	47.17	54.00	6.83	150.0	H	30.0	-1.92
2395.667000	49.48	54.00	4.52	150.0	H	240.0	-1.83




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	64.05	74.00	9.95	150.0	V	341.0	-1.92
2397.656000	66.91	74.00	7.09	150.0	V	341.0	-1.80
2399.996000	67.57	74.00	6.43	150.0	V	341.0	-1.76
2417.572000	99.21	---	---	150.0	V	341.0	-1.49

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	49.03	54.00	4.97	150.0	V	341.0	-1.92
2397.656000	50.95	54.00	3.05	150.0	V	341.0	-1.80

11n40_2452MHz_Ant1:




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2453.616000	91.09	---	---	150.0	H	182.0	-1.50
2483.496000	59.16	---	---	150.0	H	204.0	-1.45
2483.760000	59.70	74.00	14.30	150.0	H	204.0	-1.45
2500.200000	53.21	74.00	20.79	150.0	H	182.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.760000	47.37	54.00	6.63	150.0	H	204.0	-1.45




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.508000	65.07	74.00	8.93	150.0	V	209.0	-1.45
2484.708000	66.91	74.00	7.09	150.0	V	209.0	-1.45
2491.680000	66.73	74.00	7.27	150.0	V	242.0	-1.47
2500.164000	60.60	74.00	13.40	150.0	V	242.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.708000	50.78	54.00	3.22	150.0	V	209.0	-1.45
2491.680000	50.05	54.00	3.95	150.0	V	242.0	-1.47
2500.164000	47.32	54.00	6.68	150.0	V	242.0	-1.48

11AX20_2412_26Tone_RU0




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	57.65	74.00	16.35	150.0	H	116.0	-1.92
2397.474000	60.27	74.00	13.73	150.0	H	104.0	-1.80
2400.074000	65.37	---	---	150.0	H	119.0	-1.76
2412.476000	86.48	---	---	150.0	H	107.0	-1.57

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.103000	47.42	54.00	6.58	150.0	H	116.0	-1.92
2397.474000	49.05	54.00	4.95	150.0	H	104.0	-1.80




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.895000	62.31	74.00	11.69	150.0	V	37.0	-1.92
2398.761000	65.71	74.00	8.29	150.0	V	12.0	-1.78
2399.996000	70.37	74.00	3.63	150.0	V	23.0	-1.76
2403.675000	106.32	---	---	150.0	V	23.0	-1.70


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.895000	48.23	54.00	5.77	150.0	V	37.0	-1.92
2398.761000	50.75	54.00	3.25	150.0	V	12.0	-1.78

11AX20_2412_52Tone_RU37




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2310.205000	42.41	74.00	31.59	150.0	H	301.0	-2.19
2389.609000	44.58	74.00	29.42	150.0	H	356.0	-1.93
2399.996000	50.88	74.00	23.12	150.0	H	37.0	-1.76
2403.038000	86.76	---	---	150.0	H	79.0	-1.71




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2309.464000	43.53	74.00	30.47	150.0	V	312.0	-2.18
2390.103000	44.21	74.00	29.79	150.0	V	43.0	-1.92
2399.996000	54.88	74.00	19.12	150.0	V	280.0	-1.76
2403.883000	90.65	---	---	150.0	V	180.0	-1.70

11AX20_2412_106Tone_RU53




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2310.426000	43.04	74.00	30.96	150.0	H	280.0	-2.19
2390.246000	44.78	74.00	29.22	150.0	H	142.0	-1.91
2399.996000	50.60	74.00	23.40	150.0	H	79.0	-1.76
2405.495000	85.70	---	---	150.0	H	79.0	-1.67



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2310.270000	42.76	74.00	31.24	150.0	V	157.0	-2.19
2389.791000	44.03	74.00	29.97	150.0	V	178.0	-1.92
2399.996000	52.91	74.00	21.09	150.0	V	285.0	-1.76
2407.172000	88.68	---	---	150.0	V	189.0	-1.65

11AX20_2412_242Tone_RU61




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.220000	58.49	74.00	15.51	150.0	H	100.0	-1.92
2398.579000	61.00	74.00	13.00	150.0	H	82.0	-1.78
2400.204000	61.09	---	---	150.0	H	85.0	-1.76
2411.046000	93.67	---	---	150.0	H	103.0	-1.59

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.220000	49.31	54.00	5.69	150.0	H	100.0	-1.92
2398.579000	50.74	54.00	3.26	150.0	H	82.0	-1.78




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.467000	60.84	74.00	13.16	150.0	V	0.0	-1.91
2398.774000	65.59	74.00	8.41	150.0	V	31.0	-1.78
2400.048000	65.53	---	---	150.0	V	31.0	-1.76
2411.150000	97.23	---	---	150.0	V	31.0	-1.59


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.467000	48.54	54.00	5.46	150.0	V	0.0	-1.91
2398.774000	50.03	54.00	3.97	150.0	V	31.0	-1.78

11AX20_2462_26Tone_RU8



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2462.580000	85.60	---	---	150.0	H	252.0	-1.46
2470.308000	98.94	---	---	150.0	H	227.0	-1.43
2483.508000	52.57	74.00	21.43	150.0	H	237.0	-1.45
2500.068000	45.65	74.00	28.35	150.0	H	99.0	-1.48


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2464.764000	89.99	---	---	150.0	V	37.0	-1.45
2470.500000	106.31	---	---	150.0	V	317.0	-1.43
2483.508000	58.74	74.00	15.26	150.0	V	273.0	-1.45
2486.256000	57.70	74.00	16.30	150.0	V	261.0	-1.45
2500.068000	49.43	74.00	24.57	150.0	V	261.0	-1.48


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.256000	49.38	54.00	4.62	150.0	V	261.0	-1.45

11AX20_2462_52Tone_RU40




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2469.252000	88.57	---	---	150.0	H	312.0	-1.43
2483.496000	44.38	---	---	150.0	H	357.0	-1.45
2500.308000	44.37	74.00	29.63	150.0	H	0.0	-1.48




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2470.332000	94.22	---	---	150.0	V	179.0	-1.43
2483.496000	47.55	---	---	150.0	V	143.0	-1.45
2500.356000	44.99	74.00	29.01	150.0	V	83.0	-1.48

11AX20_2462_106Tone_RU54




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2465.556000	88.26	---	---	150.0	H	54.0	-1.45
2483.496000	43.72	---	---	150.0	H	150.0	-1.45
2499.864000	43.91	74.00	30.09	150.0	H	275.0	-1.48
2535.216000	45.73	74.00	28.27	150.0	H	0.0	-1.21



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2465.136000	92.51	---	---	150.0	V	184.0	-1.45
2483.484000	50.63	---	---	150.0	V	184.0	-1.45
2499.852000	44.07	74.00	29.93	150.0	V	244.0	-1.48

11AX20_2462_242Tone_RU61




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.508000	57.45	74.00	16.55	150.0	H	260.0	-1.45
2490.372000	53.70	74.00	20.30	150.0	H	260.0	-1.46
2500.260000	47.72	74.00	26.28	150.0	H	260.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.372000	48.64	54.00	5.36	150.0	H	260.0	-1.46




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2460.720000	98.36	---	---	150.0	V	22.0	-1.47
2483.508000	60.41	74.00	13.59	150.0	V	266.0	-1.45
2490.600000	56.70	74.00	17.30	150.0	V	309.0	-1.46
2499.864000	52.80	74.00	21.20	150.0	V	309.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.600000	47.43	54.00	6.57	150.0	V	309.0	-1.46

11AX40_2422_26Tone_RU0




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.558000	52.94	74.00	21.06	150.0	H	91.0	-1.91
2397.695000	59.67	74.00	14.33	150.0	H	79.0	-1.80
2399.996000	64.16	74.00	9.84	150.0	H	79.0	-1.76
2404.000000	98.57	---	---	150.0	H	79.0	-1.70

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2397.695000	48.89	54.00	5.11	150.0	H	79.0	-1.80




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.168000	58.04	74.00	15.96	150.0	V	273.0	-1.92
2397.149000	64.60	74.00	9.40	150.0	V	25.0	-1.80
2399.996000	68.44	74.00	5.56	150.0	V	0.0	-1.76
2403.675000	104.87	---	---	150.0	V	46.0	-1.70
2418.209000	91.67	---	---	150.0	V	295.0	-1.48


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.168000	47.53	54.00	6.47	150.0	V	273.0	-1.92
2397.149000	50.31	54.00	3.69	150.0	V	25.0	-1.80

11AX20_2422_52Tone_RU37




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.831000	44.97	74.00	29.03	150.0	H	218.0	-1.91
2399.996000	51.70	74.00	22.30	150.0	H	12.0	-1.76
2404.533000	89.40	---	---	150.0	H	35.0	-1.69




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2309.997000	42.24	74.00	31.76	150.0	V	67.0	-2.19
2390.519000	43.22	74.00	30.78	150.0	V	43.0	-1.91
2399.996000	56.78	74.00	17.22	150.0	V	67.0	-1.76
2406.379000	93.66	---	---	150.0	V	202.0	-1.66

11AX20_2422_106Tone_RU53



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2309.997000	42.53	74.00	31.47	150.0	H	111.0	-2.19
2390.675000	43.32	74.00	30.68	150.0	H	232.0	-1.91
2399.996000	51.89	74.00	22.11	150.0	H	49.0	-1.76
2407.627000	85.56	---	---	150.0	H	317.0	-1.64




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2310.101000	43.04	74.00	30.96	150.0	V	46.0	-2.19
2390.272000	44.66	74.00	29.34	150.0	V	71.0	-1.91
2399.996000	55.98	74.00	18.02	150.0	V	34.0	-1.76
2408.797000	92.70	---	---	150.0	V	192.0	-1.62


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2399.996000	47.49	54.00	6.51	150.0	V	34.0	-1.76

11AX20_2422_242Tone_RU61



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.454000	42.67	74.00	31.33	150.0	H	254.0	-1.91
2399.996000	51.78	74.00	22.22	150.0	H	217.0	-1.76
2402.076000	90.54	---	---	150.0	H	84.0	-1.73




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2309.893000	43.95	74.00	30.05	150.0	V	330.0	-2.19
2389.999000	48.18	74.00	25.82	150.0	V	197.0	-1.92
2399.996000	57.26	74.00	16.74	150.0	V	184.0	-1.76
2405.274000	89.38	---	---	150.0	V	172.0	-1.68

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2399.996000	48.11	54.00	5.89	150.0	V	184.0	-1.76

11AX40_2422_484Tone_RU65




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.895000	57.58	74.00	16.42	150.0	H	105.0	-1.92
2396.200000	59.57	74.00	14.43	150.0	H	82.0	-1.82
2400.152000	59.30	---	---	150.0	H	117.0	-1.76
2420.653000	85.39	---	---	150.0	H	94.0	-1.44

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.895000	47.95	54.00	6.05	150.0	H	105.0	-1.92
2396.200000	49.22	54.00	4.78	150.0	H	82.0	-1.82




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	62.92	74.00	11.08	150.0	V	272.0	-1.92
2396.096000	64.88	74.00	9.12	150.0	V	272.0	-1.82
2399.996000	65.78	74.00	8.22	150.0	V	293.0	-1.76
2422.538000	89.67	---	---	150.0	V	46.0	-1.41


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.999000	48.17	54.00	5.83	150.0	V	272.0	-1.92
2396.096000	50.81	54.00	3.09	150.0	V	272.0	-1.82

11AX40_2452_26Tone_RU17



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2454.600000	83.44	---	---	150.0	H	91.0	-1.49
2470.092000	99.65	---	---	150.0	H	91.0	-1.43
2483.508000	55.54	74.00	18.46	150.0	H	283.0	-1.45
2486.952000	51.03	74.00	22.97	150.0	H	283.0	-1.45
2500.452000	43.84	74.00	30.16	150.0	H	0.0	-1.48




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2469.696000	105.92	---	---	150.0	V	290.0	-1.43
2483.508000	61.94	74.00	12.06	150.0	V	280.0	-1.45
2485.272000	60.05	74.00	13.95	150.0	V	280.0	-1.45
2500.260000	52.93	74.00	21.07	150.0	V	269.0	-1.48


Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.272000	48.13	54.00	5.87	150.0	V	280.0	-1.45

11AX40_2452_52Tone_RU44




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2468.616000	88.81	---	---	150.0	H	49.0	-1.44
2483.592000	44.09	74.00	29.91	150.0	H	0.0	-1.45
2499.864000	43.81	74.00	30.19	150.0	H	339.0	-1.48




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2469.108000	94.24	---	---	150.0	V	190.0	-1.43
2483.496000	45.85	---	---	150.0	V	178.0	-1.45
2499.396000	45.50	74.00	28.50	150.0	V	128.0	-1.48

11AX40_2452_106Tone_RU56




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2455.368000	80.59	---	---	150.0	H	55.0	-1.49
2467.980000	87.69	---	---	150.0	H	43.0	-1.44
2514.612000	45.95	74.00	28.05	150.0	H	43.0	-1.44




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2469.348000	91.66	---	---	150.0	V	58.0	-1.43
2483.496000	45.26	---	---	150.0	V	191.0	-1.45
2499.672000	44.10	74.00	29.90	150.0	V	119.0	-1.48

11AX40_2452_242Tone_RU62




Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2468.832000	83.40	---	---	150.0	H	49.0	-1.44
2483.472000	44.86	---	---	150.0	H	23.0	-1.45
2500.380000	44.34	74.00	29.66	150.0	H	184.0	-1.48



Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2465.412000	88.27	---	---	150.0	V	57.0	-1.45
2483.508000	45.89	74.00	28.11	150.0	V	166.0	-1.45
2500.596000	44.94	74.00	29.06	150.0	V	190.0	-1.48

11AX40_2452_484Tone_RU65




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2450.760000	83.49	---	---	150.0	H	89.0	-1.51
2483.508000	60.26	74.00	13.74	150.0	H	89.0	-1.45
2485.176000	59.52	74.00	14.48	150.0	H	89.0	-1.45
2500.404000	48.07	74.00	25.93	150.0	H	67.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.176000	48.61	54.00	5.39	150.0	H	89.0	-1.45



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2452.632000	89.62	---	---	150.0	V	260.0	-1.50
2483.496000	64.83	---	---	150.0	V	228.0	-1.45
2486.064000	63.57	74.00	10.43	150.0	V	228.0	-1.45
2500.152000	55.48	74.00	18.52	150.0	V	293.0	-1.48

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.064000	50.85	54.00	3.15	150.0	V	228.0	-1.45
2500.152000	48.21	54.00	5.79	150.0	V	293.0	-1.48

Remark:

- (1) Corrected Amplitude = Read level + Corrector factor
 Above 1GHz: Corrector factor = Antenna Factor + Cable Loss- Amplifier Gain
 Below 1GHz: Corrector factor = Antenna Factor + Cable Loss

10 Test Equipment List

Conducted Emission Test (AMN)(CSR #1)

Description	Manufacturer	Model no.	Equipment ID	Serial no.	cal interval (year)	cal. due date
EMI Test Receiver	Rohde & Schwarz	ESR 3	68-4-74-19-002	102590	1	2026-4-26
LISN	Rohde & Schwarz	ENV216	68-4-87-19-001	102472	1	2026-4-25
Attenuator	Shanghai Huaxiang	TS2-26-3	68-4-81-16-003	080928189	1	2026-4-19
Cable	OUQIAO	RG142	68-4-90-19-004-A20	----	----	----
Test software	Rohde & Schwarz	EMC32	68-4-90-14-003-A10	Version9.15.00	N/A	N/A
Shielding Room	TDK	CSR #1	68-4-90-19-004	----	3	2025-10-15

Radiated Emission Test (9kHz-30MHz) (SAC-3 #1)

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 7	68-4-74-19-001	102176	1	2026-4-25
Loop Antenna	Rohde & Schwarz	HFH2-Z2	68-4-80-14-006	100398	1	2025-7-24
Cable	HUBER-SUHNER	RG214	68-4-90-14-001-A21	----	----	----
3m Semi-anechoic chamber	TDK	SAC-3 #1	68-4-90-14-001	----	3	2026-10-25
Test software	Rohde & Schwarz	EMC32	68-4-90-14-001-A10	Version10.35.02	N/A	N/A

Radiated Emission Test (30MHz-1GHz) (SAC-3 #2)

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 26	68-4-74-14-002	101269	1	2026-4-25
Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9162	68-4-80-19-003	284	1	2026-2-11
Attenuator	Mini-circuits	UNAT-6+	68-4-81-21-002	15542	1	2026-4-19
Cable	OUQIAO	18DLB5-NMNM-7000	68-4-90-19-006-A22	----	----	----
3m Semi-anechoic chamber	TDK	SAC-3 #2	68-4-90-19-006	----	3	2026-10-25
Test software	Rohde & Schwarz	EMC32	68-4-90-19-006-A01	Version10.35.02	N/A	N/A

Radiated Emission Test (1GHz-18GHz) (SAC-3 #2)

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 26	68-4-74-14-002	101269	1	2026-4-25
Wave Guide Antenna	ETS	3117	68-4-80-19-001	00218954	1	2026-3-10
Pre-amplifier	Rohde & Schwarz	SCU 18F	68-4-29-19-003	100747	1	2026-4-19
Cable	OUQIAO	18DLB5-NMNM-7000	68-4-90-19-006-A22	----	----	----
3m Semi-anechoic chamber	TDK	SAC-3 #2	68-4-90-19-006	----	3	2026-10-25
Test software	Rohde & Schwarz	EMC32	68-4-90-19-006-A01	Version10.35.02	N/A	N/A

Radiated Emission Test (18GHz-40GHz) (SAC-3 #2)

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 26	68-4-74-14-002	101269	1	2026-4-25
Sideband Horn Antenna	Q-PAR	QWH-SL-18-40-K-SG	68-4-80-14-008	12827	1	2025-7-02
Pre-amplifier	Rohde & Schwarz	SCU 40A	68-4-29-14-002	100432	1	2025-7-17
Cable	JUNFLON	MWX241	68-4-90-19-006-A21	----	----	----
3m Semi-anechoic chamber	TDK	SAC-3 #2	68-4-90-19-006	----	3	2026-10-25
Test software	Rohde & Schwarz	EMC32	68-4-90-19-006-A01	Version10.35.02	N/A	N/A

RF Test System(FCC Part15 C/RSS-247)

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
Signal Analyzer	Rohde & Schwarz	FSV40	68-4-74-14-004	101030	1	2026-4-18
RF Meas. and Switch Matrix Unit	TST PASS	TSCB3023R2	68-4-93-23-001	2811685c	1	2026-4-18
Cable	JUNFLON	J12J103539	68-4-90-19-003-A20	----	----	----
Cable	JUNFLON	J12J103539	68-4-90-19-003-A21	----	----	----
Cable	JUNFLON	J12J103539	68-4-90-19-003-A22	----	----	----
Test software	TST PASS	TST PASS	68-4-93-23-001-A03	Version 2.0	N/A	N/A
Test software	Tonscend	JS1120-3	68-4-74-14-006-A13	Version 2.6.77.0518	N/A	N/A
Shielding Room	TDK	TS8997	68-4-90-19-003	----	3	2025-10-15

11 System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

System Measurement Uncertainty	
Test Items	Extended Uncertainty
Uncertainty for Conducted Emission in shielding room (68-4-90-19-004) 150kHz-30MHz	3.26dB
Uncertainty for Radiated Emission in 3m chamber (68-4-90-14-001) 9kHz-30MHz	4.69dB
Uncertainty for Radiated Emission in new 2# 3m chamber (68-4-90-19-006) 30MHz-1000MHz	Horizontal: 4.79dB; Vertical: 5.86dB;
Uncertainty for Radiated Emission in new 2# 3m chamber (68-4-90-19-006) 1000MHz-18000MHz	Horizontal: 5.37dB; Vertical: 5.37dB;
Uncertainty for Radiated Emission in new 3m chamber (68-4-90-19-006) 18GHz-40GHz	Horizontal: 5.29dB; Vertical: 5.29dB;
Uncertainty for RF Conducted Measurement power	1.12dB
Uncertainty Evaluation for PSD measurement	1.05dB

Measurement Uncertainty Decision Rule

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2023, clause 4.3.3 and 4.3.4.

---THE END OF REPORT---