



Appendix A: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	0.9927	10.28	40.47	56.00	15.53	30.74	46.00	15.26	L1	PASS
2	1.1791	10.28	41.51	56.00	14.49	31.35	46.00	14.65	L1	PASS
3	1.4302	10.28	42.99	56.00	13.01	32.01	46.00	13.99	L1	PASS
4	2.1834	10.29	42.55	56.00	13.45	29.55	46.00	16.45	L1	PASS
5	7.2316	10.43	33.86	60.00	26.14	24.95	50.00	25.05	L1	PASS
6	28.8542	10.69	33.26	60.00	26.74	22.67	50.00	27.33	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	0.9886	10.28	40.42	56.00	15.58	27.00	46.00	19.00	N	PASS
2	1.3047	10.28	43.37	56.00	12.63	31.22	46.00	14.78	N	PASS
3	1.4351	10.28	44.34	56.00	11.66	30.98	46.00	15.02	N	PASS
4	1.5582	10.29	44.06	56.00	11.94	31.25	46.00	14.75	N	PASS
5	3.9377	10.41	33.65	56.00	22.35	22.56	46.00	23.44	N	PASS
6	7.1135	10.43	34.57	60.00	25.43	26.09	50.00	23.91	N	PASS

Appendix B: Restricted Band

Mode:	11B-2412
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.90	74.00	29.10	42.15	54.00	11.85	150	226	Horizontal	PASS
2	2333.68	7.21	47.04	74.00	26.96	43.19	54.00	10.81	150	90	Horizontal	PASS
3	2342.08	7.29	46.59	74.00	27.41	44.29	54.00	9.71	150	260	Horizontal	PASS
4	2382.64	8.01	47.23	74.00	26.77	42.88	54.00	11.12	150	130	Horizontal	PASS
5	2387.36	8.24	47.68	74.00	26.32	43.73	54.00	10.27	150	130	Horizontal	PASS
6	2390	8.38	47.37	74.00	26.63	43.65	54.00	10.35	150	333	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.33	74.00	29.67	41.56	54.00	12.44	150	338	Vertical	PASS
2	2332.56	7.28	46.61	74.00	27.39	43.97	54.00	10.03	150	310	Vertical	PASS
3	2351.76	7.23	46.85	74.00	27.15	43.06	54.00	10.94	150	51	Vertical	PASS
4	2369.12	7.46	46.52	74.00	27.48	44.87	54.00	9.13	150	196	Vertical	PASS
5	2386.48	8.24	47.73	74.00	26.27	45.28	54.00	8.72	150	57	Vertical	PASS
6	2390	8.38	47.79	74.00	26.21	45.39	54.00	8.61	150	196	Vertical	PASS

Mode:	11B-2462
-------	----------

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	49.19	74.00	24.81	46.62	54.00	7.38	150	154	Horizontal	PASS
2	2483.995	8.55	49.97	74.00	24.03	47.33	54.00	6.67	150	150	Horizontal	PASS
3	2486.371	8.37	48.26	74.00	25.74	45.61	54.00	8.39	150	294	Horizontal	PASS
4	2488.2025	8.22	48.96	74.00	25.04	44.65	54.00	9.35	150	338	Horizontal	PASS
5	2494.654	8.46	48.41	74.00	25.59	45.26	54.00	8.74	150	349	Horizontal	PASS
6	2500	8.10	45.92	74.00	28.08	43.30	54.00	10.70	150	101	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	50.71	74.00	23.29	48.05	54.00	5.95	150	206	Vertical	PASS
2	2483.83	8.58	52.10	74.00	21.90	47.15	54.00	6.85	150	212	Vertical	PASS
3	2484.1105	8.54	51.91	74.00	22.09	48.13	54.00	5.87	150	215	Vertical	PASS
4	2484.5065	8.52	51.66	74.00	22.34	47.73	54.00	6.27	150	196	Vertical	PASS
5	2485.612	8.43	49.93	74.00	24.07	46.36	54.00	7.64	150	215	Vertical	PASS
6	2500	8.10	45.42	74.00	28.58	42.99	54.00	11.01	150	104	Vertical	PASS

Mode:	11G-2412
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.01	74.00	29.99	41.44	54.00	12.56	150	176	Horizontal	PASS
2	2362.72	7.41	46.86	74.00	27.14	41.13	54.00	12.87	150	92	Horizontal	PASS
3	2373.44	7.70	46.47	74.00	27.53	42.45	54.00	11.55	150	83	Horizontal	PASS
4	2388.64	8.30	51.83	74.00	22.17	47.56	54.00	6.44	150	332	Horizontal	PASS
5	2389.4401	8.36	45.51	74.00	28.49	44.62	54.00	9.38	146.9	330.8	Horizontal	PASS
6	2390.0000	8.38	57.59	74.00	16.41	43.54	54.00	10.46	150	332	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	43.78	74.00	30.22	41.38	54.00	12.62	150	113	Vertical	PASS
2	2327.28	7.14	45.88	74.00	28.12	41.04	54.00	12.96	150	232	Vertical	PASS
3	2370.88	7.52	46.23	74.00	27.77	43.85	54.00	10.15	150	9	Vertical	PASS
4	2384.72	8.13	47.38	74.00	26.62	42.06	54.00	11.94	150	131	Vertical	PASS
5	2388.56	8.29	51.41	74.00	22.59	49.29	54.00	4.71	150	214	Vertical	PASS
6	2390	8.38	59.45	74.00	14.55	49.13	54.00	4.87	150	198	Vertical	PASS

Mode:	11G-2462
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	55.22	74.00	18.78	50.58	54.00	3.42	150	175	Horizontal	PASS
2	2483.5495	8.62	55.93	74.00	18.07	47.46	54.00	6.54	150	175	Horizontal	PASS
3	2483.863	8.57	54.65	74.00	19.35	50.62	54.00	3.38	150	175	Horizontal	PASS
4	2484.1765	8.54	54.37	74.00	19.63	49.88	54.00	4.12	150	175	Horizontal	PASS
5	2485.8265	8.40	54.38	74.00	19.62	47.10	54.00	6.90	150	175	Horizontal	PASS
6	2500	8.10	44.49	74.00	29.51	42.58	54.00	11.42	150	175	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	56.95	74.00	17.05	50.14	54.00	3.86	150	216	Vertical	PASS
2	2483.698	8.60	58.70	74.00	15.30	49.77	54.00	4.23	150	210	Vertical	PASS
3	2483.962	8.56	58.36	74.00	15.64	50.66	54.00	3.34	150	213	Vertical	PASS
4	2485.4305	8.45	55.21	74.00	18.79	50.17	54.00	3.83	150	207	Vertical	PASS
5	2486.1235	8.38	55.19	74.00	18.81	51.07	54.00	2.93	150	216	Vertical	PASS
6	2500	8.10	44.86	74.00	29.14	42.46	54.00	11.54	150	71	Vertical	PASS

Mode:	11N20-2412
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	43.58	74.00	30.42	40.80	54.00	13.20	150	348	Horizontal	PASS
2	2324.24	7.16	46.58	74.00	27.42	42.32	54.00	11.68	150	348	Horizontal	PASS
3	2332.48	7.28	45.80	74.00	28.20	42.89	54.00	11.11	150	286	Horizontal	PASS
4	2360.48	7.34	46.52	74.00	27.48	42.17	54.00	11.83	150	168	Horizontal	PASS
5	2377.2	7.88	46.04	74.00	27.96	44.28	54.00	9.72	150	17	Horizontal	PASS
6	2389.9997	8.38	50.57	74.00	23.43	49.61	54.00	4.39	146.6	337.4	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.25	74.00	29.75	41.82	54.00	12.18	150	278	Vertical	PASS
2	2327.92	7.15	45.44	74.00	28.56	42.45	54.00	11.55	150	27	Vertical	PASS
3	2343.44	7.28	46.65	74.00	27.35	45.17	54.00	8.83	150	343	Vertical	PASS
4	2363.2	7.40	48.05	74.00	25.95	45.62	54.00	8.38	150	2	Vertical	PASS
5	2388.32	8.25	54.29	74.00	19.71	48.89	54.00	5.11	150	196	Vertical	PASS
6	2390	8.38	61.05	74.00	12.95	49.71	54.00	4.29	150	192	Vertical	PASS

Mode:	11N20-2462
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5495	8.62	55.35	74.00	18.65	51.50	54.00	2.50	150	186	Horizontal	PASS
2	2484.259	8.54	54.60	74.00	19.40	50.50	54.00	3.50	150	156	Horizontal	PASS
3	2484.8695	8.51	54.18	74.00	19.82	48.63	54.00	5.37	150	239	Horizontal	PASS
4	2485.216	8.48	54.38	74.00	19.62	48.94	54.00	5.06	150	354	Horizontal	PASS
5	2487.262	8.31	50.09	74.00	23.91	46.73	54.00	7.27	150	182	Horizontal	PASS
6	2500	8.10	45.22	74.00	28.78	43.56	54.00	10.44	150	26	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	56.39	74.00	17.61	50.10	54.00	3.90	150	205	Vertical	PASS
2	2483.7309	8.59	50.06	74.00	23.94	49.13	54.00	4.87	152.8	214.4	Vertical	PASS
3	2484.358	8.53	57.87	74.00	16.13	48.22	54.00	5.78	150	205	Vertical	PASS
4	2484.82	8.51	57.37	74.00	16.63	48.19	54.00	5.81	150	199	Vertical	PASS
5	2485.2655	8.48	55.85	74.00	18.15	47.33	54.00	6.67	150	199	Vertical	PASS
6	2500	8.10	44.94	74.00	29.06	42.07	54.00	11.93	150	205	Vertical	PASS

Mode:	11N40-2422
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.75	74.00	29.25	42.04	54.00	11.96	150	65	Horizontal	PASS
2	2326.88	7.14	46.03	74.00	27.97	42.84	54.00	11.16	150	113	Horizontal	PASS
3	2362.8	7.41	46.44	74.00	27.56	43.70	54.00	10.30	150	266	Horizontal	PASS
4	2387.68	8.23	56.96	74.00	17.04	49.63	54.00	4.37	150	349	Horizontal	PASS
5	2389.2	8.36	57.10	74.00	16.90	50.99	54.00	3.01	150	352	Horizontal	PASS
6	2389.92	8.38	57.83	74.00	16.17	50.52	54.00	3.48	150	0	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.95	74.00	29.05	42.80	54.00	11.20	150	246	Vertical	PASS
2	2352.8	7.22	46.08	74.00	27.92	43.93	54.00	10.07	150	214	Vertical	PASS
3	2368.08	7.47	46.28	74.00	27.72	44.38	54.00	9.62	150	14	Vertical	PASS
4	2386.88	8.26	50.52	74.00	23.48	47.09	54.00	6.91	150	214	Vertical	PASS
5	2388.64	8.30	57.35	74.00	16.65	49.49	54.00	4.51	150	214	Vertical	PASS
6	2390	8.38	58.89	74.00	15.11	50.53	54.00	3.47	150	214	Vertical	PASS

Mode:	11N40-2452
-------	------------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	66.69	74.00	7.31	52.00	54.00	2.00	150	159	Horizontal	PASS
2	2483.5824	8.61	59.28	74.00	14.72	52.80	54.00	1.20	165.4	161.2	Horizontal	PASS
3	2484.1435	8.54	66.25	74.00	7.75	50.67	54.00	3.33	150	153	Horizontal	PASS
4	2485.051	8.50	65.81	74.00	8.19	51.54	54.00	2.46	150	159	Horizontal	PASS
5	2487.8395	8.23	65.32	74.00	8.68	51.54	54.00	2.46	150	156	Horizontal	PASS
6	2500	8.10	45.07	74.00	28.93	43.05	54.00	10.95	150	85	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.62	64.43	74.00	9.57	51.26	54.00	2.74	150	212	Vertical	PASS
2	2484.028	8.55	63.99	74.00	10.01	50.96	54.00	3.04	150	209	Vertical	PASS
3	2484.8695	8.51	65.74	74.00	8.26	51.43	54.00	2.57	150	203	Vertical	PASS
4	2485.7605	8.41	63.50	74.00	10.50	50.55	54.00	3.45	150	216	Vertical	PASS
5	2486.932	8.34	64.88	74.00	9.12	49.78	54.00	4.22	150	212	Vertical	PASS
6	2500.0000	8.10	45.60	74.00	28.40	43.68	54.00	10.32	150	253	Vertical	PASS

Appendix C: Spurious emissions



Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	31.94	-10.56	36.64	40.00	3.36	100	348	Horizontal	PASS
2	39.7	-9.06	36.05	40.00	3.95	100	348	Horizontal	PASS
3	80.44	-13.52	29.33	40.00	10.67	100	348	Horizontal	PASS
4	128.94	-10.44	34.32	43.50	9.18	100	262	Horizontal	PASS
5	166.77	-10.29	31.94	43.50	11.56	100	240	Horizontal	PASS
6	762.35	0.63	30.37	46.00	15.63	100	24	Horizontal	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict	
1	32.91	-10.38	36.49	40.00	3.51	100	204	Vertical	PASS	
2	57.16	-9.75	33.51	40.00	6.49	100	149	Vertical	PASS	
3	128.94	-10.44	36.58	43.50	6.92	100	251	Vertical	PASS	
4	166.77	-10.29	35.14	43.50	8.36	100	215	Vertical	PASS	
5	278.32	-9.21	30.01	46.00	15.99	100	251	Vertical	PASS	
6	714.82	-0.15	30.61	46.00	15.39	100	144	Vertical	PASS	

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.51	1.33	74.00	31.49	150	175	Horizontal
2	1954	45.05	5.55	74.00	28.95	150	116	Horizontal
3	4458	42.42	-15.83	74.00	31.58	150	112	Horizontal
4	5709	43.51	-13.16	74.00	30.49	150	148	Horizontal
5	6927	44.24	-12.18	74.00	29.76	150	4	Horizontal
6	10224	47.67	-7.75	74.00	26.33	150	288	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.55	1.33	74.00	31.45	150	278	Vertical
2	2012	45.88	6.18	74.00	28.12	150	46	Vertical
3	5250	44.87	-14.22	74.00	29.13	150	106	Vertical
4	6228	45.07	-12.41	74.00	28.93	150	282	Vertical
5	8334	45.25	-10.27	74.00	28.75	150	314	Vertical
6	10185	46.12	-7.74	74.00	27.88	150	169	Vertical

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.57	1.33	74.00	31.43	150	231	Horizontal
2	1910	45.66	5.31	74.00	28.34	150	62	Horizontal
3	3912	42.96	-16.74	74.00	31.04	150	298	Horizontal
4	5340	43.85	-13.62	74.00	30.15	150	219	Horizontal
5	8559	45.59	-10.38	74.00	28.41	150	270	Horizontal
6	14361	49.76	-1.21	74.00	24.24	150	14	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.45	1.33	74.00	31.55	150	46	Vertical
2	3984	43.00	-16.76	74.00	31.00	150	338	Vertical
3	4725	45.46	-14.93	74.00	28.54	150	33	Vertical
4	5973	44.38	-11.98	74.00	29.62	150	131	Vertical
5	8238	44.73	-10.22	74.00	29.27	150	169	Vertical
6	12132	48.00	-4.40	74.00	26.00	150	188	Vertical

Mode:	11B-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.51	1.33	74.00	31.49	150	192	Horizontal
2	1854	43.86	4.76	74.00	30.14	150	69	Horizontal
3	4941	43.43	-15.08	74.00	30.57	150	150	Horizontal
4	5880	44.47	-12.73	74.00	29.53	150	210	Horizontal
5	7674	45.48	-11.51	74.00	28.52	150	182	Horizontal
6	10200	46.82	-7.94	74.00	27.18	150	357	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.17	1.33	74.00	30.83	150	151	Vertical
2	2114	45.67	6.52	74.00	28.33	150	55	Vertical
3	5271	44.68	-14.03	74.00	29.32	150	135	Vertical
4	6573	44.81	-12.28	74.00	29.19	150	157	Vertical
5	9006	44.72	-9.77	74.00	29.28	150	68	Vertical
6	13353	48.72	-2.96	74.00	25.28	150	297	Vertical

Mode:	11G-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.17	1.33	74.00	31.83	150	230	Horizontal
2	4002	42.79	-16.49	74.00	31.21	150	242	Horizontal
3	4962	43.55	-15.15	74.00	30.45	150	236	Horizontal
4	6636	44.33	-12.32	74.00	29.67	150	224	Horizontal
5	9618	46.60	-8.56	74.00	27.40	150	201	Horizontal
6	11031	47.50	-6.38	74.00	26.50	150	147	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.87	1.33	74.00	31.13	150	280	Vertical
2	2024	46.08	6.23	74.00	27.92	150	245	Vertical
3	3936	44.87	-17.13	74.00	29.13	150	221	Vertical
4	6579	46.23	-12.32	74.00	27.77	150	176	Vertical
5	9267	45.58	-9.16	74.00	28.42	150	353	Vertical
6	11451	48.04	-5.41	74.00	25.96	150	353	Vertical

Mode:	11G-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.36	1.33	74.00	31.64	150	228	Horizontal
2	2010	45.97	6.17	74.00	28.03	150	350	Horizontal
3	4278	42.99	-16.43	74.00	31.01	150	208	Horizontal
4	6414	44.91	-12.32	74.00	29.09	150	268	Horizontal
5	10371	46.88	-7.54	74.00	27.12	150	303	Horizontal
6	13077	49.03	-3.40	74.00	24.97	150	164	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	41.90	1.15	74.00	32.10	150	215	Vertical
2	2104	46.41	6.48	74.00	27.59	150	293	Vertical
3	4206	42.25	-16.46	74.00	31.75	150	78	Vertical
4	6582	47.34	-12.34	74.00	26.66	150	189	Vertical
5	11580	48.38	-5.52	74.00	25.62	150	78	Vertical
6	15345	50.72	-0.20	74.00	23.28	150	189	Vertical

Mode:	11G-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.85	1.33	74.00	31.15	150	226	Horizontal
2	2014	45.71	6.18	74.00	28.29	150	323	Horizontal
3	4428	42.79	-15.97	74.00	31.21	150	227	Horizontal
4	6072	43.93	-12.75	74.00	30.07	150	90	Horizontal
5	6798	44.73	-11.71	74.00	29.27	150	4	Horizontal
6	12483	49.55	-3.87	74.00	24.45	150	17	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1168	41.42	1.05	74.00	32.58	150	101	Vertical
2	1776	43.92	3.93	74.00	30.08	150	43	Vertical
3	4917	43.07	-14.59	74.00	30.93	150	61	Vertical
4	6642	44.08	-12.30	74.00	29.92	150	200	Vertical
5	8655	44.71	-9.93	74.00	29.29	150	81	Vertical
6	11553	48.11	-5.66	74.00	25.89	150	191	Vertical

Mode:	11N20-2412
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.79	1.33	74.00	30.21	150	201	Horizontal
2	2012	45.61	6.18	74.00	28.39	150	38	Horizontal
3	5025	43.76	-14.42	74.00	30.24	150	71	Horizontal
4	7212	44.14	-12.22	74.00	29.86	150	215	Horizontal
5	11202	47.91	-5.98	74.00	26.09	150	52	Horizontal
6	14574	49.65	-1.58	74.00	24.35	150	74	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1272	41.90	1.10	74.00	32.10	150	5	Vertical
2	1684	44.55	3.02	74.00	29.45	150	110	Vertical
3	3939	46.00	-17.18	74.00	28.00	150	131	Vertical
4	6567	46.46	-12.25	74.00	27.54	150	190	Vertical
5	9606	45.59	-8.60	74.00	28.41	150	244	Vertical
6	13641	48.77	-2.44	74.00	25.23	150	171	Vertical

Mode:	11N20-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.67	1.33	74.00	31.33	150	287	Horizontal
2	1820	44.55	4.42	74.00	29.45	150	198	Horizontal
3	4272	43.04	-16.49	74.00	30.96	150	112	Horizontal
4	6243	44.49	-12.41	74.00	29.51	150	166	Horizontal
5	8208	45.00	-10.23	74.00	29.00	150	310	Horizontal
6	13650	49.05	-2.32	74.00	24.95	150	14	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.50	1.33	74.00	31.50	150	278	Vertical
2	1782	44.16	4.00	74.00	29.84	150	240	Vertical
3	3948	42.65	-17.32	74.00	31.35	150	71	Vertical
4	6000	45.11	-12.07	74.00	28.89	150	358	Vertical
5	7620	44.55	-11.71	74.00	29.45	150	74	Vertical
6	12078	47.82	-4.21	74.00	26.18	150	61	Vertical

Mode:	11N20-2462
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.62	1.33	74.00	31.38	150	180	Horizontal
2	1892	44.41	5.18	74.00	29.59	150	219	Horizontal
3	3804	43.51	-16.93	74.00	30.49	150	293	Horizontal
4	5871	44.54	-12.72	74.00	29.46	150	118	Horizontal
5	8934	45.84	-9.79	74.00	28.16	150	58	Horizontal
6	12531	47.51	-4.10	74.00	26.49	150	178	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.16	1.33	74.00	31.84	150	146	Vertical
2	1988	46.06	5.98	74.00	27.94	150	129	Vertical
3	5265	45.80	-14.09	74.00	28.20	150	132	Vertical
4	7287	44.98	-11.91	74.00	29.02	150	64	Vertical
5	10359	46.53	-7.53	74.00	27.47	150	42	Vertical
6	14244	49.59	-1.27	74.00	24.41	150	128	Vertical

Mode:	11N40-2422
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328	41.83	1.12	74.00	32.17	150	92	Horizontal
2	2012	45.24	6.18	74.00	28.76	150	283	Horizontal
3	4128	43.09	-16.51	74.00	30.91	150	199	Horizontal
4	5814	44.44	-12.99	74.00	29.56	150	151	Horizontal
5	8028	45.64	-11.26	74.00	28.36	150	360	Horizontal
6	12525	48.37	-4.05	74.00	25.63	150	98	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.78	1.33	74.00	31.22	150	287	Vertical
2	1900	46.43	5.27	74.00	27.57	150	156	Vertical
3	3957	42.43	-17.23	74.00	31.57	150	71	Vertical
4	5931	44.83	-12.22	74.00	29.17	150	290	Vertical
5	8352	44.83	-10.02	74.00	29.17	150	4	Vertical
6	13620	48.31	-2.73	74.00	25.69	150	303	Vertical

Mode:	11N40-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.56	1.33	74.00	30.44	150	186	Horizontal
2	3666	42.30	-17.55	74.00	31.70	150	4	Horizontal
3	4980	43.54	-14.98	74.00	30.46	150	308	Horizontal
4	7662	45.73	-11.38	74.00	28.27	150	26	Horizontal
5	9636	46.21	-8.51	74.00	27.79	150	134	Horizontal
6	11874	48.22	-4.84	74.00	25.78	150	36	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1258	41.39	1.06	74.00	32.61	150	49	Vertical
2	2036	45.73	6.29	74.00	28.27	150	193	Vertical
3	3921	42.82	-16.89	74.00	31.18	150	312	Vertical
4	6570	47.90	-12.26	74.00	26.10	150	125	Vertical
5	9747	46.59	-7.89	74.00	27.41	150	305	Vertical
6	13917	48.79	-2.22	74.00	25.21	150	125	Vertical

Mode:	11N40-2452
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.71	1.33	74.00	31.29	150	239	Horizontal
2	1998	45.68	6.10	74.00	28.32	150	35	Horizontal
3	4920	43.73	-14.66	74.00	30.27	150	172	Horizontal
4	5850	45.16	-12.71	74.00	28.84	150	271	Horizontal
5	9609	46.45	-8.59	74.00	27.55	150	64	Horizontal
6	13659	49.83	-2.34	74.00	24.17	150	245	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	41.96	1.33	74.00	32.04	150	187	Vertical
2	1864	45.06	4.87	74.00	28.94	150	316	Vertical
3	4449	42.78	-15.82	74.00	31.22	150	112	Vertical
4	6396	43.90	-12.18	74.00	30.10	150	46	Vertical
5	8262	44.75	-10.37	74.00	29.25	150	255	Vertical
6	9663	47.00	-8.50	74.00	27.00	150	261	Vertical