



Appendix A: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	0.1861	10.26	44.24	64.21	19.97	30.73	54.21	23.48	L1	PASS
2	1.3102	10.28	42.92	56.00	13.08	30.64	46.00	15.36	L1	PASS
3	1.4983	10.28	43.58	56.00	12.42	30.17	46.00	15.83	L1	PASS
4	1.5608	10.29	43.09	56.00	12.91	29.64	46.00	16.36	L1	PASS
5	1.6854	10.29	43.05	56.00	12.95	28.82	46.00	17.18	L1	PASS
6	2.3678	10.29	41.06	56.00	14.94	29.67	46.00	16.33	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	1.0578	10.28	41.26	56.00	14.74	30.81	46.00	15.19	N	PASS
2	1.1199	10.28	41.86	56.00	14.14	30.29	46.00	15.71	N	PASS
3	1.1741	10.28	42.14	56.00	13.86	26.02	46.00	19.98	N	PASS
4	1.4320	10.28	43.34	56.00	12.66	30.95	46.00	15.05	N	PASS
5	1.6256	10.29	43.49	56.00	12.51	29.68	46.00	16.32	N	PASS
6	2.2473	10.30	42.25	56.00	13.75	30.11	46.00	15.89	N	PASS

Appendix B: Restricted Band

Mode:	11B-2412
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.54	74.00	29.46	43.16	54.00	10.84	150	355	Horizontal	PASS
2	2314.72	7.03	48.11	74.00	25.89	44.23	54.00	9.77	150	276	Horizontal	PASS
3	2338.8	7.16	46.58	74.00	27.42	43.91	54.00	10.09	150	46	Horizontal	PASS
4	2362.4	7.42	48.05	74.00	25.95	45.03	54.00	8.97	150	136	Horizontal	PASS
5	2373.6	7.70	46.61	74.00	27.39	43.93	54.00	10.07	150	238	Horizontal	PASS
6	2390	8.38	49.37	74.00	24.63	47.17	54.00	6.83	150	320	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.58	74.00	29.42	41.05	54.00	12.95	150	5	Vertical	PASS
2	2329.28	7.17	46.01	74.00	27.99	42.53	54.00	11.47	150	5	Vertical	PASS
3	2350.88	7.23	46.13	74.00	27.87	42.02	54.00	11.98	150	103	Vertical	PASS
4	2355.44	7.27	46.05	74.00	27.95	42.54	54.00	11.46	150	153	Vertical	PASS
5	2382.48	7.99	46.43	74.00	27.57	44.35	54.00	9.65	150	221	Vertical	PASS
6	2390	8.38	48.65	74.00	25.35	45.91	54.00	8.09	150	143	Vertical	PASS

Mode:	11B-2462
-------	----------

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	51.51	74.00	22.49	49.05	54.00	4.95	150	240	Horizontal	PASS
2	2483.533	8.62	52.29	74.00	21.71	48.51	54.00	5.49	150	230	Horizontal	PASS
3	2484.0775	8.55	51.95	74.00	22.05	48.90	54.00	5.10	150	243	Horizontal	PASS
4	2485.1665	8.49	50.81	74.00	23.19	47.37	54.00	6.63	150	240	Horizontal	PASS
5	2487.6745	8.25	50.37	74.00	23.63	46.04	54.00	7.96	150	187	Horizontal	PASS
6	2500	8.10	45.38	74.00	28.62	42.84	54.00	11.16	150	30	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	51.12	74.00	22.88	49.05	54.00	4.95	150	288	Vertical	PASS
2	2483.6815	8.60	51.14	74.00	22.86	47.70	54.00	6.30	150	190	Vertical	PASS
3	2484.0445	8.55	51.65	74.00	22.35	47.88	54.00	6.12	150	180	Vertical	PASS
4	2484.457	8.53	51.29	74.00	22.71	48.09	54.00	5.91	150	266	Vertical	PASS
5	2486.866	8.35	49.42	74.00	24.58	45.29	54.00	8.71	150	214	Vertical	PASS
6	2500	8.10	46.14	74.00	27.86	42.26	54.00	11.74	150	316	Vertical	PASS

Mode:	11G-2412
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.86	74.00	29.14	41.40	54.00	12.60	150	97	Horizontal	PASS
2	2338.16	7.21	46.10	74.00	27.90	42.96	54.00	11.04	150	302	Horizontal	PASS
3	2387.2	8.25	51.58	74.00	22.42	48.32	54.00	5.68	150	321	Horizontal	PASS
4	2388.24	8.24	57.23	74.00	16.77	51.18	54.00	2.82	150	327	Horizontal	PASS
5	2388.96	8.34	60.42	74.00	13.58	50.72	54.00	3.28	150	330	Horizontal	PASS
6	2390	8.38	65.08	74.00	8.92	51.67	54.00	2.33	150	224	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.62	74.00	29.38	41.51	54.00	12.49	150	97	Vertical	PASS
2	2323.12	7.17	45.67	74.00	28.33	43.35	54.00	10.65	150	76	Vertical	PASS
3	2388.48	8.28	51.54	74.00	22.46	48.06	54.00	5.94	150	318	Vertical	PASS
4	2389.28	8.36	54.40	74.00	19.60	48.85	54.00	5.15	150	324	Vertical	PASS
5	2389.84	8.38	58.95	74.00	15.05	47.21	54.00	6.79	150	312	Vertical	PASS
6	2390	8.38	58.06	74.00	15.94	46.80	54.00	7.20	150	259	Vertical	PASS

Mode:	11G-2462
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	58.95	74.00	15.05	51.87	54.00	2.13	150	238	Horizontal	PASS
2	2483.5658	8.62	53.82	74.00	20.18	52.68	54.00	1.32	169.9	244	Horizontal	PASS
3	2485.8595	8.40	56.16	74.00	17.84	52.33	54.00	1.67	150	244	Horizontal	PASS
4	2487.3775	8.29	56.75	74.00	17.25	51.12	54.00	2.88	150	241	Horizontal	PASS
5	2488.153	8.22	54.91	74.00	19.09	50.82	54.00	3.18	150	244	Horizontal	PASS
6	2500	8.10	45.47	74.00	28.53	42.76	54.00	11.24	150	60	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.62	58.63	74.00	15.37	49.96	54.00	4.04	150	247	Vertical	PASS
2	2483.6485	8.60	60.29	74.00	13.71	51.94	54.00	2.06	150	104	Vertical	PASS
3	2484.325	8.53	56.99	74.00	17.01	51.60	54.00	2.40	150	179	Vertical	PASS
4	2486.2555	8.37	56.29	74.00	17.71	49.84	54.00	4.16	150	330	Vertical	PASS
5	2487.394	8.29	55.58	74.00	18.42	49.67	54.00	4.33	150	210	Vertical	PASS
6	2500.0000	8.10	44.26	74.00	29.74	42.81	54.00	11.19	150	142	Vertical	PASS

Mode:	11N20-2412
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	43.88	74.00	30.12	40.21	54.00	13.79	150	95	Horizontal	PASS
2	2323.04	7.17	45.55	74.00	28.45	43.92	54.00	10.08	150	1	Horizontal	PASS
3	2379.84	7.88	47.35	74.00	26.65	41.97	54.00	12.03	150	131	Horizontal	PASS
4	2387.12	8.25	55.59	74.00	18.41	51.43	54.00	2.57	150	225	Horizontal	PASS
5	2388.56	8.29	60.97	74.00	13.03	50.93	54.00	3.07	150	322	Horizontal	PASS
6	2389.9995	8.38	59.49	74.00	14.51	51.45	54.00	2.55	100.2	233.4	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.26	74.00	29.74	42.24	54.00	11.76	150	128	Vertical	PASS
2	2353.36	7.24	46.47	74.00	27.53	41.55	54.00	12.45	150	214	Vertical	PASS
3	2362.4	7.42	46.70	74.00	27.30	44.74	54.00	9.26	150	35	Vertical	PASS
4	2385.6	8.19	47.60	74.00	26.40	43.92	54.00	10.08	150	97	Vertical	PASS
5	2388.64	8.30	53.99	74.00	20.01	48.38	54.00	5.62	150	239	Vertical	PASS
6	2390	8.38	57.38	74.00	16.62	52.02	54.00	1.98	150	260	Vertical	PASS

Mode:	11N20-2462
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	59.33	74.00	14.67	50.01	54.00	3.99	150	243	Horizontal	PASS
2	2483.7475	8.59	57.27	74.00	16.73	51.20	54.00	2.80	150	190	Horizontal	PASS
3	2484.1765	8.54	56.50	74.00	17.50	51.69	54.00	2.31	150	186	Horizontal	PASS
4	2484.6055	8.52	55.38	74.00	18.62	50.23	54.00	3.77	150	180	Horizontal	PASS
5	2485.183	8.49	53.69	74.00	20.31	50.07	54.00	3.93	150	278	Horizontal	PASS
6	2500.0000	8.10	45.93	74.00	28.07	44.09	54.00	9.91	150	278	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.62	55.09	74.00	18.91	51.66	54.00	2.34	150	94	Vertical	PASS
2	2483.533	8.62	57.15	74.00	16.85	52.36	54.00	1.64	150	269	Vertical	PASS
3	2483.7475	8.59	56.20	74.00	17.80	52.22	54.00	1.78	150	330	Vertical	PASS
4	2484.9685	8.50	53.98	74.00	20.02	50.43	54.00	3.57	150	94	Vertical	PASS
5	2485.2985	8.47	53.08	74.00	20.92	49.37	54.00	4.63	150	204	Vertical	PASS
6	2500.0000	8.10	44.91	74.00	29.09	41.88	54.00	12.12	150	72	Vertical	PASS

Mode:	11N40-2422
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.46	74.00	29.54	41.90	54.00	12.10	150	320	Horizontal	PASS
2	2386.48	8.24	55.92	74.00	18.08	52.64	54.00	1.36	150	231	Horizontal	PASS
3	2387.52	8.23	59.42	74.00	14.58	48.82	54.00	5.18	150	283	Horizontal	PASS
4	2389.2	8.36	63.43	74.00	10.57	48.93	54.00	5.07	150	247	Horizontal	PASS
5	2389.9201	8.38	59.20	74.00	14.80	51.96	54.00	2.04	100.1	236.9	Horizontal	PASS
6	2390	8.38	62.86	74.00	11.14	51.53	54.00	2.47	150	231	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	7.07	44.19	74.00	29.81	40.71	54.00	13.29	150	295	Vertical	PASS
2	2321.92	7.20	47.01	74.00	26.99	42.20	54.00	11.80	150	8	Vertical	PASS
3	2386.48	8.24	51.40	74.00	22.60	48.77	54.00	5.23	150	311	Vertical	PASS
4	2387.92	8.21	54.18	74.00	19.82	47.71	54.00	6.29	150	112	Vertical	PASS
5	2388.56	8.29	56.95	74.00	17.05	52.98	54.00	1.02	150	282	Vertical	PASS
6	2390	8.38	57.15	74.00	16.85	52.58	54.00	1.42	150	261	Vertical	PASS

Mode:	11N40-2452
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	65.45	74.00	8.55	50.64	54.00	3.36	150	246	Horizontal	PASS
2	2484.391	8.53	66.22	74.00	7.78	52.08	54.00	1.92	150	249	Horizontal	PASS
3	2485.711	8.42	65.78	74.00	8.22	48.77	54.00	5.23	150	243	Horizontal	PASS
4	2487.0145	8.34	63.80	74.00	10.20	48.67	54.00	5.33	150	246	Horizontal	PASS
5	2487.8395	8.23	62.31	74.00	11.69	50.07	54.00	3.93	150	187	Horizontal	PASS
6	2500	8.10	44.86	74.00	29.14	42.44	54.00	11.56	150	249	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.62	57.95	74.00	16.05	52.67	54.00	1.33	150	105	Vertical	PASS
2	2484.82	8.51	62.13	74.00	11.87	51.64	54.00	2.36	150	116	Vertical	PASS
3	2485.5625	8.44	62.66	74.00	11.34	50.62	54.00	3.38	150	105	Vertical	PASS
4	2486.14	8.37	62.21	74.00	11.79	52.00	54.00	2.00	150	325	Vertical	PASS
5	2487.5755	8.27	60.43	74.00	13.57	52.32	54.00	1.68	150	213	Vertical	PASS
6	2500	8.10	45.19	74.00	28.81	43.08	54.00	10.92	150	178	Vertical	PASS

Appendix C: Spurious emissions



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	32.91	-10.38	33.15	40.00	6.85	100	348	Horizontal	PASS
2	80.44	-13.52	30.93	40.00	9.07	100	348	Horizontal	PASS
3	128.94	-10.44	34.65	43.50	8.85	100	261	Horizontal	PASS
4	166.77	-10.29	30.78	43.50	12.72	100	102	Horizontal	PASS
5	327.79	-8.48	26.81	46.00	19.19	100	236	Horizontal	PASS
6	843.83	2.11	32.94	46.00	13.06	100	138	Horizontal	PASS



Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.67	-9.02	35.81	40.00	4.19	100	317	Vertical	PASS
2	71.71	-12.20	33.85	40.00	6.15	100	12	Vertical	PASS
3	139.61	-9.92	38.01	43.50	5.49	100	256	Vertical	PASS
4	166.77	-10.29	36.27	43.50	7.23	100	286	Vertical	PASS
5	279.29	-9.13	29.12	46.00	16.88	100	292	Vertical	PASS
6	814.73	1.65	31.64	46.00	14.36	100	239	Vertical	PASS

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.08	1.33	74.00	30.92	150	38	Horizontal
2	1876	44.86	5.00	74.00	29.14	150	253	Horizontal
3	4053	43.17	-16.79	74.00	30.83	150	92	Horizontal
4	6045	44.07	-12.93	74.00	29.93	150	357	Horizontal
5	7782	46.17	-11.31	74.00	27.83	150	10	Horizontal
6	10731	47.63	-6.98	74.00	26.37	150	172	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.65	1.33	74.00	30.35	150	0	Vertical
2	2110	46.02	6.51	74.00	27.98	150	30	Vertical
3	3972	41.94	-16.97	74.00	32.06	150	209	Vertical
4	5916	44.17	-12.47	74.00	29.83	150	164	Vertical
5	8133	45.24	-11.13	74.00	28.76	150	145	Vertical
6	12759	48.48	-3.74	74.00	25.52	150	212	Vertical

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.67	1.33	74.00	31.33	150	38	Horizontal
2	2014	45.90	6.18	74.00	28.10	150	53	Horizontal
3	4116	42.71	-16.69	74.00	31.29	150	337	Horizontal
4	4875	43.93	-14.81	74.00	30.07	150	103	Horizontal
5	8325	46.05	-10.42	74.00	27.95	150	321	Horizontal
6	11820	48.53	-4.88	74.00	25.47	150	186	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1608	42.69	2.31	74.00	31.31	150	160	Vertical
2	4119	42.51	-16.65	74.00	31.49	150	299	Vertical
3	5250	44.37	-14.22	74.00	29.63	150	88	Vertical
4	6579	44.61	-12.32	74.00	29.39	150	120	Vertical
5	10215	46.41	-7.82	74.00	27.59	150	47	Vertical
6	14343	49.61	-1.14	74.00	24.39	150	135	Vertical

Mode:	11B-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.91	1.33	74.00	30.09	150	41	Horizontal
2	2114	45.73	6.52	74.00	28.27	150	299	Horizontal
3	3702	42.37	-17.91	74.00	31.63	150	36	Horizontal
4	5250	45.15	-14.22	74.00	28.85	150	98	Horizontal
5	9039	46.76	-9.84	74.00	27.24	150	17	Horizontal
6	14325	49.96	-1.28	74.00	24.04	150	95	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.29	1.33	74.00	30.71	150	310	Vertical
2	2002	45.24	6.14	74.00	28.76	150	14	Vertical
3	3948	43.70	-17.32	74.00	30.30	150	58	Vertical
4	5121	44.44	-14.59	74.00	29.56	150	344	Vertical
5	8394	45.92	-10.26	74.00	28.08	150	277	Vertical
6	13476	50.02	-2.74	74.00	23.98	150	201	Vertical

Mode:	11G-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.95	1.33	74.00	31.05	150	333	Horizontal
2	1964	44.80	5.67	74.00	29.20	150	0	Horizontal
3	4272	42.86	-16.49	74.00	31.14	150	290	Horizontal
4	6228	44.64	-12.41	74.00	29.36	150	80	Horizontal
5	8109	45.30	-10.96	74.00	28.70	150	185	Horizontal
6	12777	48.37	-3.94	74.00	25.63	150	17	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.94	1.33	74.00	29.06	150	285	Vertical
2	1680	47.15	2.99	74.00	26.85	150	285	Vertical
3	3948	46.63	-17.32	74.00	27.37	150	235	Vertical
4	5247	47.14	-14.21	74.00	26.86	150	93	Vertical
5	6588	45.35	-12.38	74.00	28.65	150	351	Vertical
6	11343	48.00	-6.19	74.00	26.00	150	145	Vertical

Mode:	11G-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.23	1.33	74.00	30.77	150	38	Horizontal
2	1682	44.65	3.00	74.00	29.35	150	202	Horizontal
3	4956	45.14	-15.20	74.00	28.86	150	66	Horizontal
4	7239	45.02	-11.97	74.00	28.98	150	320	Horizontal
5	8616	45.15	-10.34	74.00	28.85	150	269	Horizontal
6	12057	48.27	-4.66	74.00	25.73	150	205	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.45	1.33	74.00	30.55	150	295	Vertical
2	1680	44.59	2.99	74.00	29.41	150	62	Vertical
3	3936	43.76	-17.13	74.00	30.24	150	231	Vertical
4	5982	44.81	-12.01	74.00	29.19	150	225	Vertical
5	9192	46.39	-8.81	74.00	27.61	150	310	Vertical
6	12093	48.03	-3.89	74.00	25.97	150	91	Vertical

Mode:	11G-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1282	41.81	1.13	74.00	32.19	150	0	Horizontal
2	1684	44.77	3.02	74.00	29.23	150	208	Horizontal
3	4149	42.62	-16.18	74.00	31.38	150	212	Horizontal
4	6255	45.33	-12.42	74.00	28.67	150	317	Horizontal
5	7641	45.48	-11.40	74.00	28.52	150	37	Horizontal
6	12093	48.76	-3.89	74.00	25.24	150	72	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.68	1.33	74.00	30.32	150	300	Vertical
2	1906	45.28	5.30	74.00	28.72	150	181	Vertical
3	4452	43.47	-15.81	74.00	30.53	150	249	Vertical
4	5943	45.44	-12.01	74.00	28.56	150	97	Vertical
5	9465	45.27	-8.86	74.00	28.73	150	230	Vertical
6	14841	49.34	-1.51	74.00	24.66	150	20	Vertical

Mode:	11N20-2412
-------	------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.76	1.33	74.00	31.24	150	63	Horizontal
2	1990	44.91	6.01	74.00	29.09	150	88	Horizontal
3	4893	43.92	-14.41	74.00	30.08	150	93	Horizontal
4	6804	44.67	-11.74	74.00	29.33	150	150	Horizontal
5	10761	47.27	-6.84	74.00	26.73	150	254	Horizontal
6	14865	48.95	-1.53	74.00	25.05	150	305	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.31	1.33	74.00	30.69	150	143	Vertical
2	2034	46.15	6.27	74.00	27.85	150	271	Vertical
3	5274	45.16	-14.01	74.00	28.84	150	162	Vertical
4	6570	46.24	-12.26	74.00	27.76	150	162	Vertical
5	8355	46.20	-10.04	74.00	27.80	150	337	Vertical
6	13698	49.28	-2.43	74.00	24.72	150	33	Vertical

Mode:	11N-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1430	43.00	1.30	74.00	31.00	150	336	Horizontal
2	1992	48.76	6.02	74.00	25.24	150	287	Horizontal
3	4220.02	41.94	-16.53	74.00	32.06	150	209	Horizontal
4	6150.47	43.72	-13.03	74.00	30.28	150	332	Horizontal
5	9594.72	45.68	-8.61	74.00	28.32	150	181	Horizontal
6	10976.6	47.61	-6.77	74.00	26.39	150	316	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1462	42.84	1.34	74.00	31.16	150	305	Vertical
2	2158	47.71	6.69	74.00	26.29	150	83	Vertical
3	4109.11	42.89	-16.81	74.00	31.11	150	46	Vertical
4	5778.77	43.70	-13.16	74.00	30.30	150	193	Vertical
5	9279.97	45.17	-9.11	74.00	28.83	150	145	Vertical
6	13875.2	49.07	-2.35	74.00	24.93	150	300	Vertical

Mode:	11N-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1338	42.92	1.10	74.00	31.08	150	32	Horizontal
2	1696	43.79	3.14	74.00	30.21	150	116	Horizontal
3	3890.28	41.58	-16.71	74.00	32.42	150	80	Horizontal
4	6258.39	43.76	-12.43	74.00	30.24	150	80	Horizontal
5	8200.83	44.40	-10.23	74.00	29.60	150	80	Horizontal
6	11708.0	47.31	-5.47	74.00	26.69	150	264	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1282	43.02	1.13	74.00	30.98	150	223	Vertical
2	1978	46.46	5.85	74.00	27.54	150	330	Vertical
3	4579.73	42.01	-15.77	74.00	31.99	150	147	Vertical
4	5955.63	44.08	-11.91	74.00	29.92	150	166	Vertical
5	7949.04	43.88	-10.81	74.00	30.12	150	194	Vertical
6	11872.9	48.22	-4.84	74.00	25.78	150	9	Vertical

Mode:	11N40-2422
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1654	41.75	2.74	74.00	32.25	150	290	Horizontal
2	2046	46.27	6.33	74.00	27.73	150	222	Horizontal
3	4215	42.23	-16.50	74.00	31.77	150	226	Horizontal
4	6330	44.50	-12.47	74.00	29.50	150	352	Horizontal
5	10122	45.81	-7.38	74.00	28.19	150	272	Horizontal
6	15333	50.12	-0.35	74.00	23.88	150	90	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.66	1.33	74.00	30.34	150	0	Vertical
2	1888	44.19	5.14	74.00	29.81	150	340	Vertical
3	3936	44.11	-17.13	74.00	29.89	150	142	Vertical
4	5214	43.09	-14.10	74.00	30.91	150	33	Vertical
5	7740	44.88	-11.63	74.00	29.12	150	36	Vertical
6	11898	47.83	-4.73	74.00	26.17	150	358	Vertical

Mode:	11N40-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.36	1.33	74.00	30.64	150	0	Horizontal
2	2038	45.40	6.29	74.00	28.60	150	117	Horizontal
3	3801	42.70	-16.91	74.00	31.30	150	97	Horizontal
4	5295	43.23	-13.83	74.00	30.77	150	7	Horizontal
5	7959	44.85	-10.87	74.00	29.15	150	10	Horizontal
6	14550	49.47	-1.85	74.00	24.53	150	273	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.58	1.33	74.00	30.42	150	9	Vertical
2	1766	47.71	3.81	74.00	26.29	150	348	Vertical
3	3951	43.93	-17.33	74.00	30.07	150	199	Vertical
4	5250	45.33	-14.22	74.00	28.67	150	94	Vertical
5	7107	44.57	-11.55	74.00	29.43	150	4	Vertical
6	11307	48.35	-6.05	74.00	25.65	150	122	Vertical

Mode:	11N40-2452
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1240	41.54	1.05	74.00	32.46	150	156	Horizontal
2	1680	44.45	2.99	74.00	29.55	150	143	Horizontal
3	4539	43.13	-15.81	74.00	30.87	150	344	Horizontal
4	6351	43.88	-12.37	74.00	30.12	150	43	Horizontal
5	6825	45.42	-11.96	74.00	28.58	150	296	Horizontal
6	13515	48.61	-2.35	74.00	25.39	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.17	1.33	74.00	30.83	150	2	Vertical
2	2134	47.17	6.60	74.00	26.83	150	31	Vertical
3	5274	46.38	-14.01	74.00	27.62	150	98	Vertical
4	8004	45.53	-11.21	74.00	28.47	150	136	Vertical
5	11289	47.00	-6.08	74.00	27.00	150	117	Vertical
6	14361	49.85	-1.21	74.00	24.15	150	220	Vertical