



Appendix A: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	0.4972	10.28	38.28	56.05	17.77	33.43	46.05	12.62	L1	PASS
2	1.1203	10.28	41.69	56.00	14.31	31.55	46.00	14.45	L1	PASS
3	1.4952	10.28	43.15	56.00	12.85	31.23	46.00	14.77	L1	PASS
4	2.1801	10.29	42.70	56.00	13.30	30.97	46.00	15.03	L1	PASS
5	7.2058	10.43	31.67	60.00	28.33	24.39	50.00	25.61	L1	PASS
6	25.8927	10.64	29.21	60.00	30.79	19.56	50.00	30.44	L1	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Polarity	Verdict
1	1.2973	10.28	42.68	56.00	13.32	27.53	46.00	18.47	N	PASS
2	1.3709	10.28	44.39	56.00	11.61	31.70	46.00	14.30	N	PASS
3	1.4932	10.28	44.09	56.00	11.91	32.01	46.00	13.99	N	PASS
4	1.6036	10.29	42.05	56.00	13.95	25.10	46.00	20.90	N	PASS
5	2.2337	10.30	40.75	56.00	15.25	27.54	46.00	18.46	N	PASS
6	7.2297	10.43	35.37	60.00	24.63	27.23	50.00	22.77	N	PASS

Appendix B: Restricted Band

Mode:	BLE-2402
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	46.71	7.07	74.00	27.29	150	276	Horizontal
2	2324.88	48.58	7.09	74.00	25.42	150	160	Horizontal
3	2350.4	49.26	7.24	74.00	24.74	150	55	Horizontal
4	2359.76	48.80	7.35	74.00	25.20	150	341	Horizontal
5	2371.52	49.34	7.54	74.00	24.66	150	166	Horizontal
6	2390	48.72	8.38	74.00	25.28	150	231	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	46.89	7.07	74.00	27.11	150	229	Vertical
2	2320.16	48.45	7.19	74.00	25.55	150	59	Vertical
3	2340.96	48.15	7.19	74.00	25.85	150	77	Vertical
4	2347.6	48.25	7.25	74.00	25.75	150	138	Vertical
5	2374.16	49.07	7.72	74.00	24.93	150	352	Vertical
6	2390	48.87	8.38	74.00	25.13	150	5	Vertical

Mode:	LE-2480
-------	---------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	47.07	8.62	74.00	26.93	150	228	Horizontal
2	2489.39	47.52	8.26	74.00	26.48	150	35	Horizontal
3	2492.03	47.55	8.40	74.00	26.45	150	175	Horizontal
4	2495.64	46.77	8.40	74.00	27.23	150	175	Horizontal
5	2498.30	46.89	8.20	74.00	27.11	150	154	Horizontal
6	2500	45.14	8.10	74.00	28.86	150	228	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	48.06	8.62	74.00	25.94	150	174	Vertical
2	2484.62	48.17	8.52	74.00	25.83	150	264	Vertical
3	2486.56	47.75	8.36	74.00	26.25	150	9	Vertical
4	2489.15	47.37	8.25	74.00	26.63	150	45	Vertical
5	2493.87	46.67	8.49	74.00	27.33	150	300	Vertical
6	2500	45.30	8.10	74.00	28.70	150	252	Vertical

Appendix C: Spurious emissions



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	72.68	-12.35	25.88	40.00	14.12	100	348	Horizontal	PASS
2	128.94	-10.44	37.31	43.50	6.19	100	278	Horizontal	PASS
3	138.64	-9.97	36.09	43.50	7.41	100	262	Horizontal	PASS
4	166.77	-10.29	32.88	43.50	10.62	100	254	Horizontal	PASS
5	322.94	-8.64	28.36	46.00	17.64	100	251	Horizontal	PASS
6	861.29	2.78	32.70	46.00	13.30	100	259	Horizontal	PASS



Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.67	-9.02	35.58	40.00	4.42	100	147	Vertical	PASS
2	80.44	-13.52	33.81	40.00	6.19	100	45	Vertical	PASS
3	140.58	-9.89	38.43	43.50	5.07	100	237	Vertical	PASS
4	166.77	-10.29	36.94	43.50	6.56	100	281	Vertical	PASS
5	274.44	-9.55	30.05	46.00	15.95	100	37	Vertical	PASS
6	697.36	-0.22	31.19	46.00	14.81	100	15	Vertical	PASS

Mode:	BLE-2402
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1340	41.45	1.10	74.00	32.55	150	42	Horizontal
2	1680	43.99	2.99	74.00	30.01	150	220	Horizontal
3	4908	43.81	-14.41	74.00	30.19	150	222	Horizontal
4	6459	44.35	-12.72	74.00	29.65	150	286	Horizontal
5	12663	49.13	-3.94	74.00	24.87	150	157	Horizontal
6	14337	49.26	-1.18	74.00	24.74	150	103	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.32	1.33	74.00	30.68	150	95	Vertical
2	1988	45.60	5.98	74.00	28.40	150	360	Vertical
3	3945	44.54	-17.27	74.00	29.46	150	67	Vertical
4	5256	46.11	-14.16	74.00	27.89	150	106	Vertical
5	8664	46.06	-10.10	74.00	27.94	150	58	Vertical
6	13881	49.07	-2.33	74.00	24.93	150	214	Vertical

Mode:	BLE-2440
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.01	1.33	74.00	29.99	150	148	Horizontal
2	1682	45.15	3.00	74.00	28.85	150	217	Horizontal
3	4137	43.11	-16.37	74.00	30.89	150	121	Horizontal
4	5115	43.74	-14.61	74.00	30.26	150	201	Horizontal
5	5955	44.54	-11.91	74.00	29.46	150	302	Horizontal
6	14364	49.06	-1.25	74.00	24.94	150	48	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.24	1.33	74.00	30.76	150	83	Vertical
2	1680	44.70	2.99	74.00	29.30	150	85	Vertical
3	5256	45.14	-14.16	74.00	28.86	150	320	Vertical
4	8199	45.29	-10.25	74.00	28.71	150	301	Vertical
5	11532	48.14	-5.84	74.00	25.86	150	184	Vertical
6	12618	48.30	-4.09	74.00	25.70	150	178	Vertical

Mode:	BLE-2480
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1684	45.32	3.02	74.00	28.68	150	218	Horizontal
2	3870	42.18	-17.05	74.00	31.82	150	234	Horizontal
3	5025	43.45	-14.42	74.00	30.55	150	211	Horizontal
4	6558	44.51	-12.18	74.00	29.49	150	356	Horizontal
5	11082	48.47	-6.06	74.00	25.53	150	243	Horizontal
6	17055	52.39	1.55	74.00	21.61	150	334	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.27	1.33	74.00	30.73	150	148	Vertical
2	2034	46.95	6.27	74.00	27.05	150	93	Vertical
3	4710	42.98	-15.16	74.00	31.02	150	55	Vertical
4	6564	46.46	-12.22	74.00	27.54	150	191	Vertical
5	9672	45.15	-8.53	74.00	28.85	150	139	Vertical
6	12750	48.41	-3.64	74.00	25.59	150	287	Vertical