


EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch58
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7053.533333	46.23	---	74.00	27.77	100.0	H	341.0	8.5
7053.533333	---	41.63	54.00	12.37	100.0	H	341.0	8.5
10545.841667	---	37.65	54.00	16.35	100.0	H	341.0	12.0
10593.533333	46.03	---	74.00	27.97	100.0	H	256.0	12.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch58
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7053.041667	46.79	---	74.00	27.21	100.0	V	61.0	8.5
7053.041667	---	42.54	54.00	11.46	100.0	V	61.0	8.5
10610.250000	---	37.45	54.00	16.55	100.0	V	4.0	12.0
10670.233333	47.28	---	74.00	26.72	100.0	V	108.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch58
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5354.588889	64.47	---	74.00	9.53	100.0	H	217.0	13.3

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.750000	48.87	54.00	5.13	100.0	H	325.0	13.3

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch58
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5353.411111	58.98	---	74.00	15.02	100.0	V	46.0	13.3
5353.411111	---	47.18	54.00	6.82	100.0	V	46.0	13.3


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-2C Band

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch100
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5453.150000	---	45.29	54.00	8.71	100.0	H	340.0	13.5
5469.538889	63.72	---	68.20	4.48	100.0	H	340.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch100
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5456.427778	---	41.65	54.00	12.35	100.0	V	46.0	13.6
5467.244445	56.85	---	68.20	11.35	100.0	V	54.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1338.000000	---	33.59	54.00	20.41	100.0	H	345.0	2.1
1367.500000	44.32	---	74.00	29.68	100.0	H	129.0	2.0
2496.000000	50.67	---	74.00	23.33	100.0	H	13.0	7.4
2555.500000	---	40.15	54.00	13.85	100.0	H	302.0	7.6
3990.000000	54.00	---	74.00	20.00	100.0	H	330.0	10.1
3990.500000	---	46.75	54.00	7.25	100.0	H	219.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch116
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1248.500000	43.40	---	74.00	30.60	100.0	V	248.0	1.9
1249.000000	---	32.71	54.00	21.29	100.0	V	311.0	1.9
2394.000000	---	39.75	54.00	14.25	100.0	V	197.0	7.0
2400.000000	49.75	---	74.00	24.25	100.0	V	304.0	7.0
3983.500000	55.09	---	74.00	18.91	100.0	V	354.0	10.1
3990.500000	---	46.15	54.00	7.85	100.0	V	170.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.983333	44.50	---	74.00	29.50	100.0	H	223.0	8.4
7439.983333	---	37.54	54.00	16.46	100.0	H	223.0	8.4
11058.650000	---	37.83	54.00	16.18	100.0	H	41.0	12.3
11145.183333	46.28	---	74.00	27.72	100.0	H	114.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.983333	44.72	---	74.00	29.28	100.0	V	45.0	8.4
7439.983333	---	40.99	54.00	13.01	100.0	V	45.0	8.4
11157.475000	47.27	---	74.00	26.73	100.0	V	111.0	12.5
11157.966667	---	39.46	54.00	14.54	100.0	V	172.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch140
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5729.525000	64.72	68.20	3.48	100.0	H	336.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch140
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.616667	58.04	68.20	10.16	100.0	V	44.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch100
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.377778	---	47.80	54.00	6.20	100.0	H	219.0	13.6
5466.588889	64.84	---	68.20	3.36	100.0	H	137.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch100
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.705556	---	45.09	54.00	8.91	100.0	V	43.0	13.6
5469.866667	61.51	---	68.20	6.69	100.0	V	37.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1311.000000	43.54	---	74.00	30.46	100.0	H	346.0	2.0
1312.000000	---	33.01	54.00	20.99	100.0	H	143.0	2.0
2530.500000	---	39.51	54.00	14.49	100.0	H	353.0	7.5
2543.000000	51.12	---	74.00	22.88	100.0	H	89.0	7.6
3990.000000	---	47.31	54.00	6.69	100.0	H	214.0	10.1
3990.500000	54.24	---	74.00	19.76	100.0	H	219.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch116
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1313.500000	---	33.32	54.00	20.68	100.0	V	64.0	2.0
1322.500000	44.45	---	74.00	29.55	100.0	V	357.0	2.0
2495.000000	50.31	---	74.00	23.69	100.0	V	222.0	7.4
2614.000000	---	40.37	54.00	13.63	100.0	V	209.0	7.4
3964.500000	54.46	---	74.00	19.54	100.0	V	0.0	10.1
3990.000000	---	45.22	54.00	8.78	100.0	V	37.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.491667	44.21	---	74.00	29.79	100.0	H	173.0	8.4
7439.491667	---	36.16	54.00	17.84	100.0	H	173.0	8.4
11150.100000	---	36.96	54.00	17.04	100.0	H	285.0	12.5
11166.816667	46.02	---	74.00	27.98	100.0	H	185.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch116
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.491667	44.77	---	74.00	29.23	100.0	V	116.0	8.4
7439.983333	---	40.34	54.00	13.66	100.0	V	128.0	8.4
11157.475000	---	37.74	54.00	16.26	100.0	V	44.0	12.5
11229.258333	46.61	---	74.00	27.39	100.0	V	31.0	12.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch140
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.430556	64.58	68.20	3.62	100.0	H	212.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch140
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.151389	62.40	68.20	5.80	100.0	V	68.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch102
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5401.688889	---	41.21	54.00	12.79	100.0	H	277.0	13.5
5467.244445	64.96	---	68.20	3.24	100.0	H	223.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch102
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5438.727778	---	40.98	54.00	13.02	100.0	V	138.0	13.5
5467.244445	58.55	---	68.20	9.65	100.0	V	40.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch110
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1310.500000	---	33.12	54.00	20.88	100.0	H	218.0	2.0
1357.000000	44.35	---	74.00	29.65	100.0	H	315.0	2.1
2479.000000	50.58	---	74.00	23.42	100.0	H	98.0	7.4
2510.000000	---	39.85	54.00	14.15	100.0	H	0.0	7.4
3990.000000	---	47.86	54.00	6.14	100.0	H	232.0	10.1
4025.000000	54.40	---	74.00	19.60	100.0	H	148.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch110
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1307.000000	---	33.65	54.00	20.35	100.0	V	316.0	2.0
1310.500000	45.14	---	74.00	28.86	100.0	V	299.0	2.0
2555.000000	---	40.06	54.00	13.94	100.0	V	0.0	7.6
2604.000000	50.56	---	74.00	23.44	100.0	V	258.0	7.4
3981.000000	54.24	---	74.00	19.76	100.0	V	327.0	10.1
3990.000000	---	46.57	54.00	7.43	100.0	V	45.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch110
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7399.666667	---	37.16	54.00	16.84	100.0	H	113.0	8.3
7405.566667	42.99	---	74.00	31.01	100.0	H	113.0	8.3
10976.050000	---	37.57	54.00	16.43	100.0	H	77.0	12.2
11013.416667	46.25	---	74.00	27.75	100.0	H	0.0	12.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch110
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7399.666667	44.30	---	74.00	29.70	100.0	V	113.0	8.3
7399.666667	---	40.37	54.00	13.63	100.0	V	113.0	8.3
11073.891667	46.69	---	74.00	27.31	100.0	V	113.0	12.3
11141.741667	---	37.44	54.00	16.56	100.0	V	319.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch134
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.430556	65.09	68.20	3.11	100.0	H	337.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch134
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.337500	63.26	68.20	4.94	100.0	V	42.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch106
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.872222	---	47.94	54.00	6.06	100.0	H	188.0	13.5
5465.605556	65.16	---	68.20	3.04	100.0	H	133.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch106
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.872222	---	44.38	54.00	9.62	100.0	V	43.0	13.5
5464.294445	61.46	---	68.20	6.74	100.0	V	50.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch122
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1208.000000	42.68	---	74.00	31.32	100.0	H	281.0	1.2
1218.500000	---	32.44	54.00	21.56	100.0	H	199.0	1.4
2394.000000	---	40.57	54.00	13.43	100.0	H	211.0	7.0
2426.500000	50.37	---	74.00	23.63	100.0	H	165.0	7.3
3990.000000	53.48	---	74.00	20.52	100.0	H	235.0	10.1
3990.000000	---	46.68	54.00	7.32	100.0	H	235.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch122
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1350.500000	---	33.67	54.00	20.33	100.0	V	323.0	2.1
1381.000000	43.96	---	74.00	30.04	100.0	V	148.0	1.8
2502.000000	50.84	---	74.00	23.16	100.0	V	330.0	7.4
2527.000000	---	39.93	54.00	14.07	100.0	V	280.0	7.5
3990.000000	54.30	---	74.00	19.70	100.0	V	137.0	10.1
3990.000000	---	46.98	54.00	7.02	100.0	V	137.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch122
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11177.141667	46.51	---	74.00	27.49	100.0	H	258.0	12.5
11265.150000	---	37.33	54.00	16.67	100.0	H	282.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch122
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7479.808333	44.82	---	74.00	29.18	100.0	V	138.0	8.7
7479.808333	---	42.05	54.00	11.95	100.0	V	138.0	8.7
11076.350000	47.16	---	74.00	26.84	100.0	V	198.0	12.3
11139.775000	---	37.16	54.00	16.84	100.0	V	187.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch122
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5732.688889	61.17	68.20	7.03	100.0	H	218.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch122
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.665278	57.40	68.20	10.80	100.0	V	58.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-3 Band

EUT Information

EUT Name:	4K Wireless Conferencing System
Model:	R1C
Test Mode:	Wi-Fi 5GHz_11a_Ch149
Order No/Sample No:	168436838/A003521890-003
Test Voltage::	DC 5V
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.044445	54.97	68.20	13.23	100.0	H	339.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch149
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.111111	52.35	68.20	15.85	100.0	V	323.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.500000	43.85	---	74.00	30.15	100.0	H	338.0	1.9
1253.000000	---	32.93	54.00	21.07	100.0	H	229.0	1.9
2638.000000	51.37	---	74.00	22.63	100.0	H	223.0	7.5
2644.000000	---	40.19	54.00	13.81	100.0	H	330.0	7.6
3990.000000	53.58	---	74.00	20.42	100.0	H	216.0	10.1
3990.000000	---	47.01	54.00	6.99	100.0	H	216.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.500000	---	32.80	54.00	21.20	100.0	V	310.0	1.9
1292.000000	44.00	---	74.00	30.00	100.0	V	345.0	1.9
2515.000000	50.23	---	74.00	23.77	100.0	V	185.0	7.4
2526.000000	---	39.67	54.00	14.33	100.0	V	219.0	7.5
3990.000000	53.80	---	74.00	20.20	100.0	V	154.0	10.1
3990.000000	---	47.05	54.00	6.95	100.0	V	154.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11a_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11436.741667	47.67	---	74.00	26.33	100.0	H	275.0	13.2
11590.141667	---	37.53	54.00	16.47	100.0	H	314.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch157
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7712.858333	45.54	---	74.00	28.46	100.0	V	49.0	8.7
7713.350000	---	40.50	54.00	13.50	100.0	V	49.0	8.7
11571.950000	---	37.88	54.00	16.12	100.0	V	232.0	13.4
11655.041667	48.13	---	74.00	25.87	100.0	V	255.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch165
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5925.750000	54.95	68.20	13.25	100.0	H	343.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11a_Ch165
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5957.756945	53.87	68.20	14.33	100.0	V	0.0	14.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch149
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5636.116667	55.37	68.20	12.83	100.0	H	329.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch149
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5649.072222	52.94	68.20	15.26	100.0	V	31.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.000000	---	32.70	54.00	21.30	100.0	H	36.0	1.8
1260.000000	43.37	---	74.00	30.63	100.0	H	75.0	1.9
2546.500000	50.14	---	74.00	23.86	100.0	H	226.0	7.6
2624.500000	---	39.71	54.00	14.29	100.0	H	262.0	7.5
3990.000000	53.40	---	74.00	20.60	100.0	H	36.0	10.1
3990.500000	---	46.59	54.00	7.41	100.0	H	36.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1262.500000	---	32.64	54.00	21.36	100.0	V	93.0	1.9
1268.000000	43.32	---	74.00	30.68	100.0	V	36.0	1.9
2197.000000	---	38.49	54.00	15.51	100.0	V	269.0	6.3
2225.500000	48.35	---	74.00	25.65	100.0	V	283.0	6.4
3990.000000	55.11	---	74.00	18.89	100.0	V	44.0	10.1
3990.000000	---	47.17	54.00	6.83	100.0	V	44.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n20_Ch157
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7713.350000	---	37.57	54.00	16.43	100.0	H	229.0	8.7
7713.841667	42.68	---	74.00	31.32	100.0	H	50.0	8.7
11386.100000	47.36	---	74.00	26.64	100.0	H	0.0	12.6
11408.716667	---	38.28	54.00	15.72	100.0	H	122.0	12.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch157
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7713.350000	44.09	---	74.00	29.91	100.0	V	47.0	8.7
7713.350000	---	40.02	54.00	13.98	100.0	V	47.0	8.7
11452.966667	---	37.81	54.00	16.19	100.0	V	265.0	13.4
11556.216667	47.55	---	74.00	26.45	100.0	V	158.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch165
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5964.937500	54.48	68.20	13.72	100.0	H	341.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n20_Ch165
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.791667	54.85	68.20	13.35	100.0	V	55.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch151
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.650000	59.34	68.20	8.86	100.0	H	310.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch151
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5638.805556	54.47	68.20	13.73	100.0	V	50.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch159
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.500000	---	32.88	54.00	21.12	100.0	H	97.0	1.9
1263.000000	43.24	---	74.00	30.76	100.0	H	223.0	1.9
2354.500000	49.07	---	74.00	24.93	100.0	H	102.0	6.9
2394.000000	---	40.13	54.00	13.87	100.0	H	217.0	7.0
3990.000000	---	46.90	54.00	7.10	100.0	H	47.0	10.1
3996.000000	53.99	---	74.00	20.01	100.0	H	17.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch159
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.500000	---	32.81	54.00	21.19	100.0	V	175.0	1.9
1359.000000	44.12	---	74.00	29.88	100.0	V	2.0	2.0
2793.500000	50.61	---	74.00	23.39	100.0	V	0.0	8.0
2793.500000	---	41.07	54.00	12.93	100.0	V	0.0	8.0
3990.000000	---	44.36	54.00	9.64	100.0	V	107.0	10.1
4173.500000	53.77	---	74.00	20.23	100.0	V	211.0	10.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch159
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7726.625000	---	36.90	54.00	17.10	100.0	H	226.0	8.7
7774.808333	43.46	---	74.00	30.54	100.0	H	190.0	8.9
11765.666667	---	39.04	54.00	14.96	100.0	H	140.0	13.4
11786.316667	48.23	---	74.00	25.77	100.0	H	348.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11n40_Ch159
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7726.625000	---	38.99	54.00	15.01	100.0	V	51.0	8.7
7736.950000	43.16	---	74.00	30.84	100.0	V	218.0	8.8
11523.275000	---	38.13	54.00	15.87	100.0	V	0.0	13.6
11539.500000	47.43	---	74.00	26.57	100.0	V	14.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch159
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5973.187500	54.67	68.20	13.53	100.0	H	339.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11n40_Ch159
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5952.715278	53.34	68.20	14.86	100.0	V	47.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch155
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.000000	43.91	---	74.00	30.09	100.0	H	46.0	1.9
1280.000000	---	33.01	54.00	20.99	100.0	H	23.0	1.9
2489.500000	49.99	---	74.00	24.01	100.0	H	171.0	7.4
2494.500000	---	39.55	54.00	14.45	100.0	H	78.0	7.4
3990.000000	---	45.72	54.00	8.28	100.0	H	46.0	10.1
4023.000000	54.08	---	74.00	19.92	100.0	H	17.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch155
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1333.000000	43.37	---	74.00	30.63	100.0	V	326.0	2.1
1333.000000	---	33.83	54.00	20.17	100.0	V	326.0	2.1
2793.000000	49.78	---	74.00	24.22	100.0	V	172.0	8.0
2793.000000	---	41.51	54.00	12.49	100.0	V	172.0	8.0
3990.000000	---	45.32	54.00	8.68	100.0	V	36.0	10.1
4057.000000	53.65	---	74.00	20.35	100.0	V	24.0	10.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
 Model: R1C
 Test Mode: Wi-Fi 5GHz_11ac80_Ch155
 Order No/Sample No: 168436838/A003521890-003
 Test Voltage:: DC 5V
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7700.075000	43.08	---	74.00	30.92	100.0	H	231.0	8.7
7700.075000	---	38.87	54.00	15.13	100.0	H	231.0	8.7
11500.166667	---	37.70	54.00	16.30	100.0	H	0.0	13.7
11663.891667	47.50	---	74.00	26.50	100.0	H	26.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch155
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7699.583333	44.29	---	74.00	29.71	100.0	V	143.0	8.7
7700.075000	---	39.84	54.00	14.16	100.0	V	229.0	8.7
11363.483333	46.63	---	74.00	27.37	100.0	V	143.0	12.5
11407.241667	---	38.04	54.00	15.96	100.0	V	143.0	12.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch155
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5648.705556	60.27	68.20	7.93	100.0	H	337.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch155
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5652.066667	57.86	69.73	11.88	100.0	V	43.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch155
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5952.027778	54.77	68.20	13.43	100.0	H	213.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: Wi-Fi 5GHz_11ac80_Ch155
Order No/Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.333333	54.00	68.20	14.20	100.0	V	338.0	14.7

Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.7: Test Results of Dynamic Frequency Selection (DFS)


DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-56.88	-56.70	PASS
	5500	Type0	-57.18	-56.70	PASS
11AC80SISO	5290	Type0	-57.18	-56.70	PASS
	5530	Type0	-57.10	-56.70	PASS


11A_5260_Type0




11A_5500_Type0



11AC80SISO_5290_Type0




11AC80SISO Type0




Channel Move Time and Channel Closing Transmission Time

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5260	200+0	200+60	0	10000	PASS
	5500	200+0	200+60	0	10000	PASS
11AC80SISO	5290	200+0	200+60	0	10000	PASS
	5530	200+0	200+60	0	10000	PASS


11A_5260




11A_5500



11AC80SISO_5290






11AC80SISO_5530




Non-Occupancy Period

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11A	5260	see test graph	≥1800	PASS
	5500	see test graph	≥1800	PASS
11AC80SISO	5290	see test graph	≥1800	PASS
	5530	see test graph	≥1800	PASS

11A_5260**Non-Occupancy Period****11A_5500****Non-Occupancy Period****11AC80SISO_5290**





11AC80SISO 5530



Appendix A.8: Test Results of Conducted Emission

EUT Information

EUT Name: 4K Wireless Conferencing System
Model: R1C
Test Mode: B
Order No./Sample No: 168436838/A003521890-003
Test Voltage:: DC 5V from the AC/DC Adapter
Remark: Temp 22; Humi:55%; 101 kPa.
Test Standard: FCC 15.207
Tested By: Jason Wu
Reviewed By: Jaky Chen
Test Graph:



Average (11)

Frequency (MHz)	SR	Meas.Avg (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time	Comments	Correction (dB)
0.15315	1	33.82	55.86	-22.04	Neutral	9k	1000	Pass	9.83
1.84705	1	23.24	46.00	-22.76	Neutral	9k	1000	Pass	9.98
4.65825	1	29.44	46.00	-16.56	Neutral	9k	1000	Pass	10.08
6.275	1	35.06	50.00	-14.94	Neutral	9k	1000	Pass	10.29
13.1798	1	30.26	50.00	-19.74	Neutral	9k	1000	Pass	10.54
0.1536	2	35.83	55.86	-20.04	Phase 1	9k	1000	Pass	9.85
0.52565	2	32.99	46.00	-13.01	Phase 1	9k	1000	Pass	9.91
1.709	2	27.20	46.00	-18.80	Phase 1	9k	1000	Pass	9.98
4.4331	2	28.15	46.00	-17.85	Phase 1	9k	1000	Pass	10.11
6.1436	2	34.24	50.00	-15.76	Phase 1	9k	1000	Pass	10.24
13.2028	2	30.20	50.00	-19.80	Phase 1	9k	1000	Pass	10.48

QuasiPeak (11)

Frequency (MHz)	SR	Meas.Q-Peak (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time	Comments	Correction (dB)
0.15315	1	46.61	65.86	-19.25	Neutral	9k	1000	Pass	9.83
1.84705	1	32.35	56.00	-23.65	Neutral	9k	1000	Pass	9.98
4.65825	1	40.16	56.00	-15.84	Neutral	9k	1000	Pass	10.08
6.275	1	40.98	60.00	-19.02	Neutral	9k	1000	Pass	10.29
13.1798	1	33.89	60.00	-26.11	Neutral	9k	1000	Pass	10.54
0.1536	2	49.27	65.86	-16.59	Phase 1	9k	1000	Pass	9.85
0.52565	2	41.09	56.00	-14.91	Phase 1	9k	1000	Pass	9.91
1.709	2	35.11	56.00	-20.89	Phase 1	9k	1000	Pass	9.98
4.4331	2	40.55	56.00	-15.45	Phase 1	9k	1000	Pass	10.11
6.1436	2	40.26	60.00	-19.74	Phase 1	9k	1000	Pass	10.24
13.2028	2	33.91	60.00	-26.09	Phase 1	9k	1000	Pass	10.48

Start Frequency	Stop Frequency	Frequency step	RBW	Sweep Time	Position
150kHz	30MHz	2.25kHz	9kHz	10 ms	Neutral
150kHz	30MHz	2.25kHz	9kHz	10 ms	Phase 1